

UNDER POSTING OF CERTIFICATE



Offi : 2259571, 2259582-84

Fax : 0261-2228394

Grams : SVNIT

**SARDAR VALLABHBHAI NATIONAL INSTITUTE OF
TECHNOLOGY, SURAT-395 007.**

No. CS/Estate/14/ 110 /2018-2019

Date : 25/10/2018

REMINDER - 1

To,

SUB :- ENQUIRY FOR SUPPLY OF - Sand

Dear Sir,

You are requested to quote your prices for supply of stores listed overleaf. The quotations may be sent to the undersigned in a sealed envelop and subscribed as: "Quotation with reference to Enquiry No. CS/Estate/14/ /2018-2019-No. dtd: 25/10/2018. Your quotation should reach the undersigned on or before **16 NOV 2018**

The quotations should be furnished with the following information.

- 1) The brand or make of each item should be specifically stated and wherever necessary, Complete set of specifications and dimensions should be given.
- 2) If asked, samples are to be provided with the quotations
- 3) Tax, Custom duty, Insurance charges, Packing and Forwarding charges, if not included in the prices quoted, should be clearly specified.
- 4) The period of validity of the quotation should be at least 45 Days. Offers subject to prior sale may please be avoided.
- 5) The delivery period is to be clearly mentioned in the quotation.
- 6) The mode of delivery of the stores may be mentioned. The delivery should be F.O.R. Surat or at the Institute.
- 7) All concessions available to an educational institution should be specified and also taken into account while quoting.
- 8) This Institute is registered with the Dept. of Scientific & Industrial Research (DSIR) for the purpose of availing Tax Exemption/Custom Duty Exemption, and hence the certificate to this effect will be issued wherever it is necessary on demand.
- 9) Payment is normally made by cheque drawn on the S.V.N.I.T. Branch Office of State Bank of India, Surat-395007 within a period of thirty days from the date of receipt of stores.
- 10) The Director reserves the right to accept stores, which are not strictly in confirming with the specifications but otherwise found suitable.

Yours faithfully,

Devendra A. ...
For DIRECTOR

Sr. No	Name of the Items	Quantity	Whether sample is to be sent or not																																
1	<p>6.2. Coarse Sand :</p> <p>The fineness modulus of coarse sand shall not be less than 2.5 and shall not exceed 3.0. The sieve analysis of coarse sand shall be as under :</p> <table border="1" data-bbox="178 539 1257 725"> <thead> <tr> <th><i>I.S. Sieve Designation</i></th> <th><i>Percentage by weight passing sieve</i></th> <th><i>I.S. Sieve Designation</i></th> <th><i>Percentage by weight passing sieve</i></th> </tr> </thead> <tbody> <tr> <td>4.75 mm</td> <td>100</td> <td>600 Micron</td> <td>30-100</td> </tr> <tr> <td>2.36 mm</td> <td>90 to 100</td> <td>300 Micron</td> <td>5-70</td> </tr> <tr> <td>1.18 mm</td> <td>70-100</td> <td>150 Micron</td> <td>0-50</td> </tr> </tbody> </table> <p>6.3. Fine Sand :</p> <p>The fineness modulus shall not exceed 1.0. The sieve analysis of fine sand shall be as under :</p> <table border="1" data-bbox="178 792 1257 978"> <thead> <tr> <th><i>I.S. Sieve Designation</i></th> <th><i>Percentage by weight passing through</i></th> <th><i>I.S. Sieve Designation</i></th> <th><i>Percentage by weight passing through</i></th> </tr> </thead> <tbody> <tr> <td>4.75 mm</td> <td>100</td> <td>600 Micron</td> <td>40-85</td> </tr> <tr> <td>2.36 mm</td> <td>100</td> <td>300 Micron</td> <td>5-50</td> </tr> <tr> <td>1.18 mm</td> <td>75-100</td> <td>150 Micron</td> <td>0-10</td> </tr> </tbody> </table> <p>M-6 Sand</p> <p>6.1. Sand shall be natural sand, clean, well graded, hard strong, durable and gritty particles free from injurious amounts of dust, clay, kankar nodules, soft or flaky particles shale, alkali, salts organic matter, loam, mica or other deleterious substances and shall be got approved from the Engineer-in-charge. The sand shall not contain more than 8 per cent of silt as determined by field test. If necessary the sand shall be washed to make it clean.</p> <p style="text-align: right; font-size: 1.2em;">SA 7/18/19/18</p>	<i>I.S. Sieve Designation</i>	<i>Percentage by weight passing sieve</i>	<i>I.S. Sieve Designation</i>	<i>Percentage by weight passing sieve</i>	4.75 mm	100	600 Micron	30-100	2.36 mm	90 to 100	300 Micron	5-70	1.18 mm	70-100	150 Micron	0-50	<i>I.S. Sieve Designation</i>	<i>Percentage by weight passing through</i>	<i>I.S. Sieve Designation</i>	<i>Percentage by weight passing through</i>	4.75 mm	100	600 Micron	40-85	2.36 mm	100	300 Micron	5-50	1.18 mm	75-100	150 Micron	0-10	02 Trucks	
<i>I.S. Sieve Designation</i>	<i>Percentage by weight passing sieve</i>	<i>I.S. Sieve Designation</i>	<i>Percentage by weight passing sieve</i>																																
4.75 mm	100	600 Micron	30-100																																
2.36 mm	90 to 100	300 Micron	5-70																																
1.18 mm	70-100	150 Micron	0-50																																
<i>I.S. Sieve Designation</i>	<i>Percentage by weight passing through</i>	<i>I.S. Sieve Designation</i>	<i>Percentage by weight passing through</i>																																
4.75 mm	100	600 Micron	40-85																																
2.36 mm	100	300 Micron	5-50																																
1.18 mm	75-100	150 Micron	0-10																																