

सरदार वल्लभभाईराष्ट्रीय प्रौधोगिकी संस्थान, सूरत SARDAR VALLABHBHAI NATIONAL INSTITUTE OF TECHNOLOGY, SURAT विधुत इंजीनियरिंगविभाग DEPARTMENT OF ELECTRICAL ENGINEERING

SVNIT

Date: 09/10/2023

No. DoEE/ DDF /HV Tester/ 1586 / 2023-24

To,

Sub: Enquiry for Supply of HV Tester (High Voltage Tester).

Dear Sir,

You are requested to quote your prices for supply of stores listed overleaf. The quotations may be sent to the undersigned in a sealed envelope and subscribed as: "Quotation with reference to Enquiry No. DoEE/DDF /HV Tester/ 15 %6 /2023-24, dated: 09/10/2023" Your quotation should reach the undersigned on or before 27 /10/2023 at 5:00 PM.

The quotations should be furnished with the following information.

- 1. The <u>brand or make of each item should be specifically</u> stated and wherever Necessary, Complete set of specifications and dimensions should be given.
- 2. If asked, samples are accompanying the quotations or provide demonstration in the Department at any stage of purchase without claiming any financial benefits.
- 3. <u>Sales tax, General tax, Central Sales tax, Custom duty, Insurance charges, Packing and Forwarding charges, if not included in the prices quoted, should be clearly specified.</u>
- 4. The period of validity of the quotation should be at least **90 Days or more**. Offers subject to prior sale may please be avoided.
- 5. The delivery period is to be clearly mentioned in the quotation.
- 6. The mode of delivery of the stores may be mentioned. The delivery should be F.O.R. Surat or at the Institute.
- 7. All concessions available to an educational institution should be specified and also taken into account while quoting.
- 8. This Institute is located within the limits of S.M.C. & exempted from the paying of Octroi duty on incoming goods from outside limits of S.M.C.

- Payment is normally made by Account pay/cheque/PFMS on the S.V.N.I.T. Branch Office of State
 Bank of India, Surat-395007 after satisfactory installation, successful testing in department and
 official procedure from account section with Institute terms and conditions. If case of any official
 delay, any type of claimed extra payment will not be considered.
- 10. Your Specification & terms-conditions should be as per the format attached, must be on your company letterhead & signed by an authorized person.
- 11. Offered quotation may be rejected if any ambiguity is found in offered specification, terms & conditions supplied by party in specified tabular format.
- 12. Preference may be given to the supplier having status of authorized dealer of manufacturer, with a view to ensure reliable after sales service for the item.
- 13. Provide Photograph of quoted items with specifications and list of purchase order given by any agency/institute etc. with contact Number.
- 14. Finally, Items will be accepted after satisfactory performance in our laboratory according to our requirement.
- 15. The Director reserves the right to accept stores, which are not strictly in confirming with the specifications but otherwise, found suitable.
- 16. The Head of Department /Director reserves the right to stop the purchase process at any stage.
- 17. An enquiry may send in the following address.

To

The Director,

(kind attention, Head Electrical Engineering Department),

Sardar Vallabhbhai National Institute of Technology (SVNIT), Dumas road, Ichhchnath,

Surat-395007 (Gujarat)

Ph 0261-2201561, 2201572 (office, DoEE)

Dr. H.R.Jariwala

Coordinator, Testing Lab

Asso. Professor., DoEE

Yours faithfully,

Head, DoEE

Price List

Sr. No.	Description	Specifications	Qty.	Unit cost including all charges (in Rs.) without GST	Total cost (in Rs.) with GST
1.	HV tester (High Voltage Tester)	Type- Portable Type (Table Top) Input = 230 Volts Output = 0 to 50 kV, A.C. (Phase to Earth) With Manually Operated Dimmer with Zero Start Switch Digital kV Meter, Mili Amp Meter & Timer Tripping Current = 25 - 50 - 75 - 100 mAmp Supply with 1.5 Meter HT Cable with Crocodile Clip suitable for cable testing. Annexure-A for Complete/Detail specifications	1 Unit		
1		Total (in	Rs.)		

Note:

- 1. Quote item cost/price including all type of charges and GST as separately.
- 2. If required, please add extra pages with quotation and for details related to specification see attached annexure.
- 3. Attached Photograph of above items (if possible)
- 4. Quotation will not be considered for further process without Compliance Report in form of ANNEXURE-B.

Terms & Conditions

Percentage of GST	
Delivery Period	
Validity of the quotation	
Warranty/Guarantee	
Make and model for each items	
Other Terms & conditions	
Submission of Compliance Report in ANNEXURE-B	Yes/ No
	Delivery Period Validity of the quotation Warranty/Guarantee Make and model for each items Other Terms & conditions

6.	Other Terms & conditions	
_† 7.	Submission of Compliance Report in ANNEXURE-B	Yes/ No

Date:

Signature and stamp of agency

ANNEXURE-A Complete Specification/Details

Sr No.	Details Specifications for HV Tester			
1	Type- Portable Type (Table Top)			
2	Input = 230 Volts			
3	Output = 0 to 50 kV, A.C. (Phase to Earth)			
4	With Manually Operated Dimmer with Zero Start Switch , Digital kV Meter , Mili Amp Meter & Timer			
5	Tripping Current = 25 - 50 - 75 - 100 mAmp			
6	Supply with 1.5 Meter HT Cable with Crocodile Clip suitable for Cabin Testing			



Place:

Date:

ANNEXURE-B

Compliance Report submitted by Agency

Name of Items	Required specifications: HV Tester	Estimated value according to standard/ attached Documents	Compliance Yes/No
HV Tester	Type- Portable Type (Table Top)		
	Input = 230 Volts		
	Output = 0 to 50 kV, A.C. (Phase to Earth)		1
	With Manually Operated Dimmer with Zero Start Switch ,Digital kV Meter , Mili Amp Meter & Timer		
	Tripping Current = 25 - 50 - 75 - 100 mAmp		
	Supply with 1.5 Meter HT Cable with Crocodile Clip suitable for cable testing		
	The Instrument should have accompanied with test and calibration certificate. All measurement standards are traceable to NABL accredited labs		
	Warranty 1 year		

1-03				
	-	-	-	۰
P	d	L	e	

Date:

Signature and stamp of agency with contact details

