

SR. NO.	TITLE OF THE CONSULTANCY ASSIGNMENT	NAME OF THE FIRM SOLICITING CONSULTANCY FROM SVNIT	TOTAL AMOUNT	NAME OF FACULTY
1	Proof checking of structural design and drawings of proposed widening of Montamava Bridge of 8.3 mt width	Goma Engineering and Consultancy, Ahmedabad Email: gomaconsultancy@gmail.com Phone No. 76000 04285	1,00,000	Dr. A K Desai
2	Structural proof checking of Typical design and drawing of Zinalume Tank various capacity in Rural Water Supply Projects Dist Sambhal & Rampur	Manifold Communication India LLP, Jammu Email: contact@manifoldcommunication.com Phone No. 8715821302	1,80,000	Dr. A K Desai
3	Proof checking of design and drawing for the construction, development and beautification of OMERGA Nalla, At. TQ OMERGA, Dist. Osmanabad	Unison Project Management Email: mailrushikesh034@gmail.com	1,00,000	Dr. G R Vesmawala Dr. Y D Patil
4	Proof checking of design and drawing for the works under CWE No. 2, Delhi Cantt. CWE No. 2 Secunderabad & GE Umroi	Hierarchy Structures, Kolhapur Email: hierarchystructures@gmail.com Phone No. 9764060090	70,000	Dr. G R Vesmawala Dr. Y D Patil
5	Proof checking of design and drawing for work of construction of RCC elevated service reservoir ESR-55 (for BRC Area) of 13.50 lacs litres capacity 12m staging height at F.P. No. 156, Opp. Unique Laboratory, Nr. Udhna Sangh under 24x7 Water Supply Scheme in South (Udhna) Zone-A, Surat	Hydraulic Department, Surat Municipal Corporation, Surat Email: exen.hydraulic@suratmunicipal.org Phone No. 0261 2329504 (ext. 301)	52,127	Dr. S A Vasanwala
6	Mix design of GSB-I and WMM for the work of lying new DI Eater supply line from main gate to pump house and repairing / recarpeting of existing selected campus road in SVNIT, Surat	Vallabh Corporation, Ahmedabad (Client through Central Public Works Department, Surat) Email: vallabhccorporation19@gmail.com Phone No. +91 9662509927	60,000	Shri A J Solanki
7	Structural proof checking of Typical design and drawing of Zinalume Tank various capacity with staging height 10 m to 18 m at Jampur, UP	Manifold Communication India LLP, Jammu Email: contact@manifoldcommunication.com Phone No. 8715821302	1,00,000	Dr. A K Desai
8	Consultancy services for crust design of strengthing work of existing ring road 01 from Bedi Junction to Maliyasan Junction (NH-27)	Rajkot Urban Development Authority, Rajkot Email: rajurbandev@yahoo.com Phone No. 0281-244810	9,70,000	Dr. Ashish Dhamaniya Dr. Satyajit Patel Shri A J Shah
9	Proof checking of design and drawing of Major bridges in the project "NIMACH RATLAM Doubling Project, Package 2" in Madhya Pradesh	CASAD Consultants Pvt Ltd, Ahmedabad Email: mail@casadconsultants.com Phone No. 079 48976205	1,25,000	Dr. A K Desai
10	Proof checking of		1,25,000	Dr. A K Desai
11	Proof checking work of construction of two lane (ROB) railway over bridge in lieu of LC No. 172 at railway km 1074/02-04 at Kota-Mathura section in Narayanpura Tatwara-Nimoda railway station on Delhi-Mumbai railway line in Rajasthan	Strength Engineering Services Pvt Ltd, Jaipur Email: strength@strengthengineeirng.in Phone No. 94601 37902	1,50,000	Dr. G R Vesmawala Dr. Y D Patil
12	Proof checking of structural design and drawing for provision of Hangar with Apron link taxi track and earth filling at Juhu, Mumbai	UBC Engineers Pvt Ltd, Navi Mumbai Phone No. 022 2757 3870/80 Email: hod@ubcepi.co.in	4,50,000	Dr. G R Vesmawala Dr. Y D Patil
13	Proof checking of detailed design and drawing for the construction of two lane with paved shoulder for footpath Bypass Mandawa Bypass & Jhunjhunu Bypass of NH-11 on EPC mode in the state of Rajasthan	Thoughts Consultants Jaipur Pvt Ltd, Jaipur Email: thoughts.jaipur@gamil.com Phone No. 91 1412653232	5,00,000	Dr. Y D Patil Dr. G R Vesmawala

14	Structural condition assessment for the building of Suhas Apartment, Muktanand Nagar, Sardar Bridge Circle, Adajan, Surat	Secretary, Suhas Apartment, Muktanand Nagar, Sardar Bridge Circle, Adajan, Surat	80,000	Dr. A K Desai
15	Structural condition assessment of Old Building (Block D1, NFI Colone, Quarters, & E1 - Navin Flourine Quarters) of Radheshyam Corporation, Bhestan, Surat	Radheshyam Corporation, Bhestan, Surat (M) 9825220919	2,00,000	Dr. A K Desai
16	Vetting of design and drawings of RE wall of two lane over bridge on the Kotwali road from Kohadapir to Qutubkhana in the Bareilly District of Uttar Pradesh	ANV Design Associates, Haryana Email: design.anv22@gmail.com Phone No. +91 870072225	50,000	Dr. J B Patel
17	Structural inspection and condition assessment of old building (Juni chal) of Shree Surti Modh Samast Panch, Limda Chowk, Surat	Shree Surat Modh Vanik Samast Panch, Surat Phone No. 93752 50525	65,000	Dr. A K Desai
18	Structural proof checking of elevated storage reservoir and U.G. Sump(1) 2 No. of ESR at Gandhinagar (2) 2 No. of U G Sump at Gandhinagar	P. Das Infrastructure Private Limited, Ahmedabad Email: info@pdasinfra.com Phone No. 9925163598	50,000	Dr. A K Desai
19	Proof checking of 4 different storage tanks (HSD Tanks, MS Tanks, WT Tank)	TakViksh Engineering Pvt Ltd, Vadodara Email: info@takviksh.com Phone No. 7211163330	50,000	Dr. Y D Patil Dr. G R Vesmawala
20	Structural Proof checking of RCC building for MES, Pathankot	B J Mehta Architectural and Structural Consultants Pvt Ltd, Mumbai Email: bjmehtaassociates1989@yahoo.co.in Phone No. 022 28660636	30,000	Dr. A K Desai
21	Proof checking of structural design and drawing of box type culvert on existing Khadi from Rukshmani Society to Vidyakunj Madhav Bunglows under Avdhut Mission Storm Water Drawing in Navsari Vijalpore Municipal Area	Chief Officer, Navsari-Vijalpore Municipal Corporation, Nagar Seva Sadan, Sardar Patel Bhavan, Dudhiya Talao, Navsari 396445 Email: np-navsari@yahoo.co.in Phone No. 84606 00920	5,00,000	Dr. G R Vesmawala Dr. Y D Patil
22	Condition assessment of fire damage building at Dabhel, Nani Daman, Daman of Rawalwasa Yarn Dyeing Pvt Ltd, Daman	Rawalwasa Yarn Dyeing Pvt Ltd, Surat Phone No. 0261 3504200	2,00,000	Dr. A K Desai
23	Structural condition assessment of Girls Hostel Building, Boys Hostel Building, and Shops in Utility Building in VNSGU Campus	Veer Narmad South Gujarat University, Surat Email: info@vnsgu.ac.in Phone No. 0261 2227141 - 2227146	3,50,000	Dr. A K Desai Dr. B Kondraivendhan
24	Structural condition assessment of commercial building at Kabir Chambers, Surat	Kabir Chambers, T.P. Scheme No. 4 (Ashwanikumar Nava Gaam), A K Road, Surat	60,000	Dr. A M Parghi
25	Technical advice on ROB/VUP retaining wall issue at CH. Km. 187.008 & KM 198.130 of NH-51 Una Kodinar Section	Manager (Tech), Project Director, National Highway Authority of India, Project Implementation Unit, Somnath, Phone No. 02876 241124 Email: piusomnath@nhai.org	1,00,000	Dr. A K Desai
26	Technical advice on ROB RE Wall / Retaining wall issue at Ch. 2 + 800 of NH-151 Jetpur Somnath Section	Manager (Tech), Project Director, National Highway Authority of India, Project Implementation Unit, Somnath, Phone No. 02876 241124 Email: piusomnath@nhai.org	1,25,000	Dr. A K Desai
27	Technical advice on various structure of NH-51 Kadvadar-Una section	Manager (Tech), Project Director, National Highway Authority of India, Project Implementation Unit, Somnath, Phone No. 02876 241124 Email: piusomnath@nhai.org	1,95,000	Dr. A K Desai

28	Proof checking of design and drawing of work under Godara Infratech Pvt Ltd, CE R & D Delhi (1) Officer building at Uttarlai Building (2) Provn of 5000 GLNS RCC Over Head Tank against Unserviceable Over head tank and deficient storage capacity at IRDE Dehradun under GE (1) R & D Dehradun (3) Construction of new G+1 workshop	Geo Designs & Research (P) Ltd, Vadodara Email: info@geogroup.in (M) 93752 02525 / 0265 229022	70,000	Dr. G R Vesmawala Dr. Y D Patil
29	Consultancy of structural stability of Pier at Grid B at Althan Tenament location CS-01 stretch of Surat Metro Rail Project in accordance with applicable code and standard (including providing final report and required verification)	Patel Infrastructure Ltd, Vadodara Email: ho@patelinfra.com Phone No. 0265 277006678	1,30,000	Dr. A K Desai
30	Proof checking services of structural design and drawing for the constructions of foundation for suspension, termination and tension Ple for 66 kv line for providng power sppuly of IOCL, Kandala	Devangi Power Private Limited, Surat Email: admin@devangipower.com Phone No. 9725661325	40,000	Dr. A K Desai
31	Proof checking of structural design and drawing of intermediat and End cross girder of 50 m c/c of bearing standard RDSO bow string enigneer	Vishunu Prasad Pungaliya, Punglia Ltd, Jodhpur Email: sanjay@vprp. Com Phone No. 0291 233496	2,00,000	Dr. A K Desai
32	Proof checking work for construction of two lane (ROB) Railway Over bridge, and approach in leium of LC No. 161 at railway Km No. 1047/02 - 04 between RNT-MXL railway station in the section of Delhi - Mumbai in Rajsthan	Strength Engineering Services Pvt Ltd, Jaipur Email: strength@strengthengineeirng.in Phone No. 94601 37902	1,50,000	Dr. G R Vesmawala Dr. Y D Patil
33	Structural condition assessment of existing damaged common pull staff quarters campus and project adminstrator's office campus, Songadh	Dy. Executive Engineer, Vyara (R&B) Sub division, Vyara Email: deputy_rnb@yahoo.in Phone No. 02626-220049	6,88,000	Dr. A M Parghi
34	Evaluation of surplus and deficit river basins based on surface water and ground water availability, water utilization of Gujarat state	Central Designs Organization Email: se-cdo-wr@gujarat.gov.in Phone No. (079) 23253486, 23253497	1,70,00,000	Dr. P L Patel Dr. P V Timbadiya
35	Proof checking of design and drawing of ROB at Ch. 15+739 for the development of six lane access control greenfield highway of Delhi Saharanpur-Dehradun economic corridor under Bharatmala pariyojana from Junction of PE (Vill-Mavikalan) design change 0+000 to design Chainage 27+000 (Vill-lohadda) in the state of Utar Pradesh on EPC Mode (Package-1)	Rajshyama Construction Pvt Ltd, Ghaziabad Phone No. 0120-2825657 Email: sourabh@accreteconsultants.com	2,00,000	Dr. Y D Patil Dr. G R Vesmawala
36	Proof checking of Erection Scheme and Temporary support for installation of launching Girder for the project of C-7 Package - Design and construction of Civil and Building works between MAHSR km 489.467 and MAHSR km 507.599 in the state of Gujarat for the project for construction of Mumbai-Ahmedabad High Speed Rail	Dineshchandra R Agrawal Infracon Pvt Ltd, Ahmedabad Email: drainfra@gmail.com Phone No. 079 30005789	60,000	Dr. A K Desai
37	Structural proof checking of bridge structure, ancillary structure, and upgradation of road (1) Samarvani upto Rakholi Bridge (Ch 14+500 to Ch 19+570 of Silvassa (2) Dadra to Tighra (Ch 04+800 to Ch 07+320 (3) Khanvel to Kherdi upto Border Road (Ch 0+00 to Ch 7+238) (4) Athal Junction to Luhari Junction (Ch 0+00 to Ch 2+000 and Luhari Junction to Kanadi Junction (Ch. 2+000 to Ch 5+100 (5) Naroli Junction to Kanadi Junction to Anklas Border (Ch0+000 to Ch 03+730)	RKC Infrabuilt Pvt Ltd, Ahmedabad Email: info@rkc.co.in Phone No. 079 47544000	4,00,000	Dr. A K Desai
38	Proof checking for detailed design and drawing of viaduct portion of proposed ROB at LC 38 in Baran City, under Kota Division	Thoughts Consultants Jaipur Pvt Ltd, Jaipur Email: thoughts.jaipur@gmail.com Phone No. +91 141 2653232	50,000	Dr. Y D Patil Dr. G R Vesmawala

39	Proof checking of detailed design and drawings of 4 lane bridge in place of existing bridge across river Ayad and Hiran Magri sector 3 to Madri Industrial area in Udaipur city	Thoughts Consultants Jaipur Pvt Ltd, Jaipur Email: thoughts.jaipur@gmail.com Phone No. +91 141 2653232	50,000	Dr. Y D Patil Dr. G R Vesmawala
40	Structural proof checking of ESR staging design of different capacity with different staging height at UP (100 KL, 125 KL, 150 KL, 175 KL, 200 KL, 225 KL, 250 KL, 275 KL, 325 KL, 350 KL, 375 KL)	B N K Associates, Surat (Payment by Hetvi Construction LLP) Email: bnkassociates@gmail.com Phone No. 0261 2730300	2,28,000	Dr. A K Desai
41	Review of Geotechnical Investigation report for the work of proposed construction of two balancing tanks near Yeola, Dist. Nashik, having 16 boreholes per tank (depth 10 m of each borehole)	Geo Enviro Vision, Maharashtra Email: geoenvirovision@gmail.com Phone No. +91 9860315942 / 9766123983	60,000	Dr. Satyajit Patel
42	Mix design of DBM and BC for the work of laying new DI Eater supply line from main gate to pump house and repairing / Re-carpeting of existing selected campus road in SVNIT, Surat	Vallabh Corporation, Ahmedabad (Client through Central Public Works Department, Surat) Email: vallabhccorporation19@gmail.com Phone No. +91 9662509927	1,00,000	Shri A J Solanki
43	Structural condition assessment of Staff Quarters Building at Athwalines, Surat (1) Block-A (2) Block-B & C (3) Block D & E (4) Block F & G (5) Block H & I (6) Block J & K (7) Block M & N	Executive Engineer, surat (R&B) Division No. 1, Surat Phone No. 0261-2464162	8,05,000	Dr. S R Suryawanshi
44	Proof checking of design and drawing for the renovation of Nagar Prathmik Kanya Shala No. 1, Near Sayaji Library, under Navsari Vijalpore Nagar Palika, Navsari	Chief Officer, Navsari Vijalpore Municipal Corporation, Nagar Seva Sadan, Sardar Patel Bhavan, Dudhiya Talao, Navsari-396445 Email: np_navsari@yahoo.com Phone No. 84606 00920	1,60,000	Dr. Y D Patil Dr. G R Vesmawala
45	Proof checking of structural design and drawing of RCC/MS structure for four G.M.P. Project at Dyna Glycols Pvt Ltd, Plot no. 268/B, 269/B, 270/A and 271 sector Kandla Special Economic Zone, Gandhidham,	Dyna Glycols Pvt Ltd, Gandhidham, Kutch Phone No. 02836 253086 / 253087 Email: plantaadmin@dynaglycols.com	1,50,000	Dr. G R Vesmawala Dr. Y D Patil
46	Condition assessment of (1) Office Building, Takarama (2) Takarama Staff Quarters (3) Karanaj Pump House - 2 Nos. (4) RCC ESR, Ambheta (5) U.G. Sump. Ambheta (6) Staff Quarters, Ambheta and (7) Staff Quarters, Dihen	Dy. Executive Engineer, Public Health Sanitary Sub Division, Gujarat Water Supply and Sewerage Board, Bhatgam, Olpad, Dist. Surat Phone No. 02621 221250 Email: deeolpad@gmail.com	2,60,000	Dr. B Kondraivendhan Dr. C D Modhera
47	Proof checking of design and drawings of ROB including bearing at Ch. 85 + 966 for the project development of six lane access controlled highway from Adhoya Musalmana (Ambala) to Sadopur (Ambala) from Ch. 84+400 to 12+786 of Shamli-Ambala section (NH 344 GM) of Bareilly-Ludhiana Economic Corridor on EPC mode	Montecarlo Limited, Montecarlo House, Sindhu Bhavan, Bodakdev, Ahmedabad-380058 Email: sudhanshu.kumar@mcindia.com Phone No. 79 264098333/777	75,000	Dr. Y D Patil Dr. G R Vesmawala
48	Proof checking of structural design / drawings for construction of Town Hall in Hanumangarh Municipality, Rajasthan Area	JAG Designers Pvt Ltd, Ahmedabad Email: info@jayambedesigners.com Phone No. 9879560639	30,000	Dr. A K Desai
49	Structural assessment of Dwarka Post Office (P.O.) and Dwarka Staff Quarters	Executive Engineer ( C ) Postal Civil Division, Rajkot, Ministry of Communication and Information Technology, Department of Posts (Civil Wing), Postal Civil Division, HPO Building, Rajkot Email: eepcdm@yahoo.com	2,00,000	Dr. Y D Patil Dr. G R Vesmawala

50	Proof checking of 2x4 & 2x3 Solar Module mounting structures with 0-40 degrees title to be used in SWSM UP Project.	PANACEAARC, Vadodara Phone No. 8980377999 Email: info@panaceaarc.com	30,000	Dr. Y D Patil Dr. G R Vesmawala
51	Checking the structural stability of Morarji Shopping Centre at Vapi	Chief Officer, Vapi Municipality, Vapi Nagar Palika, Vapi Email: vapimun@yahoo.com Phone No. 0260 2463378	1,25,000	Dr. A K Desai
52	Proof check of 8x2 Solar Module mounting structures with 15 degrees title to be used at Surat Airport, Surat	PANACEAARC, Vadodara Phone No. 8980377999 Email: info@panaceaarc.com	30,000	Dr. Y D Patil Dr. G R Vesmawala
53	Proof checking for retaining wall (Boundary Wall) to Laxmibai Nagar Project of Ujjain-Indore of Western Railway	Krishna Build, Surat Phone No. 9979597221 Email: krishnabuild03@gmail.com	25,000	Dr. A M Parghi
54	Vetting/Proof checking consultancy services of the structural design and drawing for the construction of refrigeration plant +2 floor underground water tank	Techno Park Software Services Pvt Ltd, Mumbai Phone No. 9322315100 Email: info@shreejidestiny.com	50,000	Dr. A M Parghi
55	Mix design of BM and SDBC for the work of construction of new roads at Ukai Dam Campus, Ta. Songadh, Dist. Tapi	Royal Infra Engineering Private Limited, Surat (Client through Dy. Exe. Engg. Ukai Sub Division No. A/4) (Payment is made by Jay Shree New Chamunda Construction Co.) Email: royaliepl@gmail.com Phone No. +91 261 2633006	1,00,000	Shri A J Solanki
56	Proof checking of structural design and drawing for the work of extension of R.C.C. Box culvert Mahavir Soceity, Bhestan Tran Rasta in T.P. Scheme No. 48 (Bhestan) in South Zone-A (Udhna), Surat	Executive Engineer, South Zone-A (Udhna), Surat Municipal Corporation, Surat Phone No. 0261 2278429	45,693	Dr. S A Vasanwala
57	Proof checking of structural design and drawing for 4 Nos. of hoarding of 20'x10' at Vapi Railway Station	Kartik Advertising, Mumbai	60,000	Dr. A J Shah
58	Structural condition assessment of residential building block B1 & B2 of Sanskrut Parivar B-1, B-2, Co-operative Housing Services Society Ltd, Piplod, Surat	Sanskrut Parivar B-1, B-2, Co-operative Housing Services Society Ltd, Piplod, Surat Phone No. 9426864393	1,00,000	Dr. A K Desai
59	Structural condition assessment of record room in old VC Building of Navari Agriculture University, Navsari	Executive Engineer, Navsari Agriculture University, Navsari Email: ee@nau.in	5,000	Dr. B Kondraivendhan Dr. C H Solanki
60	Structural condition assessment of concrete road (PQC) at Parbhani to Gangakhed section of Mh-572 from existing change from km 46.620 to km 82.505 kof NH 752K (Design Ch. 0+000 to 35+885) to two lane with paved shoulder in the State of Maharashtra on EPC Mode	Sarjan Infracon Private Limited, Ahmedabad Email: info@sarjaninfra.com Phone No. 9099042123	1,40,000	Dr. A K Desai
61	Structural condition assessment of existing building of ONGC Makerpura, Baroda	Darshana Buildcon, Vadodara Email: darshanbuildcon1304@gmail.com Phone No. 9825075250	60,000	Dr. A K Desai
62	The study on suitable location of Intermediate Booster Pumping Station for existing Ankleshwar & Panoli Effluent Disposal Line from 40 MLD to 60 MLD 800 mm dia. GRP Pipe 42 KM.	Narmada Clean Tech, Bharuch Email: info@nctc.co.in Phone No. 8469745285	10,10,000	Dr. P.V.Timbadiya
63	Validation of Offshore 750 mm dia. CS pipeline Carrying Capacity as per GPCB letter dated: 14/11/2022 to obtain CTE to increase the capacity of pipeline from 75 to 105 MLD	Narmada Clean Tech, Bharuch Email: info@nctc.co.in Phone No. 8469745285	9,90,000	Dr. P.V.Timbadiya

64	Proof Checking for detailed design and drawing of construction of elevated road at maharan prtap circle. Bundi Road, Kunhadi, Kota (Rajasthan)	Thoughts Consultants Jaipur PVT.LTD., Jaipur(Payment by Shree Karni Traders, Bikaner) Email: thoughts.jaipur@gmail.com Phone No. 91-1412653232	2,00,000	Dr. Y D Patil Dr. G R Vesmawala
65	Carrying out design for soil improvement for construction of 4700 KLEFR MS Tank at Hazira Depot.	Bharat Petroleum Corporation Limited, Hazira Email: punitktekriwal@bharatpetroleum.in Phone No. +919713092799	2,00,000	Dr. Jignesh B. Patel Dr. Jitesh T. Chavda
66	Detailed visual inspection and condition assessment of canopy bridge near khamnath mahadev mandir at khambhalia	Chief Officer, Khambhalia Municipality, Jhamkhambhaliya Email: np_khambhaliya@yahoo.co.in Phone No. 9978982192	3,00,000	Dr. A. J. Shah Dr. S.R.Suryawanshi
67	Structural proof checking of Design and drawing including suggestion remedial measure if any, for construction of Gandhi Smurti Bhavan Auditorium with GRIHA Rating at TP 02 9Nanpura) m FP-07 in Central Zone, Surat Municipal Corporation, Surat	Executive Engineer, Pulic Infrastructure Cell, Surat Municipal Corporation, Surat	4,14,487	Dr. Atul K.Desai
68	Proof Checking of Fabrication shed & RCC Frame Structure Rooms at Baroda Location for ONGC	M/s Gayatri Constructions Co. Ahmedabad Email: gayatriconstructioncompany@yahoo.com Phone No.9824058624	30,000	Dr. Atul K.Desai
69	Proof Checking of Bridge across river Mindhola connecting village Lajpore and Posara	M/s Buildsafe Consultants, Nehrunager, Ahemdabad Email: buildsafeconsultants@gmail.com Phone No. 6353408855	1,50,000	Dr. G.R. Vesmawala Dr. Y D Patil
70	Proof Checking and Vetting of structure design and drawing for the project 1&2 (1) Construction of two six lane VUPS including RE Wall, service road and drawing, at new Ch:24+930 near abhva Village Junction and new Ch27+100 near khajod village junction on Hazira part- surat-gujarat f New NH-35 (2) Construction of two six lane VUPS including RE Wall, service road and drawing at new Ch:30+050 near Budhiya Village junction and new Ch33+580 near gabheni Village junction on Hazira part -Surat-Gujarat of new NH-35	Manglam Bulcon(I) Pvt Ltd, Ankeleshwar, Bharuch Email: munglambuildcom@gmail.com Phone No. 02646-220708	7,00,000	Dr. G.R. Vesmawala Dr. Y D Patil Dr. J.B.Patel
71	Proof checking and vetting of structure design and drawing of gantry poles and verification of electrical Drawing Project: Designing, supply, installation, testing, and commissioning with 3-year operation and maintenance creative illumination and attractive elements at team road Shivpuri, Madhya Pradesh at Shivpuri	M/s Montu Electric Works, Surat Email: montuelworks@gmail.com Phone No. 9825198839	50,000	Dr. G.R. Vesmawala Dr. Hireen G. Patel
72	Proof checking & vetting of Morbi-Halvad SH-22 Road between km 31/800 to 72/000	Perfect Infracorp Private Limited Mehsana Email: pccmehsana@yahoo.com Phone No. 02762-250226 (M) 9825079187	80,000	Dr. G.R. Vesmawala Dr. Y D Patil
73	structural Proof checking of School Building	Design Accord, New Delhi Phone No.9811038352	50,000	Dr. A.K.Desai
74	Proof checking and vetting of structure design and drawing (1) Construction of 12 Nos. Type-III (g+2), 01 No. Principal Quarter I for EMRS Waghodia-2 Ta-Vadodara (2) Construction of Boundary Wall around the Campus IIIT, Surat at Kholvad, Surat	Executive Engineer, (civil)-II, Vadodara project, Vadodara Central Public Works Department. Email: ee-iiitvpd@cpwd.gov.in Phone No. 0265-2984283	60,000	Dr. G.R. Vesmawala Dr. Y D Patil

75	Proof Checking of design and drawing of Sri Sri Residency (Basement _Stilt+11 floor) at Kolhapur, Maharashtra	Sri Sri Residency & Developers, Kolhapur Email: srisri.bnd@gmail.com Phone No. 9423286212	1,25,000	Dr. G.R. Vesmawala Dr. Y D Patil
76	Structural Inspection of Bridge Structures (12 Nos. of existing bridges on newly gauge converted Katosan-Bechraji) Railway Line, Gujarat India. (09 Nos. of Minor, 02 Nos. RUB and 01 no. Balor Bridge)	M/s Gujarat Rail Infrastructure Development Corporation Ltd. (G-Ride) Gandhinagar, Email: info@gride.org.in Phone No. 07923232728/29	20,00,000	Dr. A.K.Desai
77	Proof checking of drawing and design for the construction of minor bridge at km 24+417 at telasnaga Village, Althani Taluka, Belagavi dist. Vijapura, Karnataka	Ravi Infrabuild Project Limited, vijapura Email: info@raviinfra.com Phone No.0124-4466555	30,000	Dr. G.R. Vesmawala Dr. Y D Patil
78	(1)Proof checking of design and drawing (!) RHQ (NW) Building (G=(0& pump house at sector-18 Gandhinagar (2) proven of KLP at Lalgah jattan MIL STN (i) parking at AdM Block (ii) Garage for 05 cards for ADM Block (iii) Garage for 06 cards for ADM Block (iv) Garge for B Veh with Apron (V) Garage for C Veh-01 Nos with Repair Bay-2 Nos with Inspection PIT-01 Nos with apron(vi)garrage for B Veh with apron(vii) Garage for B veh(lorry5/706 Ton 4x4-09 Nos. and repair Bay-2 Nos with Inspection PIT-01 Nos with apron (viii) Garage for TLR 1 ton 2 WHLD Genr set (ix)Garage for C Veh with apron (x) Single living ACCN for JCO's 01 no and Scooter shed(xi)Storage ACCN (xii) MT store for 22 vehs (xiii) Single living ACCn for 44 OR's Baggage Room,Draying/ ironing Room, Tradesman Shop (Barber Shop). Dinning Hall (for 44 ORS) & Cook House for 21 to 50 Men (xiv) office and ADM ACCN (D/s Education Building (xv) Building workshop (main shop, fuel Injection Room, Specialist Shop, ancillary Shop, Tech Store & Expense Store etc. (2) Proof Checking of design and drawing for proven of new college building accn for college of Nursing at Hospital (R&R) Delhi Cantt-10 (hostal Building and admin Building)	M/s Geo Design & Research (PO ltd Vadodara Email: info@geogroup.in Phone No. 9375202525/0265-2290222	2,50,000	Dr. Y D Patil Dr. G.R. Vesmawala
79	Structural Audit Review of Tall Building above 45 mt height in SMC and SUDA area	Dy. Commissioner, Town Development Department, Surat Municipal Corporation, Surat (payment will made by Developers of Project) Email: towndevelopment@suratmunicipal.org Phone No. 2423751-55 (EXT. No. 358)	16,14,039	Dr. S.A.Wasanwala Dr. C.D.Modhera Dr. B. Kodraivendhan
80	Proof Checking of design and drawing of test pile for ROB at CH5+350( Development of six-lane access control Highways from Gogwan Jalalpur (Shamli) to Ranipur Barsi (Saharanpur) (from CH. (00+600 to 45+500) of Shamli- Ambala Section (NH344GM) of Bareilly-Ludhiana Economic Corridor on EPC mode under Bharatmala Priyojana Phase-I in the state of utterpradesh	Raj Shyama Construction Pvt. Ltd Email: rajshyama.gzb@gmail.com Phone No. 9999890013	35,000	Dr. Y D Patil Dr. G.R. Vesmawala
81	Intersection design at the proposed section of Koba Highway to Signature Bridge, Ta. Dist. Gandhinagar	Mcway Management Limited, Gandhinagar Email: info@manway.in Phone No. 9601196014/07948907474	2,00,000	Dr. G.J.Joshi Dr. Ashish Dhamania Dr. S.S. Arkatkar
82	Proof Checking of launching Scheme of Bow String Grider ROB-18 at Nasirabad of All COR Section of Ajmer Section	M/s Vishnu Prakash Punglia Ltd. Jodhpur Email: sanjay@vprp.co.in Phone No. 0291-2434396	60,000	Dr. A.K.Desai Dr. Rakesh Kumar

83	Structural Proof Checking for RCC Box Drain of Chandrbhaga Drain for Gandhi Ashram Precinct Development	Multimedia Consultancy Pvt. Ltd. Ahmedabad Email: info@mmcpl.co.in Phone No. 079-40399079	1,25,000	Dr. A.K.Desai
84	Structural Stability assessment of CGPS Building	The Chairman, coast guard Public School, Airport Road, Dalwada Daman-396210 Phone No. 02602221188	2,02,000	Dr. A.J.Shah Dr. B Kondraivendhan
85	Vetting/ Proof Checking Consultancy Services of the PEB Design for Taloja Plant in Navi Mumbai for M/s Panchamahar District Cooperative Mill Product Union Limited	M/S Ellora EPC Private Limited, Nashik Email: permindursungh@elloraepc.com Phone No. 9967064740	1,75,000	Dr. A. M. Parghi
86	Investigation of Cracks in PQC Panel executed at the Project Site (construction of 4-Lane Road on NH-52) from Km 299.000 to 346.50 (Design Chaniange from 98.860 to 58.740) Darah-Jhalawwar-Teendhar Section) in the State of Rajasthan under NHDP Phase-II on Hybrid Annuity Project (Length 48.880Km.)- Packagell	Patel Infrastructure Ltd, Vadodara Email: ho@patelinfra.com Phone No. 0265 277006678	1,00,000	Dr. Rakesh Kumar Dr. A.J. Solanki
87	Proof checking of Design and drawing of Minor bridge on Songadh Ukai Serulla Road at Ch. 15/750	Executive Engineer, Tapi (R & B) Sub Division, Vyara E-mail: rnbtpi@yahoo.in Phone No. 02626-220418	50,000	Dr. C. D. Modhera Dr. K. A. Patel
88	Structural Proof checking of Major Bridge No. 86 of 4 x 6 m span PSC Slab (Biaora Nala) + 5 x 18.50 Span Composite Girder (Anjar River) at km 164.00 & 166.045 and 11 x 12.20 m span composite girder RUB at km 166.778 on Biaora-Rajgarh NH Road crossing with Approach in connection with Ramganj Mandi-Bhopal Project	Miral Jay Jawan JV, Rajkot (Jai Jawan Construction Co.) E-mail: jaijawan@gmail.com	35,000	Dr. A. K. Desai
89	Structural Proof checking of Major Bridge No. 88 (2 major bridge)s of 4 x 6.1 m span PSC slab (Biaora Nala) + 5 x 18.50 m span composite girder (Anjar River) at km 164.00 & 166.045 and 1 x 12.20 m span composite girder RUB at km 166.778 on Biaora-Rajgarh NH Road crossing with approaches in connection with Ramganj Mandi-Bhopal Project	Miral Jay Jawan JV, Rajkot (Jai Jawan Construction Co.) E-mail: jaijawan@gmail.com	70,000	Dr. A. K. Desai
90	Structural condition assessment of Staff Quarters Building (Block-B/3) at Ramnagar, Surat	Executive Engineer, Surat (R & B) Division No. 1, Surat Phone No.: 0261 – 2463046 E-mail: dee.sdn2@gmail.com	50,000	Dr. S. R. Suryawanshi
91	Structural Proof checking of Zinalume Tank having capacity (50 KL, 75 KL, 100 KL, 125 KL, 175 KL, 200 KL, 225 KL, 250 KL, 275KL, 300 KL, 350 KL, 400KL, 475KL, with staging height 10 m to 18m) at Kasaganj and Budaun, UP	M/s Manifold Communications India LLP, Jammu E-mail: contact@manifoldindia.com Phone No. 8715821302	3,20,000	Dr. A. K. Desai
92	Structural Proof checking of Zinalume Tank having capacity (50 KL, 75 KL, 100 KL, 125 KL, 175 KL, 200 KL, 225 KL, 250 KL, 275KL, 300 KL, 350 KL, 400KL, 500KL, with staging height 10 m to 18m) at Ghazipur and Chandauli, UP	M/s Manifold Communications India LLP, Jammu E-mail: contact@manifoldindia.com Phone No. 8715821302	2,80,000	Dr. A. K. Desai
93	Proof checking of design and drawing of overhead tanks under UP JJM Project in Dist – Azamgarh, Uttar Pradesh	M/s Manifold Communications India LLP, Jammu E-mail: contact@manifoldindia.com Phone No. 8715821302	2,00,000	Dr. A. K. Desai
94	Structural Condition assessment of Bio-Technology Building at VNSGU, Surat	Veer Narmad South Gujarat University, Surat E-mail: info@vnsgu.ac.in Phone Np. 0261 – 2227141	60,000	Dr. A. K. Desai



95	Structural proof checking of Roof structure for "Fish Market" at Nondh No. 2664/P, 2666, 2877 to 2880, 2882 to 2885, 2886/A, 2897, Ward No.1, Lakkadkot, Surat for Surat Municipal Corporation	Prashant K. Sheth, Sheth Design Consultant LLP, Surat E-mail: info@sdclip.com Phone No.: 8141618595	40,000	Dr. A. K. Desai
96	Structural Proof checking of Different Structure in Zone B1, B2, and B3 of –Diversity Park Project of SMC	SNI Consultants JV between SDC & JA, Surat E-mail: info@sdclip.com Phone No. 7624018595	40,000	Dr. A. K. Desai
97	Review of Civil Drawing /Reports and Validation by NIT for Dayapar site. (Soil Test Report Review and Validation, Re engineering foundation drawing review & Civil foundation design drawing review and validation)	M/s Resco Global Wind Services Private Limited (client through inbox wind limited) Email. Sharda.shukla@inoxwind.com Phone No. 8826309995	1,31,50,000	Dr. Shruti J. Shukla
98	Review of Civil Drawing /Reports and Validation by NIT for Dayapar site. (Specific minor foundation issue, recommendation including site visits)	M/s Resco Global Wind Services Private Limited (client through inbox wind limited) Email. Sharda.shukla@inoxwind.com Phone No. 8826309995	6,00,000	Dr. Shruti J. Shukla Dr. Jignesh B. Patel
99	Proof checking of design and drawing for 30 mtr mast for CPWD	Trainsrail Lighting Ltd, Silvassa. Phone No.: 9021995889 E-mail: yagnesh.acharya@transraillighting.com	45,000	Dr. A. K. Desai
100	Proof checking about Hydraulic Calculation and Scour depth for proposed Hydraulic Structures (15 Nos.) like Culverts for Railway Projects	M/s Bhajan Infra Tech Pvt Ltd, Surat Phone no. 9725001300 E-mail: bhajaninftratech@gmail.com	42,000	Dr. J. N. Patel
101	Proof checking of structural design and drawing for the construction of Shelter Home of 404 bedded dormitory for urban homeless in GMC area at Gandhinagar	Dy. Municipal Commissioner, Gandhinagar Municipal Corporation, Gandhinagar E-mail: gmc8gandhinagar@gmail.com Phone No. 079 – 232 20440	1,05,603	Dr. C. D. Modhera
102	Condition Assessment of Shopping Outside of Hari Ratna Complex, Bharuch Gujarat (1) Main building of District Panchayat (2) Rana Mahel (3) Library Building (4) Educational Building of District Panchayat (5) Bholav Staff Quarter (6) Medical Department Building (7) Officer Building of District Panchayat (8) Rest house of District Panchayat (9) Shopping Center Outside of Hariratna Complex (10) Staff Quarter of Behind rana mahel building	Dy. Executive Engineer, Panchayat (R & B) Sub Division, Bharuch Phone No. 02642 246100 E-mail: deepanrnsubdn.bharuch@gmail.com	7,80,000	Dr. C. D. Modhera Dr. B. Kondraivendhan

103	<p>Proof checking of design and drawing of the works under CE Shillong, CWE, Mathura &amp; CE CG Goa.</p> <p>PROVN OF OTM, TECH INFRA AND RUNWAY FOR 252 WSI SQN AT LIKABALI MIL STN (PH - II) (CE SHILLONG ZONE CRASH BAY FOR VEH. (03 NOS), SINGLE LIVING ACCN FOR 59 JCOS (BLOCK OF 08 QTR) &amp; (BLOCK OF 03 QTR), OFFICERS SINGLE LIVING ACCN 08 NOS &amp; 03 NOS, INTEGRATED WATCH TOWERS WITH GUARD POSTS (04 NOS.), ADM BLOCK, AIR STORE PARK, JCO'S MESS &amp; CLUB FOR 59 NOS. (SS), OFFICRS MESS FOR 34 NOS (DS), SERVANT QUARTERS (08 NOS) &amp; (06 NOS), SUB STATION BUILDING, MT STORE,</p> <p>PROVN OF MAIN FIRE STN AT 39 FAD AT BHARATPUR MIL STN (CWE MATHURA) BLAST PEN, ROLE EQPT. HANGARETTE &amp; ANNEXE, GARRAGES, OFFICE BUILDING, PARKING SHED &amp; REPAIR BAY</p> <p>PROVN OF INDOOR BADMINTION COURT WITH ALLIED FACILITIES AT 20 ACRES CG LAND AT INAZ VILLAGE, VERAVAL (CE CG GOA) INDOOR BADMINTION COURT</p>	<p>M/s Hierarchy Structures, Kolhapur E-mail: hierarchystructures@gmail.com Phone No. 97640 60090</p>	1,50,000	<p>Dr. G. R. Vesmawala Dr. Y. D. Patil</p>
104	<p>Vetting/Proof checking consultancy service for Structural design and drawing of the minor structure at Malegaon Plant at Maharashtra for M/s PDCMPUL</p>	<p>Techno Pack Software Services Pvt Ltd, Mumbai Phone No.: 9322315100 E-mail: - info@shreejdestiny.com</p>	40,000	<p>Dr. A. M. Parghi</p>
105	<p>Proof checking and vetting of Design of C. H. C. Dhanota (Block Shahpura) Building, Dist- Jaipur</p>	<p>Applied Consulting Engineers, Jaipur E-mail: eng.ace18@gmail.com (M) 9818433382</p>	45,000	<p>Dr. A. K. Desai Dr. Kashyap A. Patel</p>
106	<p>Structural audit of complete ROB in lieu of LC No. 68 for the construction of one ROB including approaches in lieu of LC No. 68 at IR chainage 149/22-24 between Sanjan-Bhilad Stations of Vaiarna- Surat Section of Mumbai Division of Western Railway</p>	<p>Dedicated Freight Corridor Corporation of India Ltd., Mumbai (north) Phone No. 022-22634185</p>	4,25,000	<p>Dr. A. K. Desai</p>
107	<p>Structural Proof checking of design and drawing of Major Upgradation of Prayagraj Junction Railway Station of North Central Railway</p>	<p>Dineshchandra R. Agrawal Infracon Pvt Ltd, Ahmedabad Phone No. 079 – 300005789 E-mail: drainfra89@gmail.com</p>	14,00,000	<p>Dr. A. K. Desai Dr. Kashyap A. Patel</p>
108	<p>Design Vetting for Cantilever for CCTV Poles and Gantry Structures (6.5 m CCTV Pole with 5 m Cantilever, 6.5 m CCTV Pole with 5.5 m Cantilever 15 m wide CCTV Gantry Structural &amp; 13 m wide CCTV Gantry Structural)</p>	<p>Trainsrail Lighting Ltd, Silvassa. Phone No.: 9021995889 E-mail: yagnesh.acharya@transraillighting.com</p>	75,000	<p>Dr. A. K. Desai</p>
109	<p>Proof Checking of Structure design for the various (6 Nos) Building Developments at Madhuban Colony Campus Silvassa</p>	<p>Executive Engineer, Damanganaga Project Division No.1, Madhuban Colony Silvassa E-mail:eedpdn@gmail.com</p>	4,15,000	<p>Dr. A. K. Desai</p>
110	<p>Proof checking and vetting of structural design and drawing for the development of marine infrastructures for safe keeping of BSF Vessels including the construction of marine facilities, administrative areas, residential areas, boat repair areas, operation areas, miscellaneous utility area boundary walls and helopad etc. at koteshwar bhuj in Gujarat</p>	<p>M/s K.K. Sorathia Bhuj-Kutch Phone No.: 2832-242581 E-mail: kksorathia@rediffmail.com</p>	3,00,000	<p>Dr. G.R. Vesmawala Dr.Y.D.Patil</p>

111	Vetting of Geo-technical Investigation, Liquefaction analysis report and ground improvement for the construction of the proposed IGLOO, URP, AC Magazine, Parameter Road-29, R.C.C. Multi-storied building complex to be built for Urp/Road No.1, under the MES, Naregi Guwahati	petagma private limited , mumbai Phone No.: 7506595222 E-mail:petagma.pvt.ltd@gmail.com	2,00,000	Dr.Jignesh B. Patel
112	vetting of soil testing report of coast guard, sector 18, Gandhinagar	M/s. K.C.T. consultancy Services, Ahemdabad Phone No.: 9825064378 E-mail: kctconser@yahoo.com	30,000	Dr. C.H.Solanki
113	Determination of Installation Damage factor for geogrids	Maccaferri Environmental Solution Private Limited Phone No.: 9136988032 E-mail: s.kulkarni@maccaferri.com	1,80,000	Dr. Satyajit Patel
114	Structural Assessment of Porbandhar HPO Building of Postal Civil Division Rajkot	Executive Engineer@ postal Hpo Civil Divison, Rajkot E-mail: pccam01@gmail.com adpsbtco@gmail.com	1,59,000	Dr. Y D Patil Prof. A.J.Shah
115	Consultancy service regarding structural proof checking of cover over platform and small building at hafeezpet, hyderabad	Darshan Architech surat Phone No.: 9879010030	40,000	Dr. S.A.Wasanwala Dr. Vishit Bhaiya
116	Proof checking of design and drawing for the construction of ROB in lieu of LC No. 187, 201,217,169 in state of gujarat	M/s Geo Designs & Research (p) Ltd. Vadodara Phone No.: 9375202525/02652290222 E-mail: info@geogroup.in	24,00,000	Dr. G.R. Vesmwala Dr.Y.D.Patil
117	Proof checking of design and drawing for the work of "Design and construction of (i) VUP with service road at km 382 .000 (Achhad 12 m x 5.5) (ii) VUP With service road at km 439 .700 (Nandgaon 10.5 m x 5.5 m) & FOBs at (i) 388 + 800 Parsidhaba (ii) 401 + 000 Dapchari (ii) 438 + 800 Fanaspada (iv) 475+350 Bhavkhal (v) 475 + 900 Vanganpada (vi) 479 + 700 Shivechapada (vii) 485 + 800 Kohli (viii) 495 + 150 Sasupada (ix) 497 + 350 Arvino Hotel )x) 499 + 350 Darasdhaba on Surat _Dahisar Section of NH - 48 in the State of Maharashtra	Sai Geotecehnical Lab, Vadodra E-mail: saigeolab@gmail.com Phone No. 9099917851	1,50,000	Dr. G. R. Vesmwala Dr. Y. D. Patil
118	Structural proof checking of vetting of structural calculation and design for the various pole (6m, 8m, 10m, 12m and 15 m) in West Bengal	M/s Bajaj Electricals, Mumbai E-mail: mumesha@bajaj@electricals.com (M) 9819592566	50,000	Dr. A. K. Desai
119	Vetting of design and drawing for fabrication roof at terrace level of RMS Building at Kalupur Railway Station, Ahmedabad	M/s L R Patel & Co., Ahmedabad E-mail: lrpatelco@gmail.com Phone No. 079 – 26579077	50,000	Dr. A. K. Desai
120	Structural Proof checking of elevated parking at Kalupur Railway Station, Ahmedabad	M/s L R Patel & Co., Ahmedabad E-mail: lrpatelco@gmail.com Phone No. 079 – 26579077	1,10,000	Dr. A. K. Desai
121	Vetting of Design and Drawings of Proposed Raw water reservoir including site visit at Silu Rajasthan	Rean watertech Private Limited, Kolkata Email: ebrahim.vepari@gmail.com/info@rean.co.in Phone: +913340694101	1,00,000	Dr. Jignesh B. Patel

122	Condition assessment of foundation and structure of existing office of PHO Kandala	Port Health Organization, Kandala (Central Public Works Department, Rajkot) Email: eercd.cpwd@gov.in Phone: No. 0281-2440931	1,50,000	Dr. C. D. Modhera
123	Consultancy services for visual inspection and providing building stability certificate for the K7 Kids International High School	K7 Kids International High School, Surat Email: K7 Kidsgurukul@outlook.com Phone No. 8469020402 9374074080	80,000	Prof. A. J. Shah Dr. Vishisht Bhaiya
124	Testing of Raw and Supply water samples for heavy metals, pesticides, organic and inorganic parameters, bacteriological test etc. in accordance to IS 10500-2012	Head Water Works Surat Municipal Corporation, Surat Email: exen.hww@suratmunicipal.org Phone No.: 02612423750-756	3,60,000	Dr. N.D. Jariwala Dr. R.A.Christian Dr. M.M.Ahmed Dr. K.D.Yadav Dr. B.N .Tandel
125	Consultancy services for conducting structural audit of various Infrastructure at SAI RC Gandhinagar, Campus, (Structural Audit of Class Room, Multi Purpose Training Hall, Squash Court, Modern Fitness Centre)	Sport Authority of India, Gandhinagar	2,00,000	Shri A. J. Shah Dr. Y. D. Patil
126	Proof checking of structural design and drawing for the project Provn of RCC OHT & Allied Works	Sanvi Enterprise, C/o Shree Shyam Construction Co. E-mail: desugb.shreeshyammco@gmail.com Phone: 9208699536	1,00,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
127	Proof checking of Structural design and drawing of the tensile structure (Covering of sit out area of amphitheatre ) for development of Saputara lake Periphery at Saputara, Dist- Dang, Gujarat	D H Patel, Surat Phone: +91 -261 – 2558977 E-mail: dhpatelsurat@gmail.com	25,000	Dr. A. M. Parghi
128	Proof checking of design and drawing of Solar Structure design	M/s Pahal Solar, Surat Phone No. 951223223 E-mail: info@pahalsolar.com	65,000	Dr. C. D. Modhera
129	Inspection for extended portion of retaining wall along with flexible pavement settlement at Variyav End. Project Site : Construction of Bridge on Tapi River Joining Ved-Variyav area in Surat on EPC Basis	M/s Vijay M. Mistry Construction Pvt Ltd, Ahmedabad E-mail: vmchouse@gmail.com Phone no.:	1,00,000	Dr. A. K. Desai Dr. Rakesh Kumar
130	Structural Audit of the girders proposed to be used in Construction of Eight Lane Access controlled Expressway from k, 19.00 to km 217.50 (Gandeva to Ena Section of Vadodara-Mumbai Expressway) in the State of Gujarat on HAM under Bharatmala Pariyojana (Phase -1, package VII)	GM (T) & Project Director, National Highways Authority of India, Project Implementation Unit, Surat (expressway) E-mail: piusurat@nhai.org. Phone No. 0261 - 2218169	7,50,000	Dr. A. K. Desai
131	Proof checking of structural design and drawing for works under CE Shilong (i) Guard room near Security Tower at RMS for HAV/OR's (ii) Provn of administrative Control Center for security control center with attached at 11 TAC AF at RMS job Npo.RP-LBW-001-2022-23 (iii) COVID test lab & store Room at 165 MH at RMS (iv) Store Room for 5003 ASC, BZN, MT, at RMS (v) Dietary Service (Hospital Kitchen) for 165 Military Hospital at Rangapahar MIL station (vi) Single living accommodation for HAV/OR' sin 220 Transit Camp at RMS	M/s Sai Geotechnical Lab C/o Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	75,000	Dr. G. R. Vesmawala Dr. Y. D. Patil

132	Proof checking of structural design and drawing for works under BHEL , Civil Works for Capacity Expansion Project – Phase II For DABG, HEPP, Haridwar (i) Admin Building (RCC Building) (ii) New Assembly Bay (PEB Building (iii) Proposed Machine Bay (PEB Building)	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	1,00,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
133	Structural Stability checking of School Building of T.M.Patel International School, Vesu	T.M.Patel International School, Vesu Email: Phone No.8000945566	1,65,000	Dr. A.K.Desai
134	Proof Checking of Design and drawing for 30 mtr stadium mast for NTPC karanpura	Trinsrail Lighting LTD. Silvassa Emial: yagnesh.acharya@transraillighting.com PhoneNo.9021995889	45,000	Dr. A.K.Desai
135	Proof Checking of design and drawing of ware house, paver road drainage arrangement & compound wall for DP World Project Hazira	Semac Consultants Pvt. Ltd. Karnataka Email: neeraj.ka@semacconsultants.com Phone No. 8040749074/41536466/67	4,00,000	Dr. S.M.Yadav Dr. A.K.Desai
136	Providing Consultancy services for Evaluation and inspection of pavement on sanathal ROB cum FOB on S.P. Ring Road of AUDA	Ahemedabad Urban Development Authority Email:auda_urban@yahoo.co.in Phone No.27545051-54	2,00,000	Dr. G.J.Joshi Dr. Amit J. Solanki
137	structural Health Assesment for the OLD SUDA Bhavan, Nanpura	Executive Engineer, Surat Urban Development Authority Phone : 0261-2500073 Email:exnrnb-suda-srt@gujarat.gov.in	1,50,000	Dr. A K Desai Dr. Kashyap A. Patel
138	Providing Proof checking for flexible Pavement design for the work of MMGSY 2023-24 Resurfacing & Strengthening of junagam Nishal Smashan of Joining Crain energy Road Km 0/0 to 2/70 Ta. Choryasi Surat	Dy. Executive Engineer, Panchayat (R&B) sub Division, Choryasi	70,000	Dr. G.J.Joshi Dr. Amit J. Solanki
139	Proof checking of design and drawing for the office building and residential staff quarters at Bhilad Colony, at Bhilad	Executive Engineer, Daman Ganga Canal Visakha Division No.3., Vapi (Payment to be made by : M/s Praful V. Dobariya, Vision Architect) E-mail: dcd3vapi@gmail.com Phone No.: 0260 - 2401312	50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
140	Proof checking of design and drawing of 2 x 9 & 2 x 6 Solar Module Mounting Structures with 0 – 40 degrees title to be used in SWSM, UP Project.	M/s PANACEAARC, Vadodara E-mail: info@panaceaac.com (M) 8980377999	30,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
141	Detailed Investigation and structural condition assessment of existing damaged Vyasan Mukti Kendra (G+1) (Area – 550 Sq. mt) and RDD office & Dental OPD building (G+1) (area – 650 sq. mt) at Civil Hospital Campus, Surat	Superintending Engineer, Project Implementation Unit (Zone-7), Surat Phone No.: 0261 – 2235423 E-mail: sepiusurat@gmail.com	75,000	Dr. A. M. Parghi
142	Consultancy service regarding detailed site investigation and structural condition assessment of existing damaged residential building common pull staff quarters, Dadri Faliya, Vyara	Dy. Executive Engineer, Road & Building Sub Division, Vyara E-mail: deputy_rnb@yahoo.in	4,50,000	Dr. A. M. Parghi
143	Proof checking of structural design and drawing for the construction of 100 bed sub district hospital (multi specialty type) at Upleta, Dist- Rajkot	Chief Engineer, Project Implementation Unit, Gandhiangar E-mail: E-mail: piusec10@yahoo.com Phone No. : 079 – 23231434 / 2231393	3,20,000	Dr. A. M. Parghi

144	Structural Proof checking of the major bridge no. 198 of CTD Dhar Section	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	50,000	Dr. A. K. Desai
145	Structural Proof checking of design and drawing for upgradation to six lane with paved shoulder of Sarkhej- Changodar section of NH 8A (New NH 47) from km 11/950 to 16/000 for Ahmedaad-Bagodara-Rajkot Road on EPC Mode in the state of Gujarat (package-7)	Rachna Construction Company, Ankleshwar Phone No.: 02646-272739 E-mail: rachna1815@gmail.com	6,00,000	Dr. A. K. Desai
146	Proof checking of design and drawing in "Construction of High Level Bridge across river Damanganga at Athal on Silvassa Naroli Road (EPC Mode)	M/s Vijay M. Mistry Construction Pvt Ltd, Ahmedabad E-mail: vmchouse@gmail.com Phone no.:	3,50,000	Dr. A. K. Desai Dr. Rakesh Kumar
147	Proof checking of structural design of 12 m span box culvert (3 Cells) along with its foundations.	STUP Infra Private Limited, Delhi E-mail: stupinfra@gmail.com Phone No. +91 – 11-22861088	30,000	Dr. A. K. Desai Dr. Kashyap A. Patel
148	Structural condition assessment of Various building (Boys Hostel & Girls Hostel) of VNSGU Campus, Surat, Gujarat. (Samras Boys Hostel, Samras Girls Hostel, Samras Boys Dinning Block, Samras Girls Dinning Block, Samras Boys HT Station and Samras Girls HT Station)	Executive Engineer, Surat (R & B) Division No.1, Surat Phone No.: 0261-2464162	5,00,000	Dr. A. K. Desai
149	Structural condition assessment of various staff quarter building (Block –F, H, I, J, K) at Khatodara Colony, Surat	Executive Engineer, Surat (R & B) Division No.1, Surat Phone No.: 0261-2464162	3,20,000	Dr. A. K. Desai
150	Proof checking of Design and drawing for the construction (EPC) of Bridges under Work Package – 10 B at Naval Station Rambilli near Visakhapatnam	M/s Vijay M. Mistry Construction Pvt Ltd, Ahmedabad E-mail: vmchouse@gmail.com Phone no.:	4,50,000	Dr. A. K. Desai Dr. Rakesh Kumar
151	Structural Audit for Complete ROBs which are completed and commissioned between Surat (Sachin) – Mumbai (Vaitarna) Railway Station of Mumbai Division of Western Railway	Project Manager/ Engg, Dedicated Freight Corridor Corporation of India Ltd, (DFCCIL- MUMBAI (North), Mumbai Tele No.: 011 – 23454700 / 022 - 22634185	31,50,000	Dr. A. K. Desai
152	Proof checking of "Pre Engineered Building" at Bhayla, near Keral GIDC, Ahmedabad-Rajkot Highway	Ratnabhumi Steeltech Pvt Ltd, Ahmedabad Phone No. 87809 950209 E-mail: ratnabhumisteel@gmail.com	2,20,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
153	Proof checking of design and drawing for the works unde CE (AF), Prayagraj (Demolition and construction of SMQS at AF STN agra (Phase-1)	Integral Solutions, Kochi Phone No.: 0484 – 4064505 E-mail: info@integralsolutions.co.in	50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
154	Proof checking and vetting of structural design and drawings for the upgradation of Railway stations under Amrit Bharat Scheme, Kazipet, Jangoan & Yadadri stations, SC Division SC Railway	Divisional Engineer/Central 2nd Floor, Sanchalan Bhavan, South Central Railway (SC) Railway, Secunderabad -500025	1,25,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
155	Proof checking of structural design for overhead tanks 2.25 Lacs Liters Capacity and UG Sump 2.0 L Liter capacity at Pratapnagar, Dist- Vadodara	KHODAL – VAA (JV), Ahmedabad E-mail: vijaybalaji001@gmail.com	40,000	Dr. A. K. Desai

156	Proof checking of structural design and drawings including suggestion / remedial measures if any, for the work construction of 94.5 Lac Liter Capacity RCC under Ground Service Reservoir (UGSR) with Booster House at Vesu-2, Surat	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no.: 0261 –2329504-83 (Ext. 301)	1,43,799	Dr. B. Kondraivendhan Dr. C.D.Modhera
157	Structural condition assessment of Officer's Colony, Thital Road, Valsad (1) Class 1 & 2 Quarters (GH Block/1) 6 Unit (2) Class 1 & 2 Quarters (GH Block/2) 6 Unit	Executive Engineer, Valsad (R & B) Division Jilla Seva Sadan – 2, First Floor, Valsad - 396001	2,00,000	Dr. C. D. Modhera Dr. B. Kondraivendhan
158	Proof checking of design and drawing for the Gorakhpur Sewerage Scheme Zone – C, part-2 under AMRUT 2.0	LC Infra – Eiffil Joint Venture, Ahmedabad E-mail: tender@laxmibiz.com Phone No.: 079 – 66168766/65	5,00,000	Dr. A. K. Desai Dr. R. A. Christian Dr. N. D. Jariwala Dr. Samranika Panda
159	Proof checking of design and drawing for Rejuvenation of Gordhaliya nala & Ramgarhtal Lake including L & D and Treatment under Amrut 2.0	LC Infra – Eiffil Joint Venture, Ahmedabad E-mail: tender@laxmibiz.com Phone No.: 079 – 66168766/65	5,00,000	Dr. A. K. Desai Dr. M. Mansoor Ahammed Dr. N. D. Jariwala Dr. B. N. Tandel
160	To Conduct MEE Efficiency Study of plant of Coromandel International Limited Situated at Plot No. Z/103-G, Dahej SEZ II	Coromandel International Limited Sarigam, Valsad Email: info@coromandel.murugappa.com Phone No: 7573005726/27/28	5,31,000	Dr. K.D.Yadav Dr. Namrata D. Jariwala
161	Condition Assessment and stability of three building: staff Quarters (2 Nos) and store room (1 Nos) at Adol Head works at Hansot – Ankleshwar Road.	Dy. Executive Engineer, Gujarat Water Supply & Sewerage Board (GWSSB). Bharuch. Phone No. 02646-246746 E-mail: ankdee@gmail.com	1,00,000	Dr. B. Kondraivendhan Dr. Kashyap A. Patel
162	Design vetting of 132 KV Monopoles (3 Nos) & 220 kv Monopoles (2 Nos).	Trainsrail Lighting Ltd, Silvassa. Phone No.: 9021995889 E-mail: yagnesh.acharya@transraillighting.com	3,00,000	Dr. A. K. Desai
163	Structural Proof checking for the project of Rehabilitation and Up gradating of Existing Road to 2 Lane with Paved Shoulder from end of Hamirpur Bypass (near village Chilbahal) to Bhangbar Section via Jawalamukhi of MH-88 (New NH-03 and NH-303) (design change – km 139 +295 to km 175 + 270, Design Length 36.975 km) in the Stat of Himachal Pradesh under NH (O) on HAM basis (Package – IV)	NG Project Limited, Himatnagar (C/o Hamirpur Highway Private Limited, Sabarkantha) Phone No. 02772 – 222404 E-mail: ngpl_hmt@rediffmail.com	7,40,000	Dr. A. K. Desai

164	Proof checking of design and drawing of (1) Provision of DEFI OFFRS MDC ACCN, Sub Station And Pump House with UG Sump under CE Pune Zone (2) Provn of FASF For Sigar Mil Station under CE Shillong Zone (MT Driver Standby And change Room, R & I Counter, Pump House for Bore well, Single Living accn for JCOs, MT Garrage for "B Veh, Sub Fire Station. , Single Living ACC for 3 HAV & 45 OR, Cook House and Dinning Hall for 49 Pers (HAV/OR), Pump House, Pump House cum Chlorination Plant, Sub station building for 11 kv, Guard house and Ancillaries & Armouries, Storage Accn & drying and ironing Room, UG SUMP (2 Lakh Gallon), (3) Provn of MD ACCN for AQ LDR & Above against Deficient accn at At AF STN Chimney Hill under CE Bangalore Zone (MD Accn for SQN LDR & Above)	M/s Hierarchy Structures, Kolhapur E-mail: hierarchystructures@gmail.com Phone No. 97640 60090	1,50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
165	Structural condition assessment of Residential Quarters and two Bungalows at Navasari Agricultural University, Surat (Quarters B-1-1 (1 to 12, 13 to 24) E-1/1, 2 Bunglow and CD Bunglow/ Old Vice Chancellor Bunglow	Executive Engineer, Navsari Agricultural University, Navsari e-mail id ee@nau.in	84,000	Dr. B. Kondraivendhan Dr. C. H. Solanki
166	Providing consultancy service regarding conducting Non- Destructive testing by Rebound and Ultrasonic Pulse Velocity Test Location : Home for person cured after treatment from Mental Illness at Surat, Dist- Surat.	Dy. Executive Engineer, Medical College (R & B) Sub Division, Surat (Payment by : Siddhivinayak Infrastructure, Surat)	60,000	Dr. B. Kondraivendhan
167	Proof checking of structural design and drawing including suggestions / remedial measures if any, for the work construction of RCC Elevated Service Reservoir ESR (For Sagrapura Vahan Area) of 25.5 Lacs Litres Capacity 24 mt. Staging Height and Scada Rooms, Compound Wall, Entry Gate, Security Cabin, Toilet Block etc under Central Zone, Surat	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no. : 0261 –2329504-83 (Ext. 301)	94,810	Prof. A. J. Shah Dr. Kashyap A. Patel
168	Structural Proof checking of design Bridge NO. 963 of Mehsana Yard to be extended by 1 x 12.2 m + 1 x 9.15 m.	Dy. Chief Engineer (C) I, Western Railway, Ahmedabad E-mail: dyced1adiwr@gmail.com (M) 97240 93253	1,00,000	Dr. A. K. Desai
169	Proof checking of structure design & Drawing for new construction of U.G. Boy's Hostel and Girl's Hostel for Govt. Medical College at Bhavnagar	Chief Engineer, Project Implementation Unit, Gandhinagar Phone No. : 079 – 23231434 / 23231393 E-mail: piusec10@yahoo.com	18,72,000	Dr. A. M. Parghi
170	Proof checking of design and drawing (Validation and approval) for RCC foundations and anchor bolt fitting foundation of PEB Shed at Taloja for M/s Panchmahal District Cooperative Milk Product Union Limited	M/s Ellora EPC Private Limited, Nashik (M) 9967064740 E-mail: permindursingh@elloraepc.com	25,000	Dr. A. M. Parghi
171	Proof checking of the structural design and drawing for the Addn/Altn and special repairs to Hangar Doors with motorized sliding doors in T-54, T-57 and T-102A hangars at INS Garuda Kochi	Modern Engineering Company, Navi Mumbai E-mail: modernengco18@gmail.com Phone No. 9324637314	2,25,000	Dr. G. R. Vesmawala Dr. Y. D. Patil



172	Structural audit / condition assessment of project site at Silvassa (Shelti Village) for following buildings : (1) School Building (2) Boy's Hostel (3) Girl's Hostel & (4) Kitchen & Dinning (5) Boy's Warden (6) Girl's Warden	Addl. General Manager (Engg), Hindustan Steelworks Construction Ltd., Kolkata – 700135 (payment to be made by M/s Arcon Project Pvt Ltd) E-mail: hsclmumbai2020@gmail.com	2,00,000	Dr. C. D. Modhera Dr. B. Kondraivendhan
173	Consultancy service regarding condition assessment of various abandoned structures at Gaviyer Head Works in Surat City. (RCC ESA, UG SUMP, Staff Quarters)	Dy. Executive Engineer, Public Health Sanitary Sub Division, Gujarat Water Supply & Sewerage Board, Surat. E-mail: deesurat@gmail.com Phone No. 9978406662	2,50,000	Dr. B. Kondraivendhan Dr. C. D. Modhera
174	Visual inspection & Photographic survey of accessible area and if required NDT of structural component & Issuing CBSE format certificate for Delhi Public School Building, Surat	Delhi Public School – Surat, Run by Nalanda Education Society, Vesu, Surat – 395 007 E-mail: adminoffice@dpssurat.com Phone No. 0261 - 2654014	80,000	Prof. A. J. Shah
175	Opinion for RCC Lift wall Thickness considering strength and stability aspect of Construction of Girls Hostel (G+7) for New Engineering Institute (IITRAM) at Maninagar, Ahmedabad	CRP Infrastructure Pvt Ltd, Surat E-mail: crpinfra@yahoo.com	60,000	Dr. A. K. Desai
176	Structural opinion for structural quality after NDT Test, for MHW Pump House Column, RCC Wall at Bamnamal Dur Village, Ta- Dolvan, Tapi, Gujarat	Shyam Construction Co., Surat (M) 98253 13311 E-mail: shyamconst.com@gmail.com	45,000	Dr. A. K. Desai
177	Proof checking of structure design and drawing for the construction of Running Room at New Palanpur Junction under CGM DFCCIL Ahmedabad Unit.	Radhe Infratech, Mehsana (M) 99986 36252 E-mail: radheinfratech0444@gmail.com	1,50,000	Dr. A. K. Desai
178	Structural opinion for structural quality after NDT Test, for Intake Wall, RCC Wall of ESR, Limdi, Village – Songadh, Tapi, Gujarat	Shyam Construction Co., Surat (M) 98253 13311 E-mail: shyamconst.com@gmail.com	65,000	Dr. A. K. Desai
179	Consultancy service regarding condition assessments of office building, Bardoli, Dist. – Surat.	Assistant farming regulator, Training and meeting yojana Bardoli, Gujarat, India E-mail: adapetabardoli@gmail.com Phone No. (M) 99250 45006	40,000	Dr. B. Kondraivendhan Dr. C. D. Modhera
180	Structural Evaluation of Highway Bridge located on Mindhola River at NH-53 (Six Lanning of Gujarat / Maharashtra Border- Surat-Hazira Port Section of NH-6 (Approx length 131.500 km) in the State of Gujarat under NHDP Phase - III	Surat Hazira NH-6 Tollway Private Limited, Hazira, Surat E-mail: info@roadis.com Phone No. 0261 - 2971435	1,50,000	Dr. A. K. Desai Dr. Vishisht Bhaiya
181	Structural Proof checking of Bridges (1) Construction of High Level Bridge on Degama to Tichakpura Road on Mindhola River km 04/0 to 0/6 taluka- Valod, Dist- Tapi (2) Construction of High Level Bridge across Kim River on Pani Ambal to Bhilvada Road, Ta- Mangrol, Dist- Surat	Green Design and Engineering Services Pvt Ltd, Surat E-mail: green.des.india@gmail.com Phone No. 0261 - 2265822	60,000	Dr. A. K. Desai
182	Opinion regarding Structural collapse of Digester Dome at B...	The New India Assurance Company Ltd, Surat Phone No.: 0261 – 2460 864 E-mail: ch23@newindia.co.in	50,000	Dr. A. K. Desai

183	Proof checking of design and drawing of ground mounted solar structure at location in State of Uttar Pradesh	Nakshtra Infra Solutions, Ahmedabad Phone No.: 8200 932 940 E-mail: expert@nakshtrainfrasolutions.com	25,000	Dr. S. A. Vasanwala
184	Geotechnical Investigation for 8.30 MLD STP at Bilimora	Ankita Construction, Ahmedabad (Client through Gujarat Water Supply and Sewerage Board) Email: deebilimora02@gmail.com Phone No: 02634287042	2,06,000	Dr. Jignesh B. Patel Dr. Shailendra Kumar
185	Proof Checking for the work of "Design and construction of (i) VUP with service road at K.m. 382.000(Achhad 12m*5.5 m) (ii) VUP with Service road at Km.439.700 (Nandgaon 10.5m*5.5m) & FOBs at (i) 388+800 Parsidhaba (ii) 401+000 Dapchari (iii) 438+800 Fanasoada shivechapca(iv)475+350 Bhavkal (v)475+900 Vanganpada (vi) 479+700 shivechapada (vii)485+800 Kplhi (x) 499+350 sasupada (ix)497+350 Arvino Hotel (x) 499+350 Darasdhaba on Surat-Dahisar section of NH-48 in the state of maharashtra	Sai Geotecehnical Lab, Vadodra E-mail: saigeolab@gmail.com Phone No. 9099917851	75,000	Dr. S.S.Arkatkar
186	Proof checking about sheet pile and other structure design	Bhajan Infratech Pvt Ltd, Surat E-mail: mail@bhajanec.com / bhajaninfratech@gmail.com Phone No. 9725001300	40,000	Dr. A. K. Desai
187	Proof checking of design and drawing for the construction of 4 lane Road Over Bridge No. 1, Railway Chainage 1133 and Railway Bridge (Major Bridge No. 116 at railway Chainage 42760) For Taranaga Hill – Ambaji-Abu Road new Railway Line Project).	Bhavani Infra, Patan. E-mail: bhavaniinfra1857@gmail.com	2,00,000	Dr. A. K. Desai
188	Structural vetting, design and drawing for the Jal Jeevan Mission Project in SWSM (1) Fixed Titl Structure – 25 Degree, 1500 mm clearance (2) Season Title structure – 10 to 40 degree	Sunkind Srtrucmax Pvt Ltd, Dadri Tehsil, Uttar Pradesh E-mail: info@strucmax.com Phone No. +91 – 124 - 4064157	50,000	Dr. A. K. Desai
189	Structural Proof checking of small station building and foot over bridge at Hafeezpet station and small station building at Begumpet, Hitech city and Karimnagar and Typical floor plan at Parli Vajinath and Bidar	Darshan Architect, Surat Phone No. 98790 10030	50,000	Dr. S. A. Vasanwala Dr. Vishisht Bhaiya
190	Proof checking of design nand drawing of misc structures for "Construction of Vented Causeway with approaches across River Banas on Aminoura to Chan-Bassuriya"	Thoughts Consultants Jaipur Pvt Ltd, Jaipur E-mail: thoughts.jaipur@gmail.com	1,00,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
191	To design cross section of asphalt road pavement of canal road start from ONGC Highway to mugdalla port junction and magdulla port junction to surat dumas raod	South West (Athwa) Zone, Surat Municipal Corporation, surat Email: exen.swz@suratmunicipal.gov.in Phone No: +912612663050/49	55,000	Dr. Rakesh Kumar Dr. A.J.Solanki
192	Proof checking of structural design and drawing including suggestions / remedial measures if any, for the work of Construction of 27 Lacs Liter capacity RCC Elevated Service Reservoir (ESR-16) with 24 mt staging height, toilet block, and scada panel room at TP – 82 (Dumas) F. P. No. R-25, in South West (Athwa) Zone under SJMMSVY.	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no.: 0261 –2329504-83 (Ext. 301)	91,998	Dr. B. Kondraivendhan Dr. Kashyap A. Patel

193	Carrying Out Soil investigation for new QA Lab at BPCL, Kandla Installation	M/s Bharat Petroleum Corporation Limited, Kutch Email: Sampathkumarsur@bharatpetroleum.in Phone No: 022-27764788	3,00,000	Dr. C.H. Solanki
194	Proof consultancy for checking of Bearing Design and Drawing in connection with the Project "Traffic Improvement and Beautification work at B2 Bye Pass Junction, JDA, Jaipur.	JCC Infraprojects Pvt Ltd, Ajmer Phone no. 91 – 145 – 2422681 E-mail: shashank@jccinfraprojects.com	50,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
195	Certification and Report on solution for the shop floor settlement of construction work of Sterlite Technologies Limited at Dadra.	Sterlite Technologies Ltd, Aurangabad, E-mail: parag.gawande@stl.tech	80,000	Dr. A. M. Parghi
196	Providing consultancy service regarding Structural proof checking of Designs and Drawings of Construction of "MINDHOLA" Shopping Complex at Bardoli, Dist- Surat	Executive Engineer, Panchayat R & B Division, Nanpura, Surat Phone No. 0261 – 2472337 E-mail: exenpsurat@yahoo.co.in	1,00,000	Dr. A. K. Desai
197	Providing consultancy service regarding Structural proof checking of Designs and Drawings of Construction of "TAPI" Shopping Complex, at Ta-Mandavi, Dist- Surat	Executive Engineer, Panchayat R & B Division, Nanpura, Surat Phone No. 0261 – 2472337 E-mail: exenpsurat@yahoo.co.in	1,00,000	Dr. A. K. Desai
198	Condition assessment of the Children's University School Building (Subhashchandra Bose Shikshan Sankul) Located at Sector – 20, Gandhinagar	Branch Head, Estate, Children's University, Gandhinagar (M) 9662518464	1,50,000	Dr. C. D. Modhera Dr. B. Kondraivendhan
199	Vetting of Geo-technical Report	Independent Consultansys & Technorates, Vadodara Email: ictvadlab@gmail.com Phone No: +91995269924	50,000	Dr. Satyajit Patel
200	Proof checking of design and drwing for the construction of ROB in lieu of LC No. 298, LC No. 299, LC No. 284, LC No. 283, LC No. 276 & LC No. 316 in the state of Chhattisgarh (Road over Bridge (ROB-13) at South East Central Railway (SECR)..	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	7,50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil Dr. S J Shukla
201	Proof checking of design and drawing for the construction of office building for Ilav Distry Sub Division, Ilav, Ta- Hansot, Dist –Bharuch	Dy. Executive Engineer, Ukai Right Bank Canal Inv. Division, Ankleshwar Narmada Water Resources, water supply and kalpsar Department, Ankleshwar Phone No. 02646 – 247451 E-mail: exengurbci@gmail.com	50,000/-	Dr. G. R. Vesmawala Dr. Y. D. Patil
202	Review of Re-Engineering Schemes/Drawing/Reports and Validation by NIT for NTPC Phase-1, Dayapar	M/s Resco Global Wind Services Private Limited (client through inbox wind limited) Email: Sharda.shukla@inoxwind.com Phone No. 8826309995	1,50,000	Dr. Shruti J. Shukla
203	Structural stability reports as per related destructive & non-destructive test of existing damaged SCSD No. 1, Buolding	Dy. Executive Engineer, Surat Canal Sub Division No.1, Surat Email: deescsdnsurat@gmail.com Phone No:0261-2669813	1,15,000	Dr. A.M.Parghi
204	Providing Soil Testing and SBC Report for Construction of New District Court Buildingat Jiav. Surat	M/s Surat (Road & Building) Division No.01, Surat Email: Phone No:	7,00,000	Dr. C.H.Solanli Dr. Jitesh T. Chavda

205	Providing Consultancy Services for survey and design of road intersections within Rajkot Municipal Corporation area	Rajkot Municipal Corporation, Rajkot Email: trafficcell@rmc.gov.in Phone No. :+919737821222	46,00,000	Dr. Ashish Dhamaniya Dr. G.J.Joshi Dr. S.S. Arkatkar
206	Proof Checking of Reinforced wall drawing design for the work of provision of 2-lane ROB in Lieu of LC-188 (TUV=38021) at Km 1112/20-22 at Piloda Station Yard in the Section of ADEN-GGC.	M/s Joy Infra Projects Email: joyinfra@yahoo.com Phone No. +918432115252	1,00,000	Dr. C.H.Solanki
207	To Provide the methology to calculate the weight of the excavated soil based on the geotechnical properties of the soil	M/s. CREDAI surat Email:info@credai-suray.com Phone No: +917383933777	50,000	Dr. C.H.Solanki Dr. Jitesh T. Chavda
208	Providing consultancy services for Proof checking of Structural design and drawings including suggestions / remedial measures if any, Constructions of RCC Elevated Service Reservoir ESR (for Gandhi baug area) of 16 Lacs Litres capacity 22 mt. staging height and scada room, compound wall, entry gate, security cabin, toilet block etc under Central Zone, Surat	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no.: 0261 –2329504-83 (Ext. 301)	72,845	Dr. G. R. Vesmawala Dr. Y. D. Patil
209	Providing consultancy services for Proof checking of Structural design and drawings including suggestions / remedial measures if any, Constructions of RCC Elevated Service Reservoir ESR (for Garden Mill area) of 18Lacs Litres capacity 20 mt. staging height and scada room, compound wall, entry gate, security cabin, toilet block etc under Central Zone, Surat	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no.: 0261 –2329504-83 (Ext. 301)	83,328	Dr. G. R. Vesmawala Dr. Y. D. Patil
210	Site visit of the intake well at 70 MLD Sakatpura and Submission of Distress study report (Project : Constriction of 70 MLD WTP as an extension for existing 130 MLD WTP for ultimate design capacity of 200 MLD WTP at Sakatpura and New construction of 50 MLD WTP at Shreenathpuram including installation of VT pumps at existing intakes & Pump houses and Construction of New CWR's Pump, houses and all related works alongwith PLC / SCADA for both WTP's UWSS Kota, including operation and maintenance for 10 Years)	M/s Vishnu Prakash Punglia Ltd, Jodhpur E-mail: sanjay@vprp.co.in Phone No.: 0291 - 2434396	1,00,000	Dr. A. K. Desai Dr. Rakesh Kumar Dr. P. G. Agnihotri
211	Proof checking of design and drawing of 4 MMS/ 6 MMS and 9 MMS solar Module moulting structure (Goldi Solar)	M/s PANACEAARC, Vadodara E-mail: info@panaceaac.com (M) 8980377999	50,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
212	Proof checking of design of water supply and plumbing, electrical load calculation, lighting protection, electrical panel SLDs and earthing layout for the ware house complex utilities.	Semac Consultants Pvt Ltd., Karnataka Phone No. 8040749074, / 41536466 / 67 E-mail : neeraj.ka@semacconsultants.com	90,000	Dr. S. M. Yadav Prof H.R. Jariwala (DoEE)
213	Structural Proof checking and vetting of Structural design and drawing of minor / major Bridge in Rajkot-Kanalus Doubling Project.	Dy. Chief Engineer (Const.) Western Railway, Kothi Compound, Rajkot. E-mail: dyceclrjt@gmail.com	21,70,000	Dr. A. K. Desai
214	Structural Proof checking of design of 8.3 MLD STP at Bilimora, Navsari	Ankita Construction, Ahmedabad E-mail: infor@ankitaconstruction.com Phone No. 079 – 2970 1594/95	1,17,000	Dr. A. K. Desai

215	Proof checking of structural design and drawing of "Roof Shed" above fire station building at Surat Airport	M/s Om Construction, Surat E-mail: omc.pravin@gmail.com (M) 9825210181	25,000	Dr. S. A. Vasanwala
216	Structural proof checking of foot over bridge at Bhatiya, Rajkot Division, Western Railway.	M/s Vidyadhar U. Pendse, Vadodara E-mail: pendse.vidyadhar@gmail.com Phone No.:	40,000	Dr. A. K. Desai
217	Structural Proof checking of Design and drawing of Udaipur Airport Colony.	M/s Western Outdoor, Mumbai Phone No.: 022- 25423874 E-mail: info@westernoutdoor.in	50,000	Dr. A. K. Desai
218	Proof checking and vetting of structural design and drawing for the project OHE Mast fixing along with the Bolt on Bridge No. 401/02 Kari River Bridge KM: 401 / 800.10 Ang-Beed_Parli Section for UP & DN line.	Leena Electro Mechanical Pvt Ltd, Navi Mumbai. Phone No.: 0222 – 2758 0872 E-mail: info@leenaelectromechanical. com	30,000	Dr. G. R. Vesamawala Dr. Y. D. Patil
219	Proof checking of design and drawing for (1) Construction of 01 Unit Type- V Staff Quarters at Pratapnagar railway Colony (Western Railway, Vadodara Division, Pratapnagar (2) Design of Retaining wall cum flood protection wall at tons River at IMA Dehradun (GE(P), Dehradun) (3) Design of Addn Altn to certain billets at ATS Belgavi (CE Bangalore Zone) (Toilet Block in G+2)0 storey and connecting passage at Each floor	M/s Hierarchy Structures, Kolhapur E-mail: hierarchystructures@gmail.com Phone No. 97640 60090	40,000	Dr. G. R. Vesamawala Dr. Y. D. Patil
220	Proof checking of design and drawing for the work at RMS FWG work under CE Shilong (Storage area for 165 MH, Toilet block 121TA BN, Toilet Block 212 CL DET ECIB, 03 Toilet near Building T-125, Toilet block for 15 EW BN)	Geo Designs & Research (P) Ltd, Vadodara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	25,000	Dr. G. R. Vesamawala Dr. Y. D. Patil
221	Site visit during execution of the work to Vansi- Borsi Light House and Provide detailed specifications for repair of damaged cover, cleaning of reinforcement, providing additional reinforcement where required, micro-concreting etc.	Directorate of Lighthouse & Lightships, Ministry of Ports, Shipping and Water ways, Mumbai	1,60,000	Dr. Y. D. Patil  Dr. G. R. Vesamawala
222	Proof checking for stability & Condition assessment of incomplete OHT in ONGC Dahej	SE (Civil), Civil Engineering Section, WON Basic, Oil and Natural Gas Corporation Ltd, Makarpura Road, Vadodara Phone No. 0265 - 2603607	6,00,000	Dr. A. K. Desai Dr. Krupesh A. Chauhan
223	Structural Proof checking of Design and drawing of proposed Road Over Bridge (ROB) (RCC Pile, Pile Cap and Pier) between Railway Pole No. 170 /27 to 170 / 30 between Station Vapi and Bhilad- (Vapi J Type ROB), Dist- Valsad,Gujarat.	Executive Engineer, Valsad (R & B) Sub Division, Valsad Phone no. 02632 – 244128 E-mail: rnb_val@yahoo.in	3,50,000	Dr. A. K. Desai Dr. B. Kondraivendhan
224	Providing consultancy service regarding conducting Non Destructive Testing by Rebound Hammer and Ultrasonic Pulse Velocity Test at Construction site of Primary School Behind Community Hall at Village Mora, Ta- Choryashi, Dist- Surat	Dy. Executive Engineer, R & B (Panchayat) Sub Division, Surat Phone No. 0261 -2476619	70,000	Dr. A. K. Desai Shri A. J. Shah
225	Proof checking of design and drawing of Renovation work of U. B. Hanger at Juhu Airport	Maa Sawroopa Construction, Thane Phone No. : 84518 82944 E-mail: charankishansingh963@gmail.com	80,000	Dr. Y. D. Patil Dr. G. R. Vesamawala

226	Proof checking of design and drawing of 4 MMS/ 6 MMS/ 8 MMS and 9 MMS solar Module moulting structure (Top Sun).	M/s PANACEAARC, Vadodara E-mail: info@panaceearc.com (M) 8980377999	75,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
227	Proof checking of design and drawing of DB, DRL, GDA stations in connection with ABBS. i.e Entry Gate of Godhara Stations, North side station building of Godhara stations, Toilet Block at Derol Station, Entry gate (North and South) at Derol station, Compound wall with drain at Derol, Entry gate at Dabhoi.	M/s Vraj- Diya JV of Amreli Through : DRM office, Western Railway Pratap Nagar Payment made by : Diya Construction E-mail: diyaconstrail@gmail.com (M) 9724477583	70,000	Shri A. J. Shah
228	Structural Proof checking of Zinalume Tank having capacity (50 KL, 75 KL, 100 KL, 125 KL, 175 KL, 200 KL, 225 KL, 250 KL, 275KL, 300 KL, 350 KL, 400KL, 475KL, with staging height 10 m to 18m) at Kasaganj and Budaun, UP	M/s Manifold Communications India LLP, Jammu E-mail: contact@manifoldindia.com Phone No. 8715821302	2,40,000	Dr. A. K. Desai
229	Proof checking of structural design and drawing of Overhead Tanks under UP JJM Project in Dist. Farrukhabad, Uttarpradesh (capacity of 75 KL, 100 KL, 125 KL, 150 KL, 175 KL, 200 KL, 225 KL, 250 KL, 275 KL, 300 KL, 325 KL)	M/s Manifold Communications India LLP, Jammu E-mail: contact@manifoldindia.com Phone No. 8715821302	2,20,000	Dr. A. K. Desai
230	Condition assessment of Residential staff quarters (B-4) Unit, Dharampur and Hostel Building at I.T. I. Dharampur & Virpore Line Staff Quarters at Dharampur	Executive Engineer, Valsad (R & B) Sub Division, Valsad Phone no. 02632 – 244128 E-mail: rnb_val@yahoo.in	1,00,000	Dr. C. D. Modhera Dr. B. Kondraivendhan
231	Proof checking of structural design and drawings including suggestion / remedial measures if any, for the work of Construction of 100 Lakh Liter Capacity RCC underground service Reservoir at Mota Varachha, New East Zone-B area of SMC	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no.: 0261 –2329504-83 (Ext. 301)	1,20,000	Dr. S. A.Vasanwala
232	Vetting of consultancy services for Provn of Storm Water Drainage and Rain water Harvesting at Mathura (1) Storm water area drainage system for 2 pockets (2) Rain water harvesting for Pocket 1 & 2.	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	1,00,000	Dr. P. V. Timbadiya
233	Proof checking & vetting of OHR Building (G +2 Floor), DFCCI, Ahmedabad	Akshar Corporation, Ahmedabad Phone No.: 9426002014 E-mail: akshar_himanshu@yahoo.com	35,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
234	Proof checking of design and drawing (Advice and guidance on the structural modeling analysis, design, drawing and following under CE Chennai Zone & CE (CG) Goa. (1) 8 x Type –III md accn of AE PT- II, Single (2) Provn of OTM ACCN for 654 EME BN at Secunderabad (a)single living accn for 12 no's HAV & 103 No's OR (G+2) (b) cook house for 115 Ors (single storey) (c) Dining Hall for 115 Ors (single storey) (3) Constrs PF 24 Defence Civil MD Accn at DSSC Wellington (a) Type – II Qtrs (b) Car Parking (4) Provision of setting up of coast guard regional HQ (NW), ADM & Logistic complex, coastal security network hub, regional operational centre (ROC), ICGS Gandhinagar and other ORM Infrastrucutre at Sector – 18, Gandhinagar. (Open shed Parking Detail)	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil

235	Proof checking of design and drawing for the provn of Bathroom for HQ 3 Corps, DEF and EMP at RMS.	M/s Sai Geotechnical Lab, Vadodara (M) 9099917855 E-mail: saigeolab@gmail.com	25,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
236	"Structural Proof checking of design and drawing for Adraj Moti- Vijapur Gauge Conversion (39.85 km) work of All civil Engineering works (Earthwork, Blanketing, Retaining wall / Boundary Wall / Side Drain, Major Bridges, Minor Bridges and LHS/RUB LCs), Construction Staff Quarters, Offices, Service Building and supply of 50 mm Machine crushed Stone Ballast, Complete Track works including linking and Yard work, including Electrical (General) and OHE (TRD) Work in connection with Gauge Conversion work between Araj Moti-Vijapur (39.85 kms) of Ahmedabad Division on Western Railway on Engineering Procurement & Construction (EPC) Mode.	B. Patel Infrastructure Pvt Ltd. J/V, Ahmedabad E-mail: bpipl_1@yahoo.co.in (M) 9924442660	14,00,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
237	Proof checking of structural design and drawing of Retaining wall for the project construction of new R.T. O. office at Bhavadagad, Ta- Ahwa, Dist- Dang	Executive Engineer, Dang (R & B) Division, Ahwas E-mail: rnb dang@gmail.com Phone No. 02631- 220228	50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
238	Proof checking of design and drawing for the construction of New office Building at Sigapore, Surat	Dy. Executive Engineer, Tapi Embankment Sub Division No.3, Nanpura, Surat Phone No.: 0261 – 2460726 E-mail: tesd3surat@gmail.com	35,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
239	Structural proof checking of segmental of precise U_drain & Box Drain.	Vrajilal V. Ambaliya, Surat Phone No. 0261 – 2464004	25,000	Dr. A. K. Desai
240	Structural Proof checking of design and drawing of ROB at LC-24, LC-32, LC-44 & Construction of 2 Lane paved shoulder relighment / Bypass of NH 325 from km 21.0 to km 34.350 & k 42.70 to 50.60 & 59.460 & 62.90 km 73.12 to km 75.92 & km 82.65 to km 85.30 & km 151.00 to km 154.73 Balotra to Sunderao via Jalore section package – IV	M/s Vishnu Prakash R. Punglia Ltd, Kota, Rajasthan. E-mail: pungliasanjay@gmail.com Phone No. 0291 - 2434393	4,50,000	Dr. A. K. Desai Dr. Rakesh Kumar
241	Structural Proof checking of design and drawing for the construction of Laboratory building at NCCS / NCMR, Pune	INI Designs Studio Pvt Ltd, Ahmedabad E-mail: info@inidesignstudion.com Phone Npp. 079 - 66128870	4,31,000	Dr. A. K. Desai
242	Proof checking of design and drawing of R.C.C. Details of Twin Box and Detail of Thrust Bed and Thrust Wall Project : Construction of 4 Lane VUP Near Existing Rly Br. No. 262 on Surat-Mumbai B.G. Railway Line Near Bhula Rly. Stn. Western Railway, Mumbai	M/s Bhagwati Construction Co., Ahmedabad Payment made by M/s S. Maheshwari and Co., Dahanu (M) 9825029061 E-mail: groupofbhagwati@gmail.com	50,000	Dr. A. K. Desai
243	To study the safety of exisintg pipeline with respect to surge and advise corrective measures under the work the study on suitable location of intermediate booster pumping station for existing Ankleshwar & Panolo effluent Dosposal lline from 40 MLD to 60 MLD 800 mm dia. GRP ipie 42 Km	Narmada Clean Tech, Bharuch Email: info@nctc.co.in Phone No. 8469745285	1,00,000	Dr. P. V. Timbadiya

244	Providing Consultancy Service to Witness the field testing of GSB layer for the work of Construction of helipad with allied infra structure at ICGS Dahanu under GE (I) (CG) Daman	M/s. R K Tyagis (Client through AGE B/R Daman) Email: r-k-tyagis@yahoo.co.in Phone No: 9867552150/9594352046	35,000	Dr. AmitKumar J. Solanki
245	Geotechnical Stability analysis of Hazardous waste landfill liner and cover for cell no.1A, 1B and 1C at magnad and ankhi, taluka jambusar	Safe Enviro Private Limited Surat Email: procurement@detoxindia.com Phone no. 0261-2351248/2346181	1,50,000	Dr. Satyjit Patel Dr. Jignesh B. Patel
246	Providing consultancy service for the field to provide the well structured road signage analysis for the provided road stretches on roads of ahemdabad city within AMC limit as per IRC guidelines	Ahemdabad Municipal Corporation, Ahemdabad Email: Phone No: 07925391811/25391830	30,00,000	Dr. S.S.Arkatar Dr. G.J.Joshi Dr. Ashish Dhamaniya
247	Environmental Audit Work as per GPCB norms for allotted industries (as per Annexure-I Attached) for the year of 2023-24	Gujarat Pollution Control Board, Gujarat (industries Allotted by GPCB as per Annexure-I attached)	61,15,070	#####
248	Individual Third Party review of Atal Bridge with respect to Safety and Stability	Vadodara Muncpal Corporation, Vadodara Email: exen.bridgeproject@vmc.gov.in Phone No.:02652433116	40,000	Dr. Ashish Dhamaniya Dr. G R Vesmawala
249	Proof Checking of design and drawing of bearing of ROB at ch.15+739 project: Development of six-lane access control greenfield hiighway of delhi sharanpur-dehradun economic corridor bharatmala pariyojana from junctionof EPE (vill-mavikalam) design chainage 0+000 to design chainage 27+000(vill-lohadda) in the state of UP	M/s Rajshyama Construction PVT LTD, Ghaziabad Phone No: 0120-2825657 Email: sourabh@accreteconsultants.com	60,000	Dr. Y.D.Patil Dr. G R Vesmawala
250	Proof Checking Consultancy Services of Multilevel car park building & substation for the construction of Recreational and Eco-Tourism components at sea face area-Dumas	Executive engineer & I/c Dy. Municipal Commisssioner, Water Resources & Recreation Cell Surat Muncpal Corporation Surat Phone No.:0261-2423751-56	3,49,431	Dr. Y D Patil Dr. G R Vesmawala Dr. Jitesh T. Chavda
251	Proof Checking Consultancy Services of Embankment related work near coastal area for the construction of Recreational and ECP-tourism components at sea face area -Dumas	Executive engineer & I/c Dy. Municipal Commisssioner, Water Resources & Recreation Cell Surat Muncpal Corporation Surat Phone No.:0261-2423751-56	4,21,000	Dr. S M Yadav
252	Structural condition assessment and site investigation of existing damaged Vishar Tower, Kalwa Chowk, Satyam Apartment, Datar Road, Ajay Apartment Near Railway station and Corporation Building New City Bus Stand, Junagadh	Junagadh Municipal Corporation, Junagadh Phone No. 0285 – 2622089 E-mail: miniciaplcorporationjund@yahoo.co.in	9,70,000	Dr. A. M. Parghi



253	Proof checking of structural design and drawings for the project of New Construction of 50 bedded critical care block under PM-ABHIM at Junagadh, Dist- Junagadh	Chief Engineer, Project Implementation Unit, Gandhinagar E-mail: piusec10@yahoo.com Phone No.: 079 - 23231434	0.15% of Tender amount of work + GST extra	Dr. A. M. Parghi Dr. C. H. Solanki
254	Proof checking of all RCC and GAD of the work of "Construction of major Bridge across river Indrayani at CH. 3/300 on Ekviradevi Paytha to Karla Bhaje Lohghad Road MDR-25, Ta- Maval, Dist- Pune.	Abhikalp Infrastructure India Pvt Ltd, Ahmednagar E-mail: info@ailpinfra.net (M) 92841 19373	1,00,000	Dr. A. K. Desai Dr. Rakesh Kumar
255	Structural Proof checking of vetting of structural calculation and foundation design for 25 meter High Mast in NTPC Limited, Patna Bhojpur	M/s Bajaj Electricals, Mumbai E-mail: mumesha@bajaj@electricals.com (M) 9819592566	40,000	Dr. A. K. Desai
256	Proof checking of structural design and drawing of 2 lane ROB at Railway crossing No. C-28A on Abohar-Fazika Rail section at km 39 / 3-4 & NH-07 at km. 12.560 on Fazika Border in the state Punjab on EPC Mode	M/s Vijay Kumar Contractor, Haryana Phone No. 80598 00021 E-mail: vijaykumarcontractor@gmail.com	89,000	Dr. A. K. Desai
257	Structural analysis and design feasibility of additional load on the existing building frame and checking all analysis at PP Plant in Dahej Complex.	ONGC Petro Additions Limited, Vadodara E-mail: Phone No.: 0265-6192600 E-mail: invoice@opalindia.in	5,50,000	Dr. A. K. Desai
258	Assessment of structural condition (structural audit) of G +6 (Tirupati Apartment) and G+3 (Jalaram Shopping and Dayal Jee Ashram) between Majura Gate and Kamela Darwaja	General manager, GMRCL, Surat (Gujarat Metro Rail Corporation Limited) E-mail: infor@gujaratmetrorail.com Phone No. 079 - 23248572	2,75,000	Dr. A. K. Desai
259	Structural Condition Assessment of old Building Ward No. 10, Entry No. 596 –B, 597 & 598	Amit Rasiklal Sangani, Surat E-mail: ambikagroup99@gmail.com	1,50,000	Dr. A. K. Desai
260	Proof checking of Structural drawings & Geotechnical Investigation report for Project "Provn of MD ACCN at Gangtok MIL STN PH 1 of Phase II	Shree Shyam Construction Co., (M) 9825051055 E-mail: shreeshyamco@gmail.com	65,000	Dr. Y. D. Patil Dr. G. R. Vesmawala Dr. Jitesh T. Chavda
261	Validation /Proof checking of 5 MMS Solar Module Mounting structure (Top Sun – 5 Modules)	PANACEAARC, Vadodara Phone no.: 8980377999 E-mail: info@panaceaac.com	25,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
262	Structural design of RCC boundary wall and framed structure of security watch tower for ongoing work of AAI at Bhavnagar Airport.	Parikh Kashyap Indulal, Rajkot (Through : Airport Authority of India, Bhavnagar) (M) 990903837 E-mail: kparikh1707@gmail.com	1,50,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
263	Proof Checking of RE Wall design and Drawing (VUP at Ch.46+350 & ROB at Ch. 48+460) for the work of Rehabilitation & Upgradation of Kurwai-Mungaoli-Chanderi Road Section of NH-346 from design chainage 0.000 to 81.300 Km (Total length 81.3 Km) to two lane with paved shoulder configuration along with one time improvement in 07 Nos. of bypassed built -up areas in a total length of 22.615 Km in the state of Madhya Pradesh on EPC Mode	M/s. R.G. Buildwell Engineering Limited, Delhi Email: info@rgbuildwell.com Phone No: 0120-4120419/4121419/4122419	55,000	Dr. Jignesh B. Patel

264	Vetting of RE Panel and elevation drawing and design for ROB location for the work of improvement and up-gradation of existing road to 4-lane with paved shoulder from Km 229.070 to 260.800, end of Hardoi district to Lucknow of NH-731 on EPC basis in the state of Uttar Pradesh	M/s. RP-SIL (JV) Email : rs.hardoi@rpinfra.com	55,000	Dr. Jignesh B. Patel
265	Proof checking of design and drawing for the construction of High-Altitude Hill Road Indo China Border for ITBP from Dumti Post to Nithalthach Post in the Kinnaur District State of Himachal Pradesh	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	4,50,000	Dr. G. R. Vesmawala Dr. S. S. Arkatkar Dr. S. J. Shukla (only Rs. 40,000/- for Geotechnical scope of work only)
266	Proof checking of structural design and drawings for the project of new construction for 100 bedded field hospitals, 42 bedded pediatric ICU, 20 bedded CCB & IPHL lab at Veraval, Dist- Gir- Somnath.	Chief Engineer, Project Implementation Unit, Gandhinagar E-mail: piusec10@yahoo.com Phone No.: 079 - 23231434	0.15% of Tender amount of work + GST extra	Dr. A. M. Parghi Dr. C. H. Solanki
267	Third Party Quality Assessment- Civil/ Structural related works including finishes for C/o. Office building basement, ground floor+4 story (B+G+4) for Income Tax Appellate Tribunal (ITAT) at Ahmedabad (Gujarat)	Central Public Works Department, Gandhinagar Email: eeacd.cpwd@gov.in Phone No: 079-29644033	17,85,957	Dr. Dilip A. Patel Dr. Kashyap A. Patel Dr. Hiren G. Patel
268	Vetting of D.P.R. for the work of Supply and Installation of Pulse Radio Waves Best Air Purification system and Air Quality Monitoring station for the Purpose of Air Pollutant Mitigation in area of Kobra Nagar Nigam Palika	Nagar Nigam Palika, Kobra, Chhattisgarh Email: corporationkobra@gmail.com Phone No: 07759-221288/222672	5,00,000	Dr. N.D. Jariwala Dr. R.A.Christian
269	Proof Checking of Geotechnical Investigation report for the work of (a) Soil investigation for the redevelopment of Reserve Bank of India residential complex for staff (classIV) at Mumbai, Mahim and (b) soil Investigation for "C/o residential Quarter for Reserve Bank Of India at Chakala, Andheri (E), Mumbai	M/s. Design Accord Consultants, New Delhi Email: ravindra@designaccord.net Phone No.: +91-11-41720792	35,000	Dr. C.H.Solanki
270	Proof checking of design and drawing of Railway station Dakor and Karamsad	M/s Vraj- Diya JV of Amreli Payment made by : Diya Construction E-mail: diyaconstrail@gmail.com (M) 9724477583	60,000	Prof. A. J. Shah
271	Structural Proof the Railway Structure (Auto Hut Structure at Palek to Lokadara, Lokadara to Mlyagam to Kashipura	Mr. Ronak R. Lathiya, Surat E-mail: rrlathiya@gmail.com	45,000	Dr. C. D. Modhera
272	Design of construction of 15 meter High RCC Lighthouse Tower to replace the existing lighthouse tower at Rutland in South Andaman based on the Sub Soil Investigation Report & In compliance to latest IS Code & Seismic factors.	Director, Directorate of Lighthouses and Lightships, Port Blair E-mail: dte-port@gov.in Phone No. 03192 – 233298	4,00,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
273	Detailed Site Investigation and Structural stability of existing damaged Surat Canal Sub Division No.1 Building owned by Irrigation Department at Athwalines, Surat	Dy. Executive Engineer, Surat Canal Sub Division No.1, Surat Phone No. 0261 – 2669813 E-mai: deescdnsurat@gmail.com	1,40,000	Dr. A. M. Parghi

274	Proof checking of structural design and drawings including suggestion /remedial measures if any, for the work of Construction of RCC Elevated Service Reservoir ESR-S3 (for Bamroli Area) of 27 Lacs Litres Capacity at F. P. No. 88, T. P. S. No. 02 (Udhna) under 24 x 7 water supply scheme in South –A (Udhna) Zone, Surat	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no.: 0261 –2329504-83 (Ext. 301)	1,04,419	Dr. A. K. Desai
275	Construction of RCC Elevated Service Reservoir (ESR-S2) (for Pandesara Area) of 27 Lacs Litres Capacity at F. P. No. 88, T. P. S. No. 02 (Udhna) under 24 x 7 water Supply scheme in South (Udhna) Zone-A, Surat	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no.: 0261 –2329504-83 (Ext. 301)	1,04,091	Dr. B. Kondraivendhan Dr. C. D. Modhera
276	Proof checking structural and foundation design of 45 M Flag Mast	Transrail Lighting Ltd, Kherdi Silvassa (M) +919021995889 E-mail: yagnesh.acharya@transraillighting.com	45,000	Dr. A. K. Desai
277	Structural Proof checking of Design and drawing of 2 Nos. Bridge (Constriction of Four lane Greenfield Delhi-Amritsar-Katra Expressway from Junction with Jalandhar - Karpurthala road (NH - 703A) near Khojewal Village to junction with Amritsar-Mehta-Sirhargobindpur-Tanda Road ) NH - 503A near Sirhargobindpur (km 319 + 400 to km 362 + 400) on EPC moder under Bharatmala Pariyojna in teh State of Punjab (Pkg-11)	MKC INFRASTRUCTURE LTD. (M) +91 – 2836 - 245730 E-mail: mkcinfrastructureltd@gmail.com	1,27,000	Dr. A. K. Desai
278	Proof checking of structural design of 67.5 mtr. Stadium mast.	Transrail Lighting Ltd, Kherdi Silvassa (M) +919021995889 E-mail: yagnesh.acharya@transraillighting.com	75,000	Dr. A. K. Desai
279	Structural Proof checking of sub-structure of ROB on Bandnera-Narkhed Line (CH. 672 + 930)	M/s Gravitas Infrastructure Pvt Ltd, Ahmedabad (Payment will made by M/s SPD Infra Consultants pvt Ltd, Nagpur) E-mail: gravitasinfra@gmail.com Phone No. 8779797129	50,000	Dr. A. K. Desai
280	Proof checking of design and drawing of office building and toilet block at New Railway Station, Himmatnagar, Gujarat	Jay Khodiyar Construction, Surat (M) 98791 83383	30,000	Dr. A. K. Desai
281	Proof checking of design and drawing of DPR for Road and Bridge at JDA Scheme No. 41 – 65 as per MORTH and IRC Specification at Jabalpur (M. P.)	Geo Designs & Research P) Ltd, Vadodara E-mail: info@geogroup.in Phone No.: 93752 02525	75,000	Dr. A. K. Desai
282	Proof checking of Design and drawing of ROB at CH 5+350 Project : Development of six lane access control highways from Gogwan Jalalpur (Shamli) to Ranipur Barsi (Saharanpur) from Ch ( .00 +600 to 45+500) of Shamli-Ambala Section (NH344GM) of Bareilly-Ludhiana Economic Corridoer on EPC Mode under Bharatmala Pariyojana Phase- 1 in the State of UP (Package-1)	Raj Shyama Constructions Pvt Ltd, Delhi E-mail: rajshyama.gzb@gmail.com	1,40,000	Dr. Y. D. Patil Dr. G. R. Vesmawala

283	Consultation Services towards effective RDF processing and utilization	BA Prerna Clean Earth Private Limited Email: welcome@baprerna.com Phone No. 02613517373	8,85,000	Dr. K.D.Yadav Dr. R A Christian Dr. Namrata D. Jariwala
284	Providing Consultancy Service for the design of Saraswati Circle in East (Varachchha ) Zone-A	Bhanderi Lab Grown Diamonds, Surat Email: info@bldlab.com Phone No. 8500385003	6,00,000	Dr. Ashish Dhamaniya Dr. S S Arkatkar
285	Proof checking of Structural Design of Construction of Mechanical Pump Ware house at Dahej/Baroda Plant, C2C3, ONGV comprising Civil, Electrical, Inforcom and SITC EOT crane works.	Paint Corporation, Vadodara Phone No. 9662515771	80,000	Dr. A. K. Desai
286	Structural Proof checking of RCC Thrust Bed STRuctre L-XING No. 66- C at Km 317-158 between Ramnathpur-Jhusi in Banaras-Prayagraj Rambagh Section	M/s Punia Construction Company, Hisar, Haryana E-mail : pooniaconstruction30@gmail.com Phone No. 9992244000 / 8059200444	30,000	Dr. A. K. Desai
287	Structural Audit of Bridge (LC – 71) at Malav, Ta-Umargam, Dist- Valsad, Gujarat	Dy. Executive Engineer, Vapi (R & B) Sub Division, Vapi, Valsad	3,00,000	Dr. A. K. Desai
288	Consultancy service on Independent Structural Design Audit in order to ensure safety measures and quality of construction of bridge. (Project Construction of six lane access controlled Highway from DND Maharani Bagh to Junction with Jaitpur_Pushta Road section of NH – 148NA (Design Ch. 0+ 000 to 9 + 000 ) in the National Capital Territory of Delhi on Hybrid Annuity Mode under Bharatmala Pariyojana.)	Dineshchandra R. Agrawal Infracon Pvt Ltd, Ahmedabad Phone No. 079 – 300005789 E-mail: drainfra89@gmail.com	1,30,000	Dr. A. K. Desai
289	Consultancy service on Independent Structural Design Audit in order to ensure safety measures and quality of construction of bridge. (Project : Construction of six lane access-controlled highway from junction with Jaitpur-Pushta Road to Junction with sector – 62/65 dividing road on Faridabad-ballabhgarh bypass Section NH-148NA (Design CH 9+ 000 to 33 + 000) including spur from Design cH. 13+200 to junction of Faridaba1d-Ballabhgarh Bypass with NH-19 near Badarpur Border in the State of Haryana under Bharatmala Pariyojana on Hybrid Annuity Mode)	Dineshchandra R. Agrawal Infracon Pvt Ltd, Ahmedabad Phone No. 079 – 300005789 E-mail: drainfra89@gmail.com	1,30,000	Dr. A. K. Desai
290	Proof checking of Design and drawing of retained Bridges for 25T axle loading standards.. reg.. Project : Gauge Conversion of Bechraji (63.83 KM) – Ranuj (101.983 KM) section, Total Length of 38.153 KM Metre Gauge to Broad Gauge with 25 KV AC Electrification in Ahmedabad Division of Western Railway. (Bridge No. 122A, 122B, 122C, 122a, 122, 107A, 190A, 27A, 27 & 106A)	Gujarat Rail Infrastructure Development Corporation Ltd, Gandhinagar E-mail: info@gride.gov.in Phone No.: 079- 232-32728/29	20,00,000	Dr. A. K. Desai
291	Third Party Inspection (TPI) for providing, supplying & laying of 813 mm dia. MS Rising main line for Sangrampura Vahan Depot ESR from Navsari Bazar Rajeshree WDS in Central Zone Area, Surat	Hydraulic Engineer, Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org	1,35,127	Dr. S. M. Yadav Dr. P.G.Agnihotri

292	Proof checking and design and drawing for following works under CE (NW) Kochi, CE Jodhpur, CE(AF) Shillong, CWE (AF) Bamrauli Prayagraj, CE CZ Chennai (Name of work: (1) Provision of Deficient Single Living Accommodation for Junior Sailors at Naval base, Kochi, Scooter Shed, Pump House, UG Sump (150000 Ltr) (2) Provn of one dwelling unit for maj gen at Jaisalmer mil STN under map PH-II (3) Provn of an augmentation of sports infrastructure at AF STN Laitkor peak ((4) Provn of conference room & Training Room at BFTS at AF STN Bamrauli (5) Re-construction of left over high security wall at STN Kalaikunda (6) Provn of class room incl labs and library at Rashtriya Mil School, Belgaum under AMWP 2022-23	Geo Designs & Research (P) Ltd, Vadodara Phone No. 0265- 2290222 E-mail: info@gegroun.in	1,30,000	Dr. G. R. Vesmawala Dr. Y.. D. Patil
293	Condition Assessment of Fire Damaged Factor building of Chokshi Texlen Pvt Ltd, located at Plot No. 211, Block No. 4/ABC, Vill – Hariyal, Karanj, Dist- Surat	Chokshi Texlen Pvt Ltd, Surat E-mail: info@chokshitexlen.com Phone No.: 9824750285	2,50,000	Dr. G. R. Vesmawala Dr. Y.. D. Patil
294	Technical study on safety and feasibility of fly ash generating from Akrimota Thermal Power Plant for filling mine voids and effective utilization	Gujarat Mineral Development Corporation Limited, gujarat Email: enc@gmdcltd.com Phone No: 7927912284	18,00,000	Dr. Satyajit Patel Dr. K D Yadav
295	Proof checking of detail design and drawing of Railway Portion except Super Structure for the Construction of ROB in lieu of LC No. 250 & LC No. 255 on Vadodara-Ahmeabad (BG) section, Anand District.	Geo Designs & Research (P) Ltd, Vadodara Phone No. 0265- 2290222 E-mail: info@gegroun.in	1,20,000	Dr. G. R. Vesmawala Dr. Y.. D. Patil
296	Proof checking and vetting of Structural design and drawing for the work Construction of R.C.C. Box at Existing open Gota-Godhavi Canal of Ahmedabad Municipal Corporation.	Add. City Engineer, Drainage Projects, Ahmedabad Municipal Corporation, Ahmedabad Tel. No. 079 – 25391811 E-mail: addcedp@ahmedabadcity.gov.in	2,00,000	Dr. G. R. Vesmawala Dr. Y.. D. Patil
297	Proof Checking of Drawing for the construction of Two Lane Elevated Road on Latiya nala in Sawai Madhopur from Raj Bagh Road to SH-30 (Nr. Gopali Temple) in State of rajasthan on EPC mode	Rachna Construction Company, Ankleshwar Phone No.: 9824361299/9824137791 E-mail: ispatelrachana@gmail.com	5,00,000	Dr. A.K.Desai Dr. Rakesh Kumar
298	Structural Proof checking of Major Bridge and Minor Bridge for the Extension of GBPRL Rail Connectivity to Bedi Port Terminal Windmill Station of Rajkot Division of Western Railway	LRP – NCC JV, Ahmedabad	1,00,000	Dr. A. K. Desai
299	Structural Proof checking of drawing for the construction of service building, S & T Cable Hut, Duty Bunk and Retaining wall	LRP – NCC JV, Ahmedabad	75,000	Dr. A. K. Desai
300	Structural safety / stability of existing G. D. Goenka International School Building, Surat.	Administrator, G D Goenka International School, Surat E-mail: contact@gdgoenaklsurat.com Phone No.: 9824533123	2,00,000	Dr. A. K. Desai
301	Flood Inundation study of Junagadh using Hydrologic and Hydraulic Modelling	Junagadh Municipal Corporation, Junagadh Phone No. 0285 – 2622089 E-mail: miniciaplcorporationjund@yahoo.co.in	44,50,000	Dr. P. V. Timbadiya
302	To Carry Out mix design of DLC and PQC for the work of Provision of taxi track and twin hanger at ICGAS, Ratnagiri Maharashtra	M/s. J.M. Mhatre Infra Private Limited email: jmmipl.info@gmail.com Phone: 2227451625	1,00,000	Dr. AmitKumar J. Solanki

303	Vetting of design & drawing and technical supervision of TSDf site, Landfill 1 b at M/s. Gujarat Enviro Protection & Infrastructure (Haryana) Private Limited, Pali Crusher Zone near Faridabad Haryana	M/s. Gujarat Enviro Protection & Infrastructure (Haryana) Private Limited Email: vikas.jotangiya@lutheraiindia.com Phone No.: 26135173730	9,90,000	Dr. K.D.Yadav Dr. Jignesh B. Patel
304	Consultancy service regarding vetting of Deviation statement of school building construction at Kendriya Vidyalaya Patan (Gujarat) (1) School Building and other structures (2) Multipurpose Hall (3) Principal Bungalow and Staff Quarters	National Project Construction Corporation Limited (NPCC), Ahmedabad E-mail: npccwzo1957@gmail.com Phone No.: 0124 - 4888164	3,00,000	Prof. A. J. Shah Dr. Vishisht Bhaiya Dr. D. A. Patel
305	To Witness for Plate Load test for services road for the work of Improvement and up-gradation of existing road to 4-lane with paved shoulder from Km.229.070 to 260.800, end of Hardoi district to Lucknow of NH-731 on EPC basis in the State of Uttar Pradesh	RP-SIL (JV) Email: rs.hardoi@rpinfra.com Phone No: -	25,000	Dr. Rakesh Kumar
306	Preliminary site investigation of two existing RCC Box Culvert, design of two box culvert for natural runway for natural runway at RESA 23 and RESA 05, diversion of drain, and extension of existing box culvert from 45 m to 140 m and design of open drain to discharge rain water of runway at Keshod Airport, Keshod.	M/s N. M. Sharma, Rajkot Through : Airport Authority of India, Keshod (M) 9427270501	9,25,000	Dr. A. M. Parghi Dr. Jitesh T. Chavda
307	Structural Proof checking of Design and drawing of compound wall at various plots (4 Locations) under Surat Division of Gujarat Housing Board	A.A. Bambhrolia, Surat Mobile No. 98251 59827 E-mail: aabambhrolia@gmail.com	60,000	Dr. A. K. Desai Dr. Satyajit Patel
308	Structural Proof checking of design and drawing of sump at Vir Savarkar heights Phase -02, Jahangirabad, Surat, Gujarat	S. C. Vaghani, Surat Mobile : 90 338 41893 E-mail: vaghanishaunak101@gmail.com	70,000	Dr. A. K. Desai Prof. A. J. Shah
309	Providing Third Party Inspection (TPI) for Providing, Supplying & Laying of 711 mm dia. MS Feeder line for Garden Mill ESR from Lal darwaja WDS in Central Zone Area, Surat.	Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org Phone no.: 0261 –2329504-83 (Ext. 301)	1,66,702	Dr. S. M. Yadav Dr. P. G. Agnihotri
310	Proof checking of Structure design & Drawing for New Construction of O.P.D., O.T. & Ward Building at General Hospital Kheda, Ta- Kheda, District - Kheda	Chief Engineer, Project Implementation Unit, Gandhinagar E-mail: piusec10@yahoo.com Phone No. : 079 – 23231434 / 2231393	405000`	Dr. A. M. Parghi
311	Structural Proof checking of Structure related to road like box culvert, pipe culvert, small bridges and other ancillary roads at Somnath Junction to Kachigam Char Rasta at Nani Daman, Ringawada Junction to Kachigam Bhimpore Char Rasta to Shital Chowkdi and Dholar to Jampore Beach and Varliwad.	Executive Engineer, Public Works Department, WD- I, Daman Payment made by M/s Rishi Raj Construction, Manipuri E-mail: rishirajconstruction@gmail.com Phone no. 9759002695	3,25,000	Dr. A. K. Desai
312	Structural Proof checking of temporary support only for the construction of Road Bridge (ROB) at Sewri (Between Cotton Green-Sweri Station of Mumbai Division) in Maharashtra 37.5 m & 39.7 m span Nonstandard composite steel girder for construction of Road Over Bridges (ROBs) at Sewri – Worli Elevated connector on Harbour line.	Premier Engineering & Equipment Mfg. com E-mail: info@premiereng.in Phone no. 079 – 22820375	28,000	Dr. A. K. Desai

313	Preliminary Visual Site Investigation and Structural stability / Condition Assessment of Existing Damaged Ayurvedic College building at Junagadh, Dist – Junagadh	Superintendent Engineer, Project Implementation Unit, Gandhinagar, (Proposed by Executive Engineer, PIU, Junagadh) E-mail: piujunagadh@gmail.com	1,25,000	Dr. A. M. Parghi
314	Expert site visit in IOCL Gujarat Refinery Hydrocracker Plant, Vadodara for study existing foundation	Project Manager, Indian Oil Corporation Limited, Vadodara	25,000	Dr. Y. D. Patil Dr. J. T. Chavda
315	Proof checking for detailed design and drawing of “Construction of Pratapgarh city Bypass Two lane with paved shoulders configuration from existing change km 74.00 to km 81.600	Shri Rajendra Kumar Kalal, Udaipur E-mail: rkkalal1968@gmail.com (M) 94144 74023	3,00,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
316	Review of civil Drawing/ Reports and Validation by NIT for NTPC Phase-3 Project. (soil test Reports Review and Validation, Re Engineering foundation drawing review and Civil foundation design drawing review and Validation & specific minor foundation issue recommendation include site visit	M/s Resco Global Wind Services Private Limited (client through inbox wind limited) Email. Sharda.shukla@inoxwind.com Phone No. 8826309995	13,65,000	Dr. Shruti J. Shukla Dr. J..B.Patel (for Specific minor foundation issue, recommendation include site visit portion only)
317	Proof checking of design and drawing for the works under CE Lucknow Zone, CE Pathankot Zone, CE Allahabad Zone, Western railway Ahmedabad division, . (1) Construction of additional residential complex for DAD at Kanpur Station (MD ACCN Type – III, IV for Civilian, Parking Shed for 18 & 12 scooter cum bicycle. (2) Provn of OTM Certain Deficient OTM ACCN of HQ 74 MTN BDE (Specialized Accn) (3) Provn of OTM Accn for MED REGT at MIL STN Ratnuchak (PH-1) (Garrage for Guns, Store for FD Branch Arty Unit, Administrative Building Storage Accn (MT), Single Living Accn for 07 HAV / 50 OR , Single Living Accn for 08 HAV / 52 OR, O’s Institute Overhead tank (50,000 Gallons) (4) Construction of school building with multipurpose hall, staff quarters, boundary wall for Kendriya Vidyalaya at Samba (5) Demolition of certain building and construction of integrated HQ OPS Complex of PTS at AF STN Agra PJH-1 (Office complex) 96) Office cum store at Samakhiali station	M/s Hierarchy Structures, Kolhapur E-mail: hierarchystructures@gmail.com Phone No. 97640 60090	1,75,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
318	Structural proof checking of STP (Proposed treatment plant at Numaligarh Refinery Limited Assam).	Eco Chem Sales & Services, New Civil Road, Surat Phone No. 0261 – 2236223 E-mail: eco@ecoshripad.com	25,000	Dr. A. K. Desai
319	Proof checking of Structural Design and drawings of the expansion work of hospital building of CHC Manavadar to upgrade in to 75 bedded sub district hospital with furniture, fire safety system MGPS, Parking Land Scapping at Manavadar, Dist- Junagadh	Superintendent Engineer, Project Implementation Unit, Gandhinagar	0.15% of the Estimate cost of SOR Plus + GST extra	Dr. A. M. Parghi
320	Structural Condition Assessment of ESIC Hospital Building at Vapi- Gujarat	Dy. Director (I/C), ESIC, Hospital, Vapi Employee State Insurance Corporation, Vapi. Phone No. 0260-251473 E-mail: ms-vapi.gj@esic.nic.in	2,85,000	Prof. A. J. Shah Dr. S. R. Suryawanshi

321	Structural Proof checking of earth retaining wall design for proposed road over bridge in lieu of level crossing nO. 51 at km 58/30-32 between Vyara-Kikakui station on Udhana Junction – Jalgaon	Ranjit Construction Co., Ahmedabad Phone No. 079 – 40200523 E-mail: ranjitconco@gmail.com	1,00,000	Dr. A. K. Desai
322	Third Party Inspection (TPI) for the work of extention of new girls hostel building at camous of veer narmad south Gujarat University	veer narmad south gujarat university email:info@vnsgu.ac.in 0261-2227141	55,749	Dr. A.K.Desai Dr. Krupesh A. Chauhan
323	Proof checking of design and drawing of Storm Drainage Network for the flood gate work at TP Scheme No. 84, (Kosad- Bhartana – Mota Varachha- Abrama).	Executive Engineer, New East (Sarhana) Zone-B , surat Municipal Corporation, Surat	25,000	Dr. S. A. Vasawala
324	Pavement Evaluation of MMGSY roads constructed with Zydex Industries Private Limited	Zydex Industries Private Limited Phone No. 9738871153 E-mail: rshashigirimath@zydexgroup.com	3,50,000	Dr. Rakesh Kumar
325	Proof checking of design and drawing of the works under GE (AF) Jaisalmer and CE AF Prayagraj (1) Four double entry blast pens at at STN Jaisalmer (Camouflage Jali) (2) Construction of Deficient OMQA and SMQS at AF STN BKT (a) MD ACCN for 4 sqn LDr (G+1) including car garage & MD Accn for 2 Sqn Ldr (G+1) including car Garage	Geo Designs & Research (P) Ltd, Vadodara E-mail: info@geogroup.in Phone No. 9375202525	50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
326	Proof checking of structural design of major and minor bridges of Dsalpur-Naliya section in connection with “Gauge Conversion of Bhuj-Naliya Section”	Dy. Chief Engineer (Construction) V, Western Railway, Ahmedabaad – 382 345 E-mail: dycec5adi@gmail.com (M) 97240 43102	11,85,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
327	Proof checking of Design and drawing for the work under DGNP Mumbai (1) Temporary storage shed (Single Storey) (Height of str 3 to 4 mts) for Augmentation of facilities North, South, West, Pump Houses and subway/ cross subway and cabling system at CG Dock Naval Dockyard Mumbai	Geo Designs & Research (P) Ltd, Vadodara E-mail: info@geogroup.in Phone No. 9375202525	25,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
328	Technical Opinion regarding Condition Assessment report of School Building Submitted by Consultant Shri Shah Associates for Nagar Prathmik Shikshan Samiti Sanchalit School No. 167/168 in West Zone, Rander Area	Executive Engineer, West Zone (Rander), Surat Municipal Corporation, surat-395009 Phone No. 0261-2786181-83	1,17,500	Prof. A. J. Shah Dr. A.K.Desai
329	Vetting of design and drawing of RE Wall for the work of Construction of road over bridge(ROB) LC No.25 and LC No. 05 in lieu of existing level crossing at Talcher Caolfield of MCL as per tender No. ETCPMGSUBBS2022069 & ETCPMGSUBBS2022067 respectively of East Coast Railway	Brite Insulations Engineers and Contractors, Kolkata E-mail: Phone No. 03346024476	67,000	Dr. J.B.Patel
330	Opinion on Pretressing Block and Deck Slab Work Project: Mumbai Ahemedabad High Speed Rail (MAHSR-pkg-7) Ch. 489+467 to Ch. 507+599 (Vatva to Sabarmati Station)	Dineshchandra R. Agrawal Infracon Pvt. Ltd, Ahmedabad (Irco International Limited) E-mail: c7hsr@draipl.com Phone No. 079-26309789	75,000	Dr. A K Desai
331	Analysis of Plate load Test results and Calculations of MIF Values for Geogrid Reinforced Pavement Layers	TENSAR Geosynthetics india Private Limited, Mumbai E-mail: Kalpesh.jain@cmc.com Phone No. 9987030940	1,50,000	Dr. Satyjit Patel



332	Opinion on method statement for horizontal boring for improvement of slope stability for the work balance work of construction of 4 lane road from KM 140+700 to Km 190+587 (Design Chainage KM 0.000 to 49.230) on Narimbanglo-Jatinga Junction-Harangajao Section of NH-54 (new NH-27EWW0 in the state of Assam under Bharatmala Pariyojana on Hybrid Annuity mode	Dineshchandra R. Agrawal Infracon Private Limited, Ahmedabad E-mail: drainfra89@gmail.com Phone No. 7940022556	60,000	Dr. Satyjit Patel
333	Consultancy service of Diaphragm Integrity Test of Bhadbhut Barrage Project	Dilip Buildcon Limited, Bharuch E-mail: pradeepsadiwal@dilipbuildcon.co.in	1,25,000	Dr. Y. D. Patil Dr. G. R. Vesmawala Dr. Jitesh T. Chavda
334	Proof checking of Ground Floor Only Structure of Sand Godown work at Vadodara Yard Electric Loco Shed, Vadodara	Pramukh Design Consultancy, Surat Phone Np. 8511503332 E-mail: hardik.pth@gmail.com	30,000	Dr. A. K. Desai
335	Proof checking of Design and drawing of Bridge at KM 1+720 under Works (R & B) N. H. Circle – N H Division, Visakhapatnam,- "Widening to two lane with paved shoulder of Chintoor to Motu Section of NH326 from km 0+ 000 to km 9 +600 (Design chainage km 0+00 to km 8+345 including road section in the state of Andhra Pradesh	Shailendra Bahadur Singh Infra Private Limited, Raipur (C.G.) – 492 001 (M) 94252 60660 E-mail: shailendrasukma@gmail.com	1,00,000	Dr. A. K. Desai Dr. Rakesh Kumar
336	To Engage institute to assess Remediation , Reclamation & Environmental Damage Compensation (EDC)	GACL-NALCO Alkalies & Chemicals Private Limited Email: samit.panchl@gnal.co.in Phone No: 062542222435	13,00,000	Dr. N.D. Jariwala Dr. K.D.Yadav Dr. B.N. Tandel Dr. A.K.Mungray
337	Structural Proof checking and Hydraulic Design of Water Supply project At Moojhri	Pravada Engineers Pvt Ltd, Surat Phone NO. 9909245554 E-mail: nikunj@pravada.co.in	3,00,000	Dr. A. K. Desai Dr. P. G. Agnihotri
338	Structural Proof checking of sparse Hospital Structure (basement _ Ground + 7 Floors), Bhubaneswar	Parvati Techno Consultants, Ahmedabad E-mail: parvaticonsultants@gmail.com Phone No. 7940091699	2,00,000	Dr. A. K. Desai
339	Structural Proof checking of P. S. C. Bridge No. 246 – 256 of New Line in Connection with Chhota – Udepur – Dhar	Jalaram Projects Pvt Ltd, Ahmedabad. (M) 84698 15183 E-mail: info@jalaramprojects. in	1,40,000	Dr. A. K. Desai
340	Structural Proof checking of STP At Rawatbhattha, Rajasthan (1500 KLD-1, 600 KLD-1, 500 KLD-3)	Ecosystem Resource Management Pvt Ltd, Surat E-mail: eco@ecoshripad.com Phone No. 8460545050	2,00,000	Dr. A. K. Desai
341	Structural Proof checking of Bridges & other structures, FOB -12 m wide (Pratapnagar, Ankleshwar, Bharuch, Dabhoi, Derol, Kim, Mahebadabad, Miyagam, Sayan) & ROB (sub structures of ROB in Railway Portion (LC 33, LC – 44, LC 65, LC 241, LC 2444, LC 255, LC 7272, LC 294, LC 295, LC 299, LC 300) and Station framed building at Pratapnagar and covering shed on Platform	Chief Project Managar (Gati Shakti) DRN Office, Vadodara Division, Pratapnagar, Vadodara – 390 004 (M) 97240 91041 E-mail: cpmgsbrc@gmail.com	38,63,872	Dr. A. K. Desai
342	Structural Proof Checking of Elevated Storage Reservoir and U.G. Sump (1) 2 No. ESR At Gandhinagar (2) 2 No. U.G. Sump at Gandhinagar	P. Das Infrastructure Private Limited, Ahmedabad E-mail: info@pdasinfra.com Phone no.: 9925163598	25,000	Dr. A. K. Desai

343	Proof checking of design and drawing for the works under CE CZ Chennai (1) Provn of Building for Advanced Data Processing centre (APDC) with allied Infrastructure at ASC C & C Bangalore (Spl Works) (a) ADP Lab and deficient Trg Ifnra with allied works and Covered ACCN for vehicle (2) Provn of Class Room Incl Labs and Library at rashtriya MIL School Belgauum under AMWP 2022-23 (A) Admin Building and parking shed.	Geo Designs & Research (P) Ltd, Vadodara E-mail: info@geogroup.in Phone No. 9375202525	1,10,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
344	Structural Proof checking of RCC box and cast In situ boxes of bridge between Chandlodiya – Khodiyar Section at Fatak No. 03 under jurisdiction of Sr. Division Engineer Works - Ahmedabad	Nemi Engineering Services, Vadodara Phone No. 0265 – 2433229 E-mail: infor@nemiket.com	50,000	Dr. A. K. Desai
345	Structural Proof checking of design and drawing of sub structure of proposed bridge no. 237 (Banas River) in connection with Devgarh Madariya-Nathdwara gauge conversion project	Shah Associates, Ahmedabad Phone No. 079 – 26585785 E-mail: shah.asso@consultant.com	75,000	Dr. A. K. Desai
346	The testing stability inspection (structural stability) of Intake well at NA, GIDC and Ankleshwar	Chief Office, Notified Area, GIDC Ankleshwar	1,00,000	Dr. Kashyap A. Patel Dr. Vishisht Bhaiya
347	Vetting of soil testing report for the work of Design and construction of various buildings for WHO-GCTM Campus at Jamnagar, Gujarat	PNSC Infrastructure Private Limited, Delhi E-mail: lalitpr87@pnscinfra.com Phone No. 8860455555/9711227766	40,000	Dr. Satyjit Patel
348	Proof checking of structural design and drawing for the project design of box an initial approach wall for RUB of single cell of Vijapur (excl) to Ambiliyasan section	Buildsafe Consultants, Nehrunagar, Ahmedabad Pone No. 6353408855 E-mail: info@buildsafe.co.in	1,60,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
349	Proof checking of structural design and drawing for the construction of Ladies Hostel for CASFoS at Coimbatore	Kha Designs, Ahmedabad E-mail: info@khadesigns.in (M) 98251 90220	65,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
350	Structural condition assessment of structure of ongoing work of Charedi water Distribution station (visual inspection – observation of all elements and preparation audit report)	Dy. Municipal Commissioner, Gandhinagar Municipal Corporation, Gandhiangar. Phone No. 079 – 23220440 E-mail: gmc8@gandhinagar@gmail.com	4,00,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
351	Proof checking & vetting of special portal and design calculation report for OHE at Lalitpur Station	Leena Electro Mechanical Pvt Ltd, Navi Mumbai Phone No.: 27580872 E-mail: infor@leenaelectromechanical.com	70,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
352	Proof checking of Structural design based of various PEB buildings for Dream City Depot, Surat (1) Depot Store (2) Inspection Bay (3) Workshop Building (4) Covered Stabling Building (5) Pit Wheel Lathe (6) RRV Parking & (7) Heavy Cleaning and Blow Down Plant	ITD Cementation India Limited, Surat Contact No.: 87250 15051 E-mail: jigarkumar.shah@itd.cem.co.in	10,75,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
353	Proof checking of Design and drawing of HPCL Vashi Terminal Plant Structure (Admin to TTG Opposite, MCC to QC Lab, TTG1 to TTG2, TTG2 to TTGY3, Pipe Trestle)	Hariom Builders, Adipur, Kutch Phone No. 02836 – 260225 E-mail: hariombuilders@yahoo.co.in	1,00,000	Dr. G. R. Vesmawala Dr. Y. D. Patil

354	Technical Guidance for Structural condition assessment of existing minor bridge at Pardi Parera Vanki River, Ta- & Dist- Valsad	Jyoti Infratech Company, Ahmedabad Phone No. 94260 58317 E-mail: jyotiinfra_ap@yahoo.in	1,10,000	Dr. A. M. Parghi
355	Structural Proof checking of ROB in lieu of LC Nos. 69A and 79 of Nagpur Division	Gravitas Infrastructure Pvt Ltd, Ahmedabad E-mail: gravitasinfra@gmail.com Phone No.: 877979129	2,00,000	Dr. A. K. Desai
356	Structural proof checking of design and drawing of Diaphragm wall, Retaining walls and typical design of Ghat , Access Ramps etc. Work : Watershed Development of Sabarmati River Banks with waterbody near Gift City, Ta. & Dist- Gandhinagar.	Executive Engineer, Gandhinagar Irrigation Construction Division, Gandhiangar Phone No. 079- 23220109 E-mail: eegidsant@gmail.com	15,00,000	Dr. S. A. Vasanwala Dr. C. D. Modhera
357	Providing Raod safety Audit (RSA) for 99.00 mt wide outer ring road for Phase-2, 10.45 Km length in the surat area.	Urban Ring Development Corporation Limited, surat E-mail: urdcsurat@gmail.com Phone No.:0261-2500090	12,19,800	Dr. S.S. Arkatkar Dr. Ashish Dhamania
358	Evaluation of MIF value inclusion of TriAX TX geogrids in the flecible pavement and site visit during the test	TENSAR Geosynthetics india Private Limited, Mumbai E-mail: Kalpesh.jain@cmc.com Phone No. 9987030940	1,75,000	Dr. Satyjit Patel
359	Consultancy service regarding structural proof checking of the RCC Compound wall for Gujarat Housing Board having approximate 10 km length	M/s S. M. Sheladiya, Surat Phone No. 9712930533 E-mail: smsheladiya@yahoo.com	26,000	Dr. A. K. Desai
360	Providing Consultancy services for checking of estimates of 90.00 mt wide outer ring road project for Phase-2, 10.45 Km	Urban Ring Development Corporation Limited, surat E-mail: urdcsurat@gmail.com Phone No.:0261-2500090	9,00,000	Dr. S.S. Arkatkar Dr. G.R. Vesmawala
361	Design vetting of Transmission Monopoles of 17 m and 20 m heights & its foundation.	M/s Transrail Lighting Limited, Silvassa (M) +919021995889 E-mail: yagnesh.acharya@transraillighting.com	80,000	Dr. A. K. Desai
362	Structural Proof checking of the design and drawing of High Mast Tower Foundation, other structures et. Surat Gujarat (Project : Revamping of Lighting system at ONGC Hazira Plant and colonies on STK Basin (Design of high mast tower 30 mt and 20 mt, Design of canal crossing walk way of 10mt span & Approval of mix design already for M25 and M20 concrete)	Mayur Electric Works, Surat E-mail: mayurelect@yahoo.com Phone no. 0261 - 2785966	75,000	Dr. A. K. Desai
363	Expert opinion on distress and cause stability of R. E. Wall approach on A2 LHS (near Abutment) of the Infocity flyover constructed on NH-147 (Development of Chiloda-Gandhinagar-Sarkhej of NH-147) (old NH-8C) from km 0/0 to 44/420 in the State of Gujarat to Six Lane with Paved shoulders with both side continuous service road on EPC mode (Package -1 km 0/0 to 16/350)	Kalthia Engineering & Construction Limited, Ahmedabad E-mail: kecl@kalthiagroup.com Phone No. 079 - 26861339	4,50,000	Dr. A. K. Desai Dr. Rakesh Kumar

364	Proof checking of design and drawing of the 3 nos. of box culverts and 3 nos. of slab culverts. Project : Construction of Road Karzok-Narbu-Sumdo from existing Track to NHSL specification from Design Chainage km 20.000 to km 38.765 (taken Karzok as km 0.000) including two major Bridges of span 400 mt. (50 mt. x 8) and 275 mt. (55 mt x 5) under project Himank in Ladakh (UT) on EPC Mode (Net Length 18.765 km)	Geo Designs & Research (P) Ltd, Vadodara E-mail: info@geogroup.in Phone No. 9375202525	90,000	Dr. A. K. Desai
365	Proof checking of design and drawing of Railway Br. No. 20 at Bandra, Mumbai	M/s CASAD Consultants Pvt Ltd, Ahmedabadd E-mail: mail@casadconsultants.com Phone No.: 079 -48976205	50,000	Dr. A. K. Desai
366	Visual Inspection - Observation of all elements and preparing audit report with analysis as per scope of work (NABARD Tower and NABARD Vishar).	National Bank for Agriculture and Rural Development (NABARD), Ahmedabad Phone no. 79257551478 e-mail: ahmedabad@nabard.org.	3,00,000	Dr. S. R. Suryawanshi Prof. A. J. Shah
367	Third Party Inspection Services for the construction of Cement Concrete Toads of various societies in West Zone (Rander) area i.e. (1) Moje Jahangirabad, R. S. No. 20, Satadhar Society (2) TPS No. 42 (Jahangirabad), F. P. No. 95, Vishvakarma Co-op Housing Society (3) T. P. S. No. 08 (Palanpor), F. P. No. 49, Viveknand Township Service Society (4) T. P. S. No. 9 (Palanpor- Bhesan) F. P. No. 90, Mathura Nagari Row House (Gate No. 1, Plot No. 1 to 30) society (5) T. P.S. No. 9 (Palanpore-Bhesan), F. P. No. 90 , Mathura Nagar Row house (Gate No4 & 5, Plot No. 82 to 117) society.	Executive Engineer, West Zone (Rander), Surat Municipal Corporation, Hetal Nagar Society, Rander, Surat, Gujarat 395009 Phone no, 0261 – 2786181 – 83 (ext. 202)		Dr. Kashyap A. Patel Dr. Vishisht Bhaiya
368	“Structural Proof checking of design and drawing for Adraj Moti- Vijapur Gauge Conversion (39.85 km) work of All civil Engineering works (Earthwork, Blanketing, Retaining wall / Boundary Wall / Side Drain, Major Bridges, Minor Bridges and LHS/RUB LCs), Construction Staff Quarters, Offices, Service Building and supply of 50 mm Machine crushed Stone Ballast, Complete Track works including linking and Yard work, including Electrical (General) and OHE (TRD) Work in connection with Gauge Conversion work between Araj Moti-Vijapur (39.85 kms) of Ahmedabad Division on Western Railway on Engineering Procurement & Construction (EPC) Mode.	B. Patel Infrastructure Pvt Ltd. J/V, SCC Infrastructure Pvt Ltd., Ahmedabad E-mail: bpipl_1@yahoo.co.in (M) 9924442660	5,50,000	Dr. A. K. Desai
369	Proof checking of design calculations/ drawings of Railway super structure (54.0 m through truss) Portion of ROB/RUB for the Construction of ROB in liey of LC – 53T at Talod Projects.	M/s Gujarat Urban Development Company Limited, Gandhinagar E-mail : contact@gudcltd.con Phone No.: 079-23246127/128 (M) 9904304157	2,64,226	Dr. A. K. Desai Prof. A. J. Shah Dr. S. R. Suryawanshi
370	Safety Consulting Services for the work of construction of major bridge across river mindhola connecting Surat district (Abhava) and Navsari district (Ubharat) having carriageway width of four lane in greenfield alignment (design ch .6+102 to 6+8.42, length: 0.740 km ) in the state of gujarat on EPC mode under R&B (O)	Unique Construction, Surat Email: info@uniqueconstruction.org Phone No: +9102612269300	3,50,000	Dr. Rakesh Kumar

371	Proof Check Consultancy work for Re-development of Shyamji Krushna Verma Lake Graden at Preliminary T.P.S. No.47 (Bhestan), O P No. 08, F.P.No. 12 in south zone (udhna) , Surat	Garden Project Cell Surat Municipal Corporation, Surat Email: exen.p.i.cell@suratmunicipal.org Phone No. 9879676207	50,000	Dr. Jignesh B. Patel
372	Proof checking of design and drawing for the Tower Building (Shore based surface surveillance Radar at Naval Coastal battery, Porbandar)	Geo Designs & Research (P) Ltd, Vadodara E-mail: info@geogroup.in Phone No. 9375202525	35,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
373	Condition assessment survey and submit technical report for the Construction of New Mechanical Workshop building, Bariya Hall, L.R.U.C., Main Building in Dr. S & SS Gandhi College of Engineering & Technology, Surat	Executive Engineer, Surat (R & B) Division No.1, Surat (M) 94279 76383	33,50,000	Dr. C. D. Modhera Dr. A. K. Desai
374	Proof checking of design approval of MMS Solar Structure for PM Kusum (B) Scheme	S H K Industries, Coimbatore Phone No. 9944769086 E-mail: shkindustriesunit2@gmail.com	75,000	Dr. A. K. Desai
375	Proof checking of design of 3 (Groups) (Total 8 Nos) of Minor RCC Box.	Gravitas Infrastructure Pvt Ltd, Ahmedabad E-mail: gravitasinfra@gmail.com Phone No.: 877979129	1,50,000	Dr. A. K. Desai
376	Structural condition assessment of Agriculture Division Staff Quarters situated in Primary school campus at Olpad	Dy. Executive Engineer, Surat (R & B) Sub Division No.3, 6th Floor. Opp: Dutch Garden, Nanpura, Surat – 395 001	75,000	Prof. A. J. Shah Dr. A. K. Desai
377	Structural Proof checking of design and drawing of School building of “Shri Sachiyay Maa K P Sanghvi Government Higher Secondary School, located at Malgaon, Tehsil – Reodar, District- Sirohi, Rajasthan.	K P Sanghvi Charitable Trust, Surat Phone No, 70460 05373	1,51,000	Dr. A. K. Desai
378	Providing structural Drawing Design Calculation & Construction Drawing all complete for SCADA Room	M/s Resco Global Wind Services Private Limited (client through inbox wind limited) Email. Sharda.shukla@inoxwind.com Phone No. 8826309995	1,50,000	Dr. Shruti J Shukla Dr. vishist Bhaiya
379	Providing third party inspection (TPI) on visit basis for the capital work of modernization of primary waste collection & secondary transportation system for north zone & Central zone (B) of surat city including, supply & procurement of closed body primary waste collection vehicals, compaction equipments for secondary transportation system, roadside dustbin, battery-operated garbage collection vehical (BOGCV) to perform primary garbage collction & its Seconadary transportation from Kosad RTS upto disposal site for 10 years of concession period with operation & maintanance of comprehensive collection & transportation system as a whole with establishing and operation & maintanance of MRF system at Kosad RTS	Solid Waste Management, Surat Municipal Corporation , Surat Email: exen.swm@suratmunicipal.org Phone No: 0261 2780057	5,00,000	Dr. K.D.Yadav Dr. N. D.Jariwala Dr. P V Bhale
380	Third Party Vetting of Geo-Tech report of construction of 150 bed hospital for ESIC at Kalol, Gujarat	M/s Shreeji Technical Consultancy Services, Ahmedabad Email: Shreejitechnical@yahoo.com Phone No. 8469060545	50,000	Dr. C.H.Solanki

381	Consultancy service on Independent Structural Design Audit in order to ensure safety measures and quality of construction of bridge. (Project : Construction of six lane access-controlled highway from junction with Jaitpur-Pushta Road to Junction with sector – 62/65 dividing road on Faridabad-ballabhgarh bypass Section NH-148NA (Design CH 9+000 to 33 +000) including spur from Design cH. 13+200 to junction of Faridaba1d-Ballabhgarh Bypass with NH-19 near Badarpur Border in the State of Haryana under Bharatmala Pariyojana on Hybrid Annuity Mode)	Dineshchandra R. Agrawal Infracon Pvt Ltd, Ahmedabad Phone No. 079 – 300005789 E-mail: drainfra89@gmail.com	75,000	Dr. A. K. Desai
382	Consultancy service regarding structural proof checking of the Retaining wall work of “Construction of substructure & Superstructure of Br. No. 184/A-1 of span 1 x 62.0 m bow string girder + Via duct 2 x 24.0 m composite girder (ROB) at Chainager 162. 562 km (over state Highway_ between station Gauripur – Alamganj in Connection with New Maynaguri – Jogighopa new B. G. Line Project of N. F. Railway	BRBA Infratech LLP, Allpurduar Jn. Phone Npo. 9434745088 E-mail: brbainfratechllp@gmail.com	35,000	Dr. A. K. Desai
383	Structural condition assessment of existing structure / building near to Palanpur Station (Palanpur Jakatnaka) (total 11 Nos. of building for Sumangal Co-operative Housing Society Limited) Mangaldeep Complex Building A to K)	Gujarat Metro Rail Corporation (GMRC) Ltd., 6th Floor, SUDA Bhavan, Vesu - Abhva Road, Vesu, Surat - 395007. Phone No. 7574013512 E-mail: info@gujaratmetrorail.com	13,75,000	Dr. A. K. Desai
384	Proof Checking & vetting of project of open foundation for special OHE portals at lalitpur station	Leena Electro Mechanical Pvt Ltd, Navi Mumbai Phone No.0222-27580872 Email:info@leenaelectromechanical.com	30,000	Dr. G.R. Vesmawala Dr.Y.D.Patil
385	Proof checking of the structure design of minor bridge at NA, GIDC, Ankleshwar	Chief officer, Notified Area Authority, GIDC, Ankleshwar Phone No. 02646 – 253094 E-mail: naoank@yahoo.com	35,000	Dr. Kashyap A. Patel Dr. Vishisht Bhaiya
386	Proof checking of design and drawing for works under CE AF Gandhinagar, (Demolition and Reconstrn of MD Accn for Airmen at Sion Area at AF STN Mumbai (PH-II) (G+13) (1) MD accn of 52 qtrs (G+13 Bldg, 04 DU ineach floor and GF – As stilt parking) for Ors/equivalent Rank incl fire fighting terrace tank of10000 Ltr Capacity completd all s per drawings (2) Garage parking blok for 8 vcars, 11 cars, 02 cars, 26 scooters, Pump House for fire fighting (3) Pump House for water supply	Geo Designs & Research (P) Ltd, Vadodara Phone No. 0265- 2290222 E-mail: info@gegroun.in	1,00,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
387	Proof checking of design and drawing for the works unde CE (AF), Prayagraj (Demolition and construction of SMQS at AF STN agra (Phase-1)	Integral Solutions, Kochi Phone No.: 0484 – 4064505 E-mail: info@integralsolutions.co.in	2,50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
388	Proof checking of design and drawing for following works under CWQ (AF), Bamraulli. Project : Provn of Building and parking of Class Ground Equipment AVS & Drop/Tank Storage of Jagyuar Aircraft Drop Ta at SFN Gorakhpur.	Inertia Engineering Solutions. Vadodara (M) 84604 46283 E-mauil: inertiaengineeringsolutions@gmail.com	40,000	Dr. G. R. Vesmawala Dr. Y. D. Patil

389	Proof checking of Hydraulic, structural design and drawing of Project 22.2 MLD WTP along with clear water sump and clear water pump house for water supply scheme for upper veda Multi Village scheme Dist- Khargone and Khandwa at Madhya Pradesh.	API- Gulf Engineering India Private Limited, Mumbai Phone No.: 8879201028 E-mail: pnp@apigulf.com	4,00,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
390	Vetting of Precast Drain Design carried out by M/s Som Laxmi Consultancy for the ICGAS, Daman	Brahma Infra, Balotra, Dist- Barmer, Rajasthan E-mail: brahmainfra@rediffmail.com Phone no. 88759 51919	1,10,000	Dr. P. V. Timbadiya
391	Proof checking of drawing for the construction of Two Lane Elevated Road on Latiya Nala in Sawai Madhopur from Raj Bagh Road to SH-30 (Nr. Gopali Temple) in State of Rajasthan on EPC mode.	Rachna Construction Company, Ankleshwar Phone No. 9824361299 / 9824137791 E-mail: ispatelrachana@gmail.com	5,00,000	Dr. A. K. Desai Dr. Rakesh Kumar
392	Mix design of DBM and BC for the work of construction of flexible pavement for road from SUDA lilit at ch.2/50 to SRPF Camp at vav canal LHS side Ch.5/35.laying new DI Eater supply line from main gate to pump house and repairing / Re-carpeting of existing selected campus road in SVNIT, Surat	M/s. R.N. dobariya, Surat (client through surat Urban Development Authorities, surat) Email:dobariya_rn@yahoo.co.in Phone No. 0261-2556496	1,00,000	Dr. AmitKumar J. Solanki
393	Proof checking of design and drawing for project "Demolition and Reconstruction of SMQ's AT Site 'P' at AFS Thane (PH-II)	Shree Shyam Construction Co., (M) 9825051055 E-mail: shreeshyamco@gmail.com	38,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
394	Opinion for RCC Structure / other structure for deep excavation for Multistoried Building	Executive Engineer, Surat (R & B) Division No.1, Surat	65,000	Dr. A. K. Desai
395	Structural Condition assessment of River Bridge situated between Nagnath Chowk to Dhoraji Highway on Moj River in Upleta nagar Palika area	Chief Officer, Upleta Nagar Palika, Opp: Janta Garden, Upleta E-mail: np_upleta@yahoo.co.in Phone No. 02826 - 221427	3,00,000	Prof. A. J. Shah Dr. S. R. Suryawanshi
396	Proof checking of design and drawing of floor, foundation,, and structural drawings of shed and the peripheral road at North Tekra Storage yard at Gujarat Refinery, IOCL, Vadodara.	Uday Construction, Viramgam Phone No. 98259 32356 E-mail: udayconstruction2001@gmail.com	35,000	Dr. A. K. Desai Dr. Rakesh Kumar
397	Structural proof checking of construction of Minor Bridge across canal on various location in Mandvi, Surat (CH : 1 +200, CH 3 +187, CH 6+453, CH 6+531, CH 7+995, & CH 18/600 – 18/ 800	Executive Engineer, Surat (R & B) Division No.1, Surat Phone NO. 0261 – 2471097 E-mail: eesurat2@yahoo.com	1,00,000	Dr. A. K. Desai
398	Structural Proof checking of vetting of structural calculations and foundation drawing for 75 mtr flag mast.	M/s Bajaj Electricals, Mumbai E-mail: mumesha@bajaj@electricals.com (M) 9819592566	40,000	Dr. A. K. Desai
399	Structural Condition assessment of River Bridge (1) Bridge Near Vijaynagar (2) Kumbharwada Road, Bhukhi Head works Bridge, situated on Safura River	Dhoraji Nagarpalika, Near Three Gate, Dhoraji, Rajkot, Rajkot, Gujarat, E-mail: np_dhoraji@yahoo.co.in Phone No. 02824 - 221896	1,50,000	Prof. A. J. Shah Dr. S. R. Suryawanshi

400	To carryout core cutting and Ultrasonic Test of different concrete (Civil) works executed near Dwarka Gujarat for Development of National Importation DRDO Facility	Addl CCE Government of India, Ministry of Defense Defence Research & Development Organization Pashan, Pine Phone No. 020 – 25906603 / 25865610 E-mail ID – ccewest-drdo@gov.in	2,30,000	Prof. A. J. Shah
401	Proof checking and vetting of structural drawings of (1) Addition / Alteration of Hangar Door in T-62 hangar of INAS 336 at INS Garuda, Kochi (2) 98 ARTY BDE at Gandhidham MIL STN under GE (a) Bhuj (3) Robotics & Sports data science facility at IISER Bhopal	Horizon Design Consultants, Rajkot. (M) 9408104285 / 7405739809	40,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
402	Structural Proof checking of the design and drawings of construction of minor bridge on Samrod-Bhatiya Road, Ta- Choryashi, Dist – Surat	Dy. Executive Engineer, R & B (Panchayat) Sub Division, Surat.	1,00,000	Dr. A. K. Desai
403	Proof checking and vetting of design of circle office building for SE O & M JCC – II South And JPDC – II South at Kiran path Jaipur	Applied Consulting Engineers, Jaipur E-mail: eng.ace18@gmail.com (M) 9818433382	1,30,000	Dr. A. K. Desai Dr. Kashyap A. Patel
404	Proof checking of structural design of major and important bridge	Bhajan InfraTech Pvt Ltd, Surat (M) 9725001300 E-mail: bhajaninftratech@gmail.com	2,00,000	Dr. A. K. Desai
405	Providing consultancy service of proof checking of designs of Road Under Bridge (RUB) at Railway's Level Crossing No. LC – 41, Kharsaliya, Godhra, Dist- Panchmahal	Executive Engineer, R & B Division, Godhra. Phone No. 02672-243159	1,20,000	Dr. A. K. Desai
406	Condition assessment of Overhead Water Tank at Palej, Dist- Bharuch	Talati Cum Mantri Shri, Palej Gram Panchayat, Palesh, Dist- Bharuch E-mail: palej.grampanchayat@gmail.com	50,000	Dr. C .D. Modhera Dr. B. Kondraivendhan
407	Condition assessment of water tank at Sherpura Village	Sarpanch Shri, Gam Panchayat, Sherpura, Ta- Dist- Bharuch	40,000	Dr. C .D. Modhera Dr. B. Kondraivendhan
408	Proof checking of structural design and drawings including suggestions/ remedial measures if any, for construction of New Hospital (ED-1) Block and Educational (ED-2) block under SMIMER Master Plan at SMIMER campus, T. P. – 08 (Umarwada), F. P. 64/P, Umarwada, Surat	Executive Engineer, Public Infrastructure Cell, Surat Municipal Corporation, Surat (M) 90990 89761	13,84,144	Dr. Y. D. Patil Dr. G. R. Vesmawala Dr. A. K. Desai
409	Engagement of engineering consultant for preparation of detailed steel structural / RCC Design & drawings for reconfiguration work of existing terminal building at CE Bhuj	Airport Authority of India, Bhuj Airport, Kandla, Anjar E-mail: civilengg-vake@aai.aero	12,00,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
410	Executive Engineer, Surat (R & B) Division No.2, Surat Phone NO. 0261 – 2471097 E-mail: eesurat2@yahoo.com	Consultancy Service regarding Proof checking of Railway Portion construction of ROB in lieu of LC No. 37 at km 42/7-8 madhi Latarva station on Udhna Junction Jalgaon section (madhi – Valod Road, Dist- Surat).	1,00,000	Dr. A. K. Desai



411	Conducting 10 th online proficiency test for NQMs/SQMs engaged in field inspection of PMGSY project for NIRDA	Director, Project-III, Division, National Rural Infrastructure Development Agency, Ministry of Rural Development, GOI Email ID : director.cqc@gmail.com	3,09,600	Dr. G.J.Joshi Dr. A.J.Solanki
412	Technical Audit for the work of MMGSY-2022-23 (Earthen to BT), Ghaludi joining Shekhpur Kudasad Raod Ch0/0 to 1/300, ta. Kamrej, Surat	Panchayat (Road&Building) Division, Surat email: exenpsurat@yahoo.co.in Phone No: 0261-2472337	30,000	Dr. AmitKumar J. Solanki
413	Proof checking of drawing of canal structure at Navasari (1) Bamanvel Harangam Donja Road km 0/0 to 11/2 (Sec km 5/0 to 5/2) (2) Pipalgabhan Amadhara Mogaravadi Rumla Road km 0/0 to 11/30 (Sec km 3/2 to 3/4) (3) Chikhli Fadvel Dholumber Umersui Road km 0/0 to 28/4 (sec km 5/8 to 6/0 to km 16/4 to 16/6)	Executive Engineer, Navsari (R & B) Division, Navsari Phone No. 02637 – 258041 E-mail: rnb.nav@gmail.com	2,50,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
414	Evaluation of MIF and LCR value inclusion of TriAx TX 160 geogrids in the flexible Pavement and site visit during the test	TENSAR Geosynthetics india Private Limited, Mumbai E-mail: Kalpesh.jain@cmc.com Phone No. 9987030940	1,75,000	Dr. Satyjit Patel
415	Proof checking of structure design and drawing of box culvert and gabion wall for the project development of Airstrip at Ankleshwar on (Providing PCN – 59 class Airfield Pavement Making used of Un reinforced, down joined, plain cement concrete and hard shoulder pavement over a prepared stabilized base, granular, sub base and modified subgrade.	Dy. Executive Engineer, Road and Building Sub Division, Ankleshwar E-mail: rnbankleshwar@gmail.com (M) 9106635410	80,000	Dr. G. R. Vesmawala Dr.Shruti J. Shukla
416	Proof checking of design and drawing of Solar Water Pump Structure	V Star Solar Energy, Rajkot E-mail: mktvstarsolar@gmail.com Phone No. 9879026565	30,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
417	Review /Vetting of Design : Protection wall against sea erosion at Village Nanidanti Motidanti, Ta & Dist- Valsad	Executive Engineer, Damanganga Canal Investigation Division, Valsad Phone No. 02632 – 254503 E-mail: eedcid@gmail.com	28,50,000	Dr. S. M. Yadav
418	Regarding the designing and vetting of the C.R. Gate at off take point for 20 x 7 water supply from canal at MADhuban Dam.	Executive Engineer, Public Works Department , Works Division no.1, Moti Daman, Daman	3,50,000	Dr. S. M. Yadav Dr. A.K.Desai
419	Consultancy of proof checking of Structural design and hydraulic for design and drawing for expansion from 15 MLD to 25 MLD at GIDC, common effluent Treatment Plant (CETP)/ Drainage Project Sarigam, Gujarat	Executive Engineer (M &E), gujarat industrial development corporation vapi, Email: lexenme_vapi@gidcgujarat.org	25,00,000	Dr. A.K.Desai Dr. P.G.Agnihotri Dr. N.D.Jariwala
420	Structural Proof checking of structure, asarwa and Maninagar, Ahmedabad	Define Design, Ahmedabad (M) 9998882902 E-mail: definedesign85@gmail.com	45,000	Dr. A. K. Desai
421	Proof checking of Design and drawing for Module mounting structure,	Anesh Green Bharat Limited Ahmedab	30,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
422	Preliminary Inspection Assessment Report for various structures at NTPC Jhanor Gandhar.	NTPC Limited, Simhadri, Visakhapatnam Phone No. 089 24 – 243032/243525	7,35,000	Dr. C. D. Modhera Dr. B. Kondraivendhan

423	Proof checking of design and drawing for construction of New Bus Depot at Amod, Bharuch Division.	Chief Construction Engineer, Gujarat State Road and Transport Nigam, Central office, Construction Division, First Floor, Near Ranip Bus Terminal, Ahmedabad E-mail: civilsrctc@gmail.com	50,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
424	Proof checking of detailed design and drawing of Three minor bridges of the project "Widening and Strengthening of Aspur – Dungarpur-Sarthuna Road (SH – 54) km 47/0 to 109/0. (1) MNB x x 10. O (CH 19+130 km ) (2) MNB 2/ 11.0 (CH. 19+850 km) (3) MNB 2 x 11.0 (CH. 28+800 km)	Thoughts Consultants Jaipur Pvt Ltd, Jaipur E-mail: thoughts.jaipur@gmail.com Phone No. 0141 – 2653232	1,50,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
425	Proof checking of structural design for the work of Central Railway Project (tack machine sliding Hut, Rest Room for track Machine Staff, Goods shed office and ILO office at Belapur Station)	K K Vidyut Ahmednagar Through : Deepak Mutha E-mail: deepakmutha1963@gmail.com	90,000	Prof. A. J. Shah Dr. A. K. Desai
426	Structural condition assessment of Fire Damage Building of Mahesh Dyeing and Printing Mills Private Limited, Tantithaiya, Dist - Surat Building	Mahesh Dyeing & Printing Mills Pvt Ltd Tantithaiya, Ta- Palsana, Dist- Surat – 394 327 Phone No. 93271 28288 E-mail: maheshdyg@gmail.com	3,00,000	Prof. A. J. Shah Dr. A. K. Desai
427	Providing Planning and Pavement design consultancy services for the construction of road from narmada canal jaspur to Dhanaj- Palsana village with approximate 3.00 KM in length and 60 m row for Ahmedabad Urban Development authority	Ahemdabad Urban Development Authority, Ahmedabad Email: auda_urban@yahoo.co.in Phone: 027545051-54	30,00,000	Dr. G.J.Joshi Dr. Ashish Dhamania Dr. S.S. Arkatkar Dr. Dilip A. Patel Dr. G.R. Vesmawala Shri Amit J. Solanki Dr. Hireen G. Patel
428	Vetting of Tank Foundation Design of 12 M Dia and 14 M & 16 M Height at BPCL Mangilia Receipt Terminal	orporation Limited Indore E,mail: palg	80,000	Dr. Jitesh T. Chavda
429	To carry out the assessment of Ground water contamination in the vicinity of industry and detailed remediation action plan as per diraction of GPCB , gandhinagar	ted Email: info@haridhanchem.com	6,00,000	Dr. R. A. Christian Dr. K.D.yadav Dr. N.D.Jariwala
430	Proof checking for structural drawing for portal 48 m, 46.5m, 41.5m, calculation sheet for Portal, Open foundation drawing and foundation calculation sheet at Lalitpur Station	Leena Electro Mechanical Pvt Ltd, Navi Mumbai Phone No.: 27580872 E-mail: infor@leenaelectromechanical.com	2,40,000	Dr. G. R. Vesmawala Dr. Y. D. Patil

431	<p>Proof checking of design and drawing (Advice and guidance on the structural modeling analysis, design, drawing and following under CE. Jabalpur. (1) Provn of construction of Modular Operation Theater, Ccssd, ICU along with Medical Gas Pipeline of MH Danapur. (2) Provn of 500 mtr baffle range at Bihar Regimental centre Danapur, Provn of essential otm accn for office and complex of hq J &amp; B sub area at Danapur Cantt (3) Yard stick for construction of office and residential accn for defence estate office Danapur (OTM accn for defence, office building, MD Accn (Type – II, Type _II MD accn, Type- V MD accn, 500 m Baffle range, Baffle Range, Admin Building, OTM Accn for J &amp; B, office building and Parkin shed)</p>	<p>Geo Designs &amp; Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222</p>	2,00,000	<p>Dr. G. R. Vesmawala Dr. Y. D. Patil</p>
432	<p>Proof checking of design and drawing (Advice and guidance on the structural modeling analysis, design, drawing and following under Mangalaamit Builders Pvt Ltd. (1) Construction of Teaching Hospital &amp; Medical College at Mon, District Mon, Nagaland (Medical College, Teaching Hospital, Student accommodation, staff accommodation, autopsy block, multi functional hall/ indoor sports/ auditorium , Central Workshop &amp; Maintenance office , Utility Building incl, substation pump house, central waste store etc (2) Provn of ACCN for office complex of PCDA at Jaipur Military station. (2) Provn of ACCN for Office complex of PCDA at Jaipur Military station. (Main PCDA office with basement 01 &amp; basement 02, Cycle Cum scooter shed, Auditorium, open garage, multipurpose hall &amp; training hall , CSD Canten, Pump Room</p>	<p>Geo Designs &amp; Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222</p>	5,00,000	<p>Dr. G. R. Vesmawala Dr. Y. D. Patil</p>
433	<p>Proof checking of structure and hydraulic design for "Provn of Moden STP at Site R at AF Station Thane (1) structure design checking of 1 Lakh Ltr on Ground Tank , Sewer Lift Station (2.5 m dia, 3mtr depth, Raw Water Chamber (4.5 m x 4.5 x 2.0 m) (2) hydraulic design checking for (1) Sewage Treatment Plant (Package type) (2) Sewer network with 2 lift station (3) Treated water distribution network (Gravity).</p>	<p>Venu Consultants Pvt Ltd, Ahmedabad Phone Number 079- 48009033 E-mail: info@venuconsultants.com</p>	1,50,000	<p>Dr. G. R. Vesmawala Dr. Y. D. Patil Dr. K.D.Yadav</p>
434	<p>Proof checking of structure and hydraulic design for "Provn for disposal of Sewage Treatment Plant (STP) Water At AFS Jalahalli ( 1) structural design checking of 2 Lakh Ltr ESR, 21 mtr staging, water storage chamber (2) Hydraulic Design checking of 1.5 MLD and 1.8 MLD UF System, water distribution network (Gravity)</p>	<p>Venu Consultants Pvt Ltd, Ahmedabad Phone Number 079- 48009033 E-mail: info@venuconsultants.com</p>	2,00,000	<p>Dr. G. R. Vesmawala  Dr. P. V. Timbadiya, Dr. K. D. Yadav</p>

435	Proof checking of design and drawing (Advice and guidance on the structural modeling analysis, design, drawing and following under CE. Jodhpur. (1) Provn of OTM Accn for 1st MED Regt of 98 Arty BDE At Gandhidham (PH of Two Phases) List – II/SER Mo. 2 AMWP – 2022-23 (Offrs Mess for 20 Offrs (SS), Open Garage (6 Nos) for officer Mess, Servant Qtrs, Open car Shed for Officers, Office and Administrative Accn DS, JCo Mes with Single Living Accn for JCos, JCos Mess with ingle Living Accn for Jcos, Single Living Accn, Dining Hall & Cook Houser for HAV & Ors, Baggage Room & Drying and Ironing Room , Guard House, Storage Accn, Armour Shop, Ammunitions Store, Religious Institute Hall, Guard Rest Room (2 Nos) (2) Provn of New Generation EQPT Bay for Newly indicated EQPT at Facility of Weapon Tech at EME school Vadodara.	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	3,00,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
436	Preliminary Site investigation and structural stability of existing building at Taloja, Navi, Mumbai	Panchmahal DCMPU Ltd, Taloja, Navi Mumbaiail: +91 – 771 – 809-6034E-mail: suresh.behra@panchmahalunion.coop.	9,90,000	Dr. A. M. Parghi
437	Consultancy service regarding structural and hydraulic opinion for Industrial land development for flooding area and appropriate structural system.	Sachin Kansad Industrial Park (SKIP), Surat Phone NO. 9978951000 E-mail: sachinkansad@gmail.com.	2,00,000	Dr. A. K. Desai Dr. P. G. Agnihotri
438	Vetting of Mandoni Augmentation Water Supply scheme U. T. of Dadra and Nagar Haveli Daman and Diu	P. Das Infrastructure Private Limited, Odhav, Ahmedaad E-mail: info@pdasinfra.com (M) 99251 63598	1,00,000	Dr. P. G. Agnihotri
439	Consultancy service regarding condition assessment of Regional Training Centre, Walmi, in Surat City	Executive Engineer, Water and land Management Institute, Surat – 395 001 E-mail: rtcwalmisurat@gmail.com Phone No. 982565121	1,20,000	Dr. B. Kondraivendhan Dr. C. D. Modhera
440	Consultancy service for Checking stability of Intake Well, Approach Bridge and Related Components situated at Rundh Rajpardi Water Supply Scheme, Taluka – Jhaghadia, District- Bharuch	Executive Engineer, Public Health Works Division, Gujarat Water Supply and Sewerage Board, Bharuch E-mail: bharuchee1@gmail.com Phone No.: 02642 - 265560	5,00,000	Dr. C. D. Modhera Dr. J. N. Patel Dr. Jitesh T. Chavda
441	Proof checking of structural design and drawing J & K Police Housing Fire Station project at Kishtwar	Rushabh Consultants LLP,Ahmedabad E-mail: pmc@rushabhconsultants.com	40,000	Prof. A. J . Shah Dr. Vishist Bhaiya
442	Geotechnical stability analysis of Hazardous waste landfill cell 4 and Cell 5 at Kutch	Detox India Private Limited Kutch Email: procurement@detoxindia.com Phone No: 2351248/2346181	4,00,000	Dr. Satyjit Patel Dr. Jignesh B. Patel
443	carryng out land survey around colourtex industries private limited's TDSF site at village: jiav taluka: Choryasi, Surat Gujarat	colourtex induteries private limited surat email: cil2@colourtax.co.in Phone no: 0621-2891419/2890010/2891429	7,37,500	Dr. K.D.Yadav Dr. P.G.Agnohotri
444	Proof checking of design and drawing of Solar Water Pump Structure	ISUN Solar Pvt Ltd, Rajkot E-mail: info@isunsolar.in Phone No. 727807459	30,000	Dr. Y. D. Patil Dr. G. R. Vesmawala

445	Evaluation of MIF Value inclusion of Triax TX 160 geogrids in the flexible pavement and site visit during the test	TENSAR Geosynthetics india Private Limited, Mumbai E-mail: Kalpesh.jain@cmc.com Phone No. 9987030940	1,75,000	Dr. satyajit Patel
446	Consultancy service regarding clarification of planning, designs and drawing of RCC structures for salinity control division Porbandar (Visual Inspection of approachable areas of the structural and non-structural members & structural proof checking of hydraulic gate  (Project : Four Laning with Pave Shoulder of MADhavpur to Porbandar section of MH – 8E (Ext. ) old/NH-51 (new) from 338 + 400 to km 379 + 100 in the state of Gujarat	Kalthia Engineering & Construction Limited, Ahmedabad E-mail: kecl@kalthiagroup.com Phone No.: 079 - 26861339	3,00,000	Dr. C. D. Modhera  Dr. Krupesh A. Chauhan Dr. B. Kondraivendhan
447	Proof checking for detailed design and drawing of RE wall of proposed ROB at LC 38 in Baran City, under Kota Division	Trougths consultants Jaipur Private Limited, Jaipur Email: thoughts.jaipur@gmail.com Phone No; 1412653232	60,000	Dr. Jignesh B. Patel
448	Scrutiny and vetting of 3KLD ST Plant including 2 Nos. RCC Sewer collection tanks for coast guard project at JUHU, Mumbai	UBC Engineers Pvt Ltd, Navi Mumbai Phone No. 022 2757 3870/80 Email: hod@ubcepi.co.in	1,00,000	Dr. N.D. Jariwala Dr. K.D.Yadav Dr. G.R.Vesmawala
449	Vetting for mix design of DBM-II and BC-II for the work of major maintenance of NH-53(Inlay & Ooverlay) surat-Hazira Strech in gujarat state of india	M/s J.M.Shah, Navsari Email: msjshah@gmail.com Phone no: 9909955869	60,000	Dr. AmitKumar J. Solanki
450	Vetting of report on geotechnical investigation for determining soil bearing capacity for the project construction of various office building, residential quarter for NCAP. Pkha, Gujarat and other structure for the tewatia construvtion private limid	M/s Shreenath Soil& Material testing laboratoery Rajkot email: shreenathrriinglab@gmail.com Phone No; 8866368189	46,800	Dr. C.H.Solanki
451	Mix design of DLC and PQC work for Provision of Hanger with Apron LINK Taxi track Earth Filling at Juhu, Mumbai	UBC Engineers Pvt Ltd, Navi Mumbai Phone No. 022 2757 3870/80 Email: hod@ubcepi.co.in	1,00,000	Dr. AmitKumar J. Solanki
452	Structural Proof checking of 2 MLD 2 STP Components (1) Admin Building at Gandhiangar (2) Aeration and Anoxic Tank at Gandhiangar (3) Secondary Clarifier at Gandhinagar (4) Primary Treatment Unit at Gandhiangar	P. Das Infrastructure Private Limited, Ahmedabad E-mail: info@pdasinfra.com Phone no.: 9925163598	70,000	Dr. A. K. Desai
453	Proof check about structural design of Entry/ Exit – 2 and for Box Pushing Entry Exit- 5 & 6 for Surat Metro Project	J. Kumar Infraprojects Ltd, Ahmedabad E-mail: info@jkumar.com	6,35,000	Dr. A. K. Desai
454	Proof checking of design and drawing of provn of temporary living in accn for Airmen at AF Stn Purnea, HQ CE Shillong.	CNS Consultants Pvt Ltd, Gandhiangar. E-mail: info@rdcnsconsultants.com (M) 7874021575	30,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
455	Consultancy service for preparing secondary evaluation report over empanelment manufactures for supplying various types of paver blocks and similar other products confirming to IS – 15658 – 2021 & IRC : SP : 63-2018 for the various works of Surat Municipal Corporations	Executive Engineer, Road Development Department, Surat Municipal Corporation, Muglisara, Surat	13500/- per visit	Dr. G. R. Vesmawala
456	Vetting of report on geotechnical investigation for determining soil bearing capacity and recommended of MSE jamnagar.	unique Engineering services Kutch Email: pro@uniquelab.com Phone no: 9428401130	25,000	Dr. C.H.Solanki

457	Structural health assessment of 02 Nos. of Bridge (1) Kaliyo Bridge near old bus station connecting Dr. Ambedkar Statue to Lati Plot area (2) Bridge on the bank of Bhadar River, behind the old marketing yard, near Jaleshwar Mahadev Temple	Chief Officer, Jasdan Nagar Palika, Jasdan, Dist- Rajkot E-mail: np_jasdan@yahoo.co.in Phone No.: 02821 - 222060	1,50,000	Prof. A. J. Shah Dr. S. R. Suryawanshi
458	Consultancy services regarding structural health monitoring and Retrofitting methodology of Gujarat Maritime Board Head office Building at Gandhiangar and Ahmedabad. (GMB Head, Office, GMB officers Colony, GMB Staff Colony, GMB Guest House, Gandhiangar & Yaganpurush Society at Ahmedabad)	Executive Engineer ©, Engineer Division – II, Gujarat Maritime Board, Gandhiangar E-mail: info@gmbports.in Phone No.: 079 – 23238346-47-48-51	14,50,000	Dr. C. D. Modhera Dr. B. Kondraivendhan
459	Condition assessment & Certification of various buildings & Structures at HAEP Plant.	Krishak Bharati Co-Operative Limited, (Hazira Ammonia Extension Plant), PO- KRIBHCO Nagar, Surat Phone No. 2860262 / 2860285	8,65,000	Dr. A. M. Parghi Dr. C.D. Modhera
460	Proof checking of 4 MMS, 5 MMS, 6MMS, 7MMS, 8MMS & 9MMS and Top sun revised drawing for Solar Moulting structures	M/s PANACEAARC, Vadodara E-mail: info@panacearc.com (M) 8980377999	45,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
461	Proof checking of drawings for the construction of ROB/RUB at LC no. 26- C on Jhajjar – Dighal Railway line (Jhajjardhaur Road) in Jhajjar District	VEDOM Engineering Services Pvt Ltd, Rohtak, Haryana E-mail: info_vedom@yahoo.com Phone No. 860 7770202	60,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
462	Vetting of Structural Design for NEW QA Lab at Kandla Installation.	Kandla Installation, Bharat Petroleum Corporation Ltd, Gandhidham, Kutch E-mail: palguna@bharatpetroleum.in Phone No. 022 - 27764537	75,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
463	Proof checking of structural design and drawing J & K police Housing Fire Station Project at Mandi - Poonch	Rushabh Consultants LLP, Ahmedabad E-mail: pmc@rushabhconsultants.com	30,000	Prof. A. J. Shah
464	Proof checking consultancy service regarding scour depth calculation for P/L laying bans River at Bhilwara, Rajasthan.	Aneri Construction Pvt Ltd, Bhilwara E-mail: aneri@anericconstruction.com Phone No.: 0261 – 2841042	30,000	Dr. A. M. Parghi
465	Structural Proof checking of Launching Scheme of Lift Span of Pamban Bridge parallel to the existing bridge No. 346 at km 655/000 to km 657 / 200 including vertical lift steel span between Mansapam and Pamban station in Maduri Division of Southern Railway in the State of Tamilnadu.	Ranjit Buildcon Limited, Ahmedabad Phone No. : 079 – 4020 0555 E-mail: ranjit_construction@yahoo.co.in	2,50,000	Dr. A. K. Desai
466	Consultancy service of Proof checking of designs of Road under Bridge (RUB) at Railway's Level Crossing No. LC – 32 Derol, Kharsaliya, Godhra, Dist- Panchmahal.	Executive Engineer, R & B Division, Godhra Phone No. 02672-243159	1,27,000	Dr. A. K. Desai
467	Consultancy work for opinion report for RCC D-wall for construction of multistoried building adjacent to Swapnabhoomi Highrise.	Bhagat & Associates, Surat Phone No.: 0261 – 266515 E-mail: bhagatassocites@gmail.com	50,000	Dr. A. K. Desai
468	Structural Audit of Circle Chowk Branch Building (60046) at Junagadh	Assistant General Manager, State Bank of India, Junagadh E-mail: agm4.bao@sbi.co.in Phone No. 0285 - 2674038	2,00,000	Dr. A. K. Desai Prof. A. J. Shah

469	(1) Proof checking of structural drawings for construction work of Multipurpose Hall at SAI, NSWC, Gandhinagar RCC Frame Structure with Steel Structure roofing) (2) Proof checking of structural drawings for construction works "C/o 15 No. T-II Qtr. (G+3) and 01 no. principal residence (Ground floor only) at all the location i.e. EMRS at Poshina	Executive Engineer, Gandhiangar -1, Central Public Works Department, Gandhiangar E-mail: eegdcgn.cpwd.@gov.in Phone No. 079 - 23223486	1,25,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
470	Proof checking work for RE wakk for construction of two lane )ROB) railway over bridge and approaches in lieu of LC no 172 and LC No.161 (at railwaystatst Km 1047/02-04 in between RNT-MXL Railway Station in the section on delhi-mumbal railway limi iv railwaye line in delhi rajestha	M/s Strenght Engineering probate limited, rajeshtan Email: Streght@strenghtengineering.in Phone no : 9460137902	50,000	Dr. Shruti J Shukla
471	Structural Proof checking of RCC Drain & wall	Rhoda Cognax Private Limited, Navi Mumbai e-mail: info@rcpl-india.com Phone number : 022- 4973600	30,000	Dr. A. K. Desai
472	Traffic Design Survey at ward no .11 Katariya Chowk Rajkot	Rajkot muncipal corporation, rajkot Email: terafficc@rnc.gov.in	40,000	Dr. Ashish Dhamaniya
473	Proof checking of structural design and drawing for the project of Sagwara Garhi- Partapur Bypass (Section of NH927A), Rajasthan	Shree Balaji Construction Company, Dungarpur, Rajasthan. E-mail: sbc_dungarpur@yahoo.com Phone no. : 9460020944	1,50,000	Dr. A. K. Desai Dr. Rakesh Kumar
474	Proof checking of Railway over Bridge for the Project 'Development, Upgradation and Maintenance of Natani Ka Bada-Maujpur section of SH-44, from km 0.00 to km 25.0 of SH-44 having total length of 25.700 km under RSHDP-II on EPC mode (Package No. WB/RSHDP II/Tr-02/EPC/03)	Modi Construction Company, Jaipur E-mail: office@modigroups.in Phone Number : 9785077 777	75,000	Dr. Y. D. Patil Dr. G. R. Vesmawala
475	Hydraulic Testing of Providing and Drinking Water Supply Facilities for Student and Staff at NAU, Navsari	Executive Engineer, Navsari Agriculture Univesity, Navsari Email: ee@nau.in Phone no. 9825329183	30,000	Dr. P.V.Timbadiya
476	Proof checking of design and drawing for following works (1) Provn of OTM ACCN for One FD Regt at Plasseyt line at Secunderabad (Single living accn for 260 OR, Cook house for 260 OR, Dining Hall for 260 OR, Single living accn for 6 JCOs, Single living accn for 04 JCO, JCO Mess for 45 KCOs, Office and admin block, Guared House and ancillaries, armourer's shop and armouries (S/S), covered accn for Veh (04 scooter & 06 cars), Pump House.	Inertia Engineering Solutions. Vadodara (M) 84604 46283 E-maui: inertiaengineeringsolutions@gmail.com	1,00,000	Dr. G. R. Vesmawala Dr. Y. D. Patil
477	Proof checking of structural design and drawing J & K Police Housing Grainage building at Mulberry Nursery Cherry- Udhampur.	Rushabh Consultants LLP, Ahmedabad E-mail: pmc@rushabhconsultants.com	30,000	Prof. A. J. Shah
478	Structural Proof checking of Design of "Ground Mount Solar Module Mounting Structure (MMS)	Indmarks Formtech Pvt Ltd, Pune E-mail: sales@indmarkformtech.co.in (M) 9922920050	55,000	Dr. A. K. Desai
479	Consultancy service regarding condition assessment of 23. Lakh Liter Golawad Water Tank at Vyara.	Chief Office, Vyara Nagar palika, Vyara – 395 650, Dist- Tapi. E-mail: vyaranagar@yahoo.co.in Phone No.: 02626 - 222022	70,000	Dr. C. D. Modhera Dr. B. Kondraivendhan

480	Proof checking of Design and Drawing for Construction of New Bus Deport at Umargam, Valsad Division.	Chief Construction Engineer, Gujarat State Road and Transport Nigam, Central office, Construction Division, First Floor, Near Ranip Bus Terminal, Ahmedabad E-mail: civilsrctc@gmail.com	50,000	Dr. A.K.Desai Dr. A. J. Shah
481	Proof checking of Design and Drawing for Construction of New Bus Deport at Prantij, Himmat Nagar Division.	Chief Construction Engineer, Gujarat State Road and Transport Nigam, Central office, Construction Division, First Floor, Near Ranip Bus Terminal, Ahmedabad E-mail: civilsrctc@gmail.com	95,000	Dr. A.K.Desai Dr. A. J. Shah
482	Preparation of structural design for the Widening of Four lanning of Surat- Olpad- Sahol Road km 9/8 to 29/2 (Pro. Box Culvert for canal Crossing at Chanage 24/5), Ta- Olpad, Dist- Surat	Executive Engineer, Surat (R & B) Division NO.2, Surat E-mail: eesurat2@yahoo.com.	1,20,000	Prof. A. J. Shah Dr. Kashyap A. Patel
483	Proof checking of structural design and drawing of VUPs (Box & Approach portions) of Chhapi, jagana and Gathamam Junctions on Mehsana – Palanpur Road (SH) Dist- Banaskantha	Dy. Executive Engineer, R & B Sub Division, Joravar Palace, Palanpur. Phone No.: 02742 – 252323 E-mail: deernbpalanpur@gmail.com	3,00,000	Dr. Kashyap A. Patel Dr. Vishisht Bhaiya Dr. Jitesh T. Chavda
484	Mix design of PQC (Pavement Quality Concrete) & WMM (wet mix macadam) for the work pf Provn of works services for installation of certain equipmet/machineries at AF STN Jamnagar	M/s . S.K..Traders, Jamnagar Email: Phone No. 9824211899/9824211892	75,000	Dr. AmitKumar J. Solanki
485	Proof checking of Crust design of Flexible Pavement at Bulk Drug Park, Jambusar	Gujarat industrial Development Corporation, Bharuch	55,000	Dr. Rakesh Kumar
486	Proof checking of structural design and drawing of Udhampur R & B Upgradation of MS Balandh to HS to Ramnagar – 4ACR	Rushabh Consultants LLP,Ahmedabad E-mail: pmc@rushabhconsultants.com	30000	Prof. A. J. Shah
487	Proof checking of structural design and drawing of Udhampur R & B High school at Sira - 6ACR	Rushabh Consultants LLP,Ahmedabad E-mail: pmc@rushabhconsultants.com	40000	Prof. A. J. Shah
488	Proof checking of structural design and drawing of J & K – R & B Division for Construction of Govt. Ayush Dispensary at Pakhlai-Uahampur and Thalora – Udhampur.	Rushabh Consultants LLP,Ahmedabad E-mail: pmc@rushabhconsultants.com	50000	Prof. A. J. Shah
489	Providing Consultancy Service for mProof Checking and Vetting of CC road design and drwaing for the work of development of marine infrastructure for safe keeping of BSF vessel including construction of marine facilities, administrative area, residential area, boat, repair area, operation area, miscellaneous utiliease area, boundary wall and helipad etc. at koteswar, bhuj inthe gujarat.	M/s K.K. Sorathia Bhuj-Kutch Phone No.: 2832-242581 E-mail: kksorathia@rediffmail.com	50000	Dr. AmitKumar J. Solanki
490	Proof checking work for Foot Over Bridge to be constructed at Bhaktinagar, Rajkot	Miral – Mavani (JV), Rajkot Payment made by N V Infra (M) 98250 72950 E-mail: vmavanicons@yahoo.com	60000	Dr. A. K. Desai



491	Structural Proof checking work on the structural design and drawings of bridge design for construction high level bridge downstream of Sani Dam	GOMA Engineering and Consultancy, Ahmedabad E-mail: gomaconsultancy@gmail.com PHoneNo. 8238468031	350000	Dr. A. K. Desai
492	Structural Proof checking of the retaining wall to be constructed at Ramev Infra LLP Wada and Ponsara	Ramev Infra LLP, Jalalpore, Navsari	40000	Dr. A. K. Desai
493	Proof checking and vetting of "Culverts for provision of Taxi track & Twin Hangar at Indian Coast Guard Air Station Ratnagiri	J M Mhatre Infra Pvt Ltd, Panvel E-mail: hopanvel@jmmipl.in Phone No. 022 - 27460536	70000	Dr. G. R. Vesmawala Dr. Y. D. Patil
494	Proof checking of design and drawing (Advice and guidance on the structural modeling analysis, design, drawing and following under CE AF WAC Palam (HUDA EX Serviceman Complex Gurgaon)	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	30000	Dr. G. R. Vesmawala Dr. Y. D. Patil
495	Proof checking of design and drawing (Advice and guidance on the structural modeling analysis, design, drawing and following under CE Jaipur [1]Prvon of MD Accn for 06 x OFFRS , 32 X JCOS and 150 x OR (PH- I of two phases) at Jaipur MIL STN ](Maj and above 606 qtrs, JCO MD accn, car/scooter parking, pump house) (SDST23003) [2]Provn of KLP Phase I of Two phase of ARMD REGT at Hisar Military Station (SDST23004 [3] Design for Building with 04 Class Room double storey and toilet block with 06 Nos Toilet (Boys – 03 and Girls-03) single story at Children School at AFS Bamrauli (SDST23006)	Sai Geotechnical Lab, Vadodara (M) 9099917851 E-mail: saigeolab@gmail.com	220000	Dr. G. R. Vesmawala Dr. Y. D. Patil
496	Proof checking of design and drawing for following works (1) Prov of KLP (Phase-I) for Ad Regt at Hisar Military Station – IDBU23003 (2) Construction of Living in Billet for Air Warriors and DSC Personnel at AF STN/Jamnagar – IDBU 23005 (3) Povision of ORS Institute Including WCS and Bathroom at 7M detachment Okha – IDBU 23006 (4) Prvon of Additional Storage ACCN for Medical Stores at MH Chennai (SPL Work) – IDBU – 23007 (5) Precast RCC Security Wall as per description at AF STN Darbhanga – IDBU 23008	Inertia Engineering Solutions. Vadodara (M) 84604 46283 E-maui: inertiaengineeringsolutions@gmail.com	100000	Dr. G. R. Vesmawala Dr. Y. D. Patil
497	Proof checking of design and drawing (Advice and guidance on the structural modeling analysis, design, drawing and following under CE (AF), Shillong. (1) Construction of Certain technical and domestic Infrastructure at AF STN Jorhat (OTM for FU-1, ADM Building of SCP & LRSR, 02 Nos. o watch tower)	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	30000	Dr. G. R. Vesmawala Dr. Y. D. Patil
498	Proof checking of design and drawing for the construction of 145 Lacs Liter Capacity RCC under Ground Service Reservoir with Booster House including Rising Main, HT Room & Transformer Yard and Compound Wall at Pal WDS in West Zone (Rander) of SMC.	Hydraulic Engineer, Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org	190765	Dr. Y. D. Patil Dr. G. R. Vesmawala
499	Consultancy service regarding structural health assessment of 03 Nos. of Bridge (1) Market Chowk Ptaliya Bridge (2) Swami Vivekanand Bridge (3) Bridge near Naga Bavaji Temple	Chief Officer, Wankaner Nagar Seva Sadan, Wankaner E-mail: np_wankaner@yahoo.co.in Phone No. 02828 – 220510	220000	Prof. A. J. Shah

500	Proof checking of "Project Hangar Door support system (5 m x 12 m) for CE (CG) Goa.	K. K. Construction, Porbandar PhoneNo. 0286 – 2246824 (M) 9328116832 / 9426734486 E-mail: kkccpbr@gmail.com	40000	Dr. G. R. Vesmawala Dr. Y. D. Patil
501	Proof checking and vetting of structural design and drawing for the construction of new Taluka Panchayat Bhavan at Valsad, Dist- Valsad	Executive Engineer, Panchayat (R& B) Division, Valsad	60000	Dr. G. R. Vesmawala Dr. Y. D. Patil
502	Structural Proof checking of utility tunnel and Lined Drainage and ancillary works	Dineshchandra R. Agrawal Infracon Pvt Ltd, Ahmedabad Phone No.: 079 – 30005789 E-mail: drainfra89@gmail.com	500000	Dr. A. K. Desai
503	Proof checking of structural drawings of Dhordo BOP at Village Dhordo, Taluka – Bhuj, Dist- Kutch	Executive Engineer, Border Delimitation (Fencing) Division – V, CPWD, Bhuj Phone No. 02832 – 299814 E-mail: bhueebfd5.cpwd.@gov.in	75000	Dr. A. K. Desai
504	Consultancy work for the drawings for vetting / approval of RCC Retaining structure of JDA parking site and North Block Secretariat Site – Jaipur, Rajasthan.	VH Shri Enterprise, Surat Phone NO, 0261 – 2666515 E-mail: vshrienterprise@gmail.com	25000	Dr. A. K. Desai
505	Proof checking of structural and hydraulic design of water of supply scheme in single package on "Turkey-Key job basis", District- Raisen Multi Village.	Pravada Engineers Pvt Ltd, Surat Phone NO. 9909245554 E-mail: nikunj@pravada.co.in	300000	Dr. A. K. Desai Dr. P. G. Agnihotri
506	Consultancy service for structural stability report of the building of 4th Class Staff Quarters and Lecturer Teacher Quarters in the University Premises, Surat, Gujarat	Registrar, Veer Narmad South Gujarat University, Surat Phone No. 0261 – 2227141 E-mail: info@vnsgu.ac.in	67500	Dr. A. K. Desai
507	Proof checking consultancy services of structural design for the construction of Urban Health Centre With maternity Home at T. P. S. No. 28 (Althan-Bhatar), F. P. 107, Bhatar), F. P. 107, Althan Bhatar, South – West (Athwa) Zone, Surat Municipal Corporation, Surat	Executive Engineer, Central Designing Cell, Surat Municipal Corporation, Surat Phone No. 0261 - 2663049	117335	Dr. G. R. Vesmawala Dr. Y. D. Patil
508	Double sheet pile wall cofferdam design for barrage work on river tapi at village Rundh-Bhatha	Unique Construction, Surat Email: info@uniqueconstruction.org Phone No: +9102612269300	100000	Dr. Jitesh T. Chavda
509	Providing Third Party Inspection Services for the Constructing Cement Concrete Roads of Various Societies in West Zone(Rander)	West Zone(Rander), surat Municipal Corporation, surat Email: wz@suratmunicipal.gov.in Phone no. 0261-2786181-83	171275.72	Dr. AmitKumar J. Solanki Dr. Ashish Dhamaniya
510	Providing consultancy services for FWD testing of road and design of overlay for the work of resurfacing of surat -olpad-sahol fourlaning Road Km.9/800 to 29/200 dist.surat	M/s Bhavani construction Co. Email: bhavani_8705@yahoo.co.in Phone no. 9825121504	150000	Dr. AmitKumar J. Solanki
511	Proof checking of RCC Box Culvert.	GM Industrial Estate LLP, Surat Phone No. 90516 62828 E-mail: account@gm-diamond.com	40000	Dr. A. K. Desai
512	Proof checking of New Station building at Bhachau Railway Station, Bhachau-Kutch, Gujarat.	L. R. Patel & Co., Ahmedabad Phone No. 079 – 2657 9077 E-mail: lrpatelco@gmail.com	100000	Dr. A. K. Desai
513	Structural Proof checking of structure, asarwa and Maninagar, Ahmedabad	Define Design, Ahmedabad (M) 9998882902 E-mail: definedesign85@gmail.com	40000	Dr. A. K. Desai

514	<p>Consultancy service for identification of the defect on PQC Panels works executed by M/s MEDP Sanjose &amp; Submission of methodology for Repair.</p> <p>Project (1) Construction of Left out work of Four Laning of Talaja-Mahuva-Kagvadar Section of MH-8E from 53.585 to km 100.100 (Design chainage from km 54.990 o km 100.450 (Package – II) in the state of Gujarat (2) Construction of Left our work of Four Laning of Mahuva-Kagvadar section ofMH-8E from km 100.100 to km 139.915 (Design Chainage from km 100.450 to km 140.470) Package – III)</p>	<p>Project Director, National Highway Authority of India, Project Implementation Unit, Bhavnagar. E-mail: 0278 – 2564026 E-mail: piubhavnagar@nhai.org.</p>	650000	Dr. A. K. Desai
515	<p>Professional Assistance and Guidance (Proof checking of structural design and drawing) on the structural modelling analysis, design and drawings for the works under Western Railway Division. (RPF Post)</p>	<p>MAK Developers, Vadodara Phone No. 7048868366 E-mail: makdevelopers1112@gmail.com</p>	30000	Dr. G. R. Vesmawala Dr. Y. D. Patil
516	<p>Structural Proof checking of drawing of existing Level crossing by provision of Road under Bridge (RUB) under DEN North Jurisdiction (LC No. 253, 262, 266, 288 &amp; 297)</p>	<p>Diya Construction, Surat E-mail: diyaconstrail@gmail.com Phone No. 97142 19151 / 87809 44629</p>	35000	Prof. A. J. Shah
517	<p>Proof checking of structural design and drawing for the Widening, Strengthening and other Infrastructure Development of (MDR-2, ODR-4, ODR-6, ODR-8, ODR-11, and ODR-14) at Diu District (package – II),” &amp; Strengthening &amp; Widening of Village Roads under District Panchayat, Diu</p>	<p>M/s RKC Infrabuilt Pvt Ltd, Thaltej, Ahmedabad</p>	500000	Dr. A. K. Desai Dr. Ashish Dhamaniya
518	<p>Proof checking and vetting structural design and drawing for the project of district level hospital &amp; Ayurvedic Hospital at Anand, Dist- Anand</p>	<p>Superintending Engineer, Project Implementation Unit, Gandhinagar (M) 079- 23231434 / 23231393</p>	2114267	Dr. G. R. Vesmawala Dr. Y. D. Patil
519	<p>Design vetting of 34 mtr Stadium Mast</p>	<p>M/s Transrail Lighting Limited, Silvassa (M) +919021995889 E-mail: yagnesh.acharya@transraillighting.com</p>	45000	Dr. A. K. Desai
520	<p>Proof checking work of POH workshop extension for body repair shop plan. (Bhavnagar workshop- AC Coach- POH facilities at Bhavnagar)</p>	<p>M/s Khodal Corporation, Viramgam E-mail: khodal_naresh@yahoo.com Phone no.: 079 - 26585316</p>	40000	Dr. A. K. Desai
521	<p>Condition assessment of the building of Sankriti Processors Pvt Ltd, Sachin, Surat</p>	<p>Sanskriti Processors Pvt Ltd, Sachin Phone no.: 0261 – 2398983</p>	300000	Prof. A. J. Shah Dr. A. K. Desai
522	<p>Opinion for the Bridge for the trouble shooting of Pre-cast prestress girders cracks at Ground level (Project: Construction of ROB in lieu of LC No. 53T, at Railway crossing between Dehgam Station to Himmatnagar Junction Railway Station at Talod, Gujarat.</p>	<p>GPC Infrastructure Ltd, Palanpur, Banaskantha E-mail: giplpalanpur@gmail.com Phone no. 02742 - 259807</p>	200000	Dr. A. K. Desai

523	(1) Proof checking of 12.0 m wide FOB works in connection with Amrit Bharat Station Scheme at Dwarka, Miral-Mavani JV. (2) Proof checking of 12.0 m wide FOB works in connection with Amrit Bharat Station Scheme at Than, Miral-Mavani JV. (3) Proof checking of 12.0 m wide FOB works in connection with Amrit Bharat Station Scheme at Surendranagar, Miral-Mavani JV	M/s Vidyadhar U. Pendse, Vadodara E-mail: pendse.vidyadhar@gmail.com	120000	Dr. A. K. Desai
524	Consultancy service for structural design vetting of 28 m & 15 m high masts of Transrail make for cricket Ground of TARF at Downtown District, Aerocity, IGI Airport, Delhi	ARITRON Services Pvt Ltd, Faridabad E-mail: aritronservices@gmail.com	60000	Dr. A. K. Desai
525	Proof checking of design and drawing for the construction of Railway Bridges in connection with providing connectivity between chainage 5.2 km (On DFCCIL New Rewari Kishangarh Balawas Connecting Line) to IR Kumbhawas station under Jurisdiction of GGMM/Jaipur – Regarding..	M/s Vishnu Prakash Punglia Ltd, Jodhpur E-mail: sanjay@vprp.co.in Phone No.: 0291 - 2434396	317000	Dr. A. K. Desai
526	Vetting of Roof Supporting Structure and Drawing Tank No. TK05 & TK06 at IOCL, Ambala Terminal under Delhi and Haryana State office.	EPC Perfect Private Limited, Navi Mumbai E-mail: info@eccperfect.com Phone No. 022 - 27777778	60000	Dr. S. A. Vasawala Dr. C. D. Modhera
527	Condition Assessment & Functionally Viability of Bhestan Branch located @ T. P. S. No. -2 (Udhna), F. P. No. 94 (4, Riddhi Siddhi Apartment, Opp. Navin Flourine Colony, Udhna-Bhestan Road, Surat	Surat National Co-Op Bank Ltd, Surat Phone No.: 0261 – 2213100 – 101 E-mail: Hitesh.shah@sncb.in	25000	Dr. G. R. Vesawala Dr. Y. D. Patil
528	Scrutiny and vetting of area Drain and Culverts for provision of Taxi Truck & Twin Hanger at Indian Coast Guard Air Station Ratnagiri.	M/s. J.M. Mhatre Infra Private Limited email: hopanvel@jmmipl.in Phone: 2227451625	50000	Dr. Namrata D. Jariwala Dr.G. R. Vesawala
529	(1) Proof checking of work for construction of Two lane High Bridge Across Kalisindh River on Jhalarapatan Gindor-Railway station – Jhikariya-Kishanpura-Durgapura-Gagron on MDR – 227 in the State of Rajasthan. (2) Proof checking work for Construction of Two Lane High Bridge Across Ahu River on Pirawa Dhaturiya Via Harnawaagaja on MDR-226, (PWD Zone- Kota, Rajasthan)	Strength Engineering Services Pvt Ltd, Jaipur. E-mail: 94601 37902 E-mail: strength@strengthengineering.in	300000	Dr. G. R. Vesawala Dr. Y. D. Patil
530	Proof checking of structure design and drawing Of Aeration Tank, Bioremediation Reactor, DAF Feed Sump	EFFWA INFRA & RESEARCH PRIVATE LIMITED, Thane E-mail: infor@effwa.co.in Phone no. : 022 – 41842800	180000	Dr. G. R. Vesawala Dr. Y. D. Patil
531	Providing consultancy service for study on the performance of different conspicuity tapes.	3M India Limited, Bengalore, Email: akishore2@gmail.com Phone No. 8130009785	391000	Dr. S.S.Arkatkar
532	To Perform Falling Weight Deflectometer (FWD) test and recommended the required overlying thickness for the work of strengthening and widening of gandhinager K-7 Randheja-Bhlave-Mansa road from Ch. 7+500 to ch. 15+500 and widening and strengthening of Balva-Mansa Road from ch.15+500 to Ch.23+700	Dy. Executive Engineer, Gandhinagar sub division. Gandhinagr Email: gdsdgandhinagar@gmail.com	100000	Dr. Satyjit Patel
533	Proof checking consultancy service of east side station building for redevelopment of Utran Station as Amrit Station.	M/s Miral- MNP JV, Ahmedabad E-mail: miralmnpjv6165@gmail.com	25000	Dr. A. M. Parghi

534	Proof checking of structural design & Drawing of VUPs Deduva-Kiyal-Thara-Rah Road km 0/0 to 9/800 (Pro. Minor bridgewith approaches ch. 3/930 to 4/140)	Dy. Executive Engineer, R & B Sub Division, Tharad Phone No.: 02737 - 223176 E-mail: rnbtharad@gmail.com	100000	Dr. Kashyap A. Patel Dr. Jitesh T. Chavda
535	Structural Proof checking of Check Dam Design	WR Consultancy Phone No. 9374724005 E-mail: info@wrconsultancy.co.in	50000	Dr. C. D. Modhera
536	Validation & Proof checking of Technical study such as Hydro-Geological Survey to determine the carrying capacity / assimilation capacity of land at little run of Kutch.	DCW Limited, Power House Road, Dhrangdhara – 363 310 Phone Number : 02754299216 E-mail: office@dhg.dcwlt.com	550000	Dr. C. D. Modhera Dr. P. G. Agnihotri Dr. N. D. Jariwala
537	Proof checking of design and drawing for the works under CE Pathankot Zone, Western Railway Ahmedabad Division (1) Construction of School building, Staff Quarters, Boundary Wall for Kendriya Vidyalaya at Samba .(MD Accn Type-II, Type – III, Type – V, Overhead water tank (20000 Gallons), Parking space Scooter, Car Parking Shed, Wet Canteen, Sentry Post/ Box) (2) Running Room and Crew lobby at Gandhidham (Western Railway Ahmedabad)	M/s Hierarchy Structures, Kolhapur E-mail: hierarchystructures@gmail.com Phone No. 97640 60090	60000	Dr. Y. D. Patil
538	Mix Design of DBM and SDBC for the work of Recarpetting of Ukai Colony at Ukai, Songadh tapi	M/s Anup C. Panchal (Client through Dy. Exe.Engg. Ukai Sub Division No. B/1, Ukai) Phone no. 9879546966	100000	Dr. AmitKumar J. Solanki
539	Proof checking consultancy service of east side station building for redevelopment of Utran Station as Amrit Station.	The Setu Nirman, Ahmedabad. Phone No . 9974179744 E-mail: thesetunirman@gmail.com	30000	Dr. G. R. Vesmawala Dr. Y. D. Patil
540	Structural Proof checking of Design of “Ground Mount Solar Module Mouting STRucutre (MMS)”	Indmarks Formtech Pvt Ltd, Pune E-mail: sales@indmarkformtech.co.in (M) 9922920050	55000	Dr. A. K. Desai
541	Proof checking of structural design of minor bridges on Himmatnagar- Khedbrahma Gauge Conversion Project (Minor Bridges – 40 Nos. only)	Dy. Chief Engineer / C/III, Western Railway, Ahmedabad E-mail: dyce3adi@gmail.com (M) 9724093251	2520000	Dr. A. K. Desai
542	Proof checking of 12 m wife foot over bridge at Sadalpur and Bhiwani Station	Adhirachna Engineering Solutions, Jaipur E-mail: adhirachna@gmail.com Phone No. 9782812009	125000	Dr. Y. D. Patil Dr. G. R. Vesmawala
543	(1) Consultancy services for expert opinion of PWH (Product Ware House) partition wall as per Gujarat Safety Council Recommendations. (2) Structural condition assessment of structural retrofitting of Nitrogen Tank in ONGC Dahej, Gujarat	ONGC Petro Additions Limited, Vadodara Phone No.: 0265-6192600 E-mail: invoice@opalindia.in	135000	Dr. A. K. Desai
544	Structural condition assessment of fire damage Industrial Building (Ground +2 storey ) with shed at terrace located at Plot No. 32/33, RJD Integrated Textile Park, Hazira, Road, Ichchhapore,	Sameer S. Wable, Saijeet Enterprises, Plot No. 32/33, RJD Integrated Textile Park, Hazira, Road, Ichchhapore.	100000	Dr. A. K. Desai

545	Proof checking and Drawing of Misc structure for Construction of High Level Bridge Lalpura to Bagda Across Mangali	Thoughts Consultants Jaipur Pvt Ltd, Jaipur (Payment made by M/s Parul Construction Co.) Phone No. +91 – 141 2653232 E-mail: thoughts.jaipur@gmail.com	100000	Dr. Y. D. Patil Dr. G. R. Vesmawala
546	Structural Proof checking of Overhead Water Tank, Mor Village – Olpad Taluka, Surat	Kantha Vistar Satayapurna Vikas Samity – Hazira, Dist- Surat E-mail: manojkvs@gmail.com Phone No. 98792 20691	30000	Dr. A. K. Desai
547	Detail Soil Investigation and Design of 858 KL fire Water Tank Foundation at Gwalior AFS.	Bharat Petroleum Corporation Limited, Gwalior Email: palguna@bharatpetroleum.in Phone: 022-27764537	800000	Dr. Jitesh T. Chavda Dr. C.H.Solanki Dr. Kashyap A. Patel
548	Providing Consultancy service for the design of Kashyap Gems & Jewellers Circles in East (Sarhana) Zone-B	Kashyap Gems & Jewellers, surat email:kashayapgemsandjewellers@gmail.com Phone no. 756717300/7567174000	50000	Dr. Ashish Dhamaniya Dr. G. J. Joshi Dr. S. S. Arkatkar
549	Vetting of design and drawing of the project construction of road over bridge in jieu of LC. No. 262 at railway Km.866/20-22 in bhopal bina section	ANV Design Associates, Haryana Email: design.anv22@gmail.com Phone No. +91 870072225	60000	Dr. Jignesh B. Patel
550	Condition assessment of Wing – A & B building of Virbhadra Residency Co- Op. Housing Service Society, Ltd. Surat	Virbhadra Residency Flat Owners Co-Op. Housing Service Society, Ltd. Surat	215000	Dr. A. K. Desai
551	Structural stability of the Temple owned by Hare Krishna Public Charitable Trust (City survey number 2477/1, ward No. 4)	Hare Krishna Public Charitable Trust, Surat	25000	Dr. G. R. Vesmawala
552	TPQA Services for construction of Academic Building, Student Hostel, Electric Substation with all necessary infrastructure facilities for IIT Vadodara at Dumad, Vadodara (Academic Building, Students Hostel, Electric Sub Station Building, etc...)	Registrar, Indian Institute of Information Technology, Vadodara Phone No. 079 – 23977511 E-mail: registrar@iitvadodara.ac.in	4000000	Dr. Y. D. Patil Prof. A. J. Shah
553	Proof checking of ROB, RUB, School building, steel stair case etc works between Surat (Sachin) Mumbai (Vaitarna) Railway Station of Mumbai Division of Western Railway	Dy. Project Manager / Engg, DFCCIL- Mumbai (North) Dedicated Freight Corridor Corporation of India Ltd. Phone no.: 011 - 23454700	600000	Dr. A. K. Desai
554	Vetting of document for the project" Conversion of EFR tank to CR tank (Tank No. T-39/40)" at BPCL Sewree.	Gabatia Engineers & Consultants, Navi Mumbai Email: gabatia@gmail.com Phone No. 9820392502	125000	Dr. Jitesh T. Chavda Dr. C.H.Solanki Dr. Anant M. Parghi
555	Proof checking of structural design and drawings for the project of "New Construction of Spine, Kidney, and Ophthalmic Hospital with Central OPD building at SSG Hospital Campus, Vadodara	Chief Engineer, Project Implementation Unit, Gandhinagar (C/o Executive Engineer, Project Implementation Unit, Zone-6, Vadodara) E-mail: exeniussg@gmail.com	2884168	Dr. A. K. Desai

556	Proof checking / vetting services of structural drawings for the construction of 424 bedded teaching hospital at Palitana, Ta- Palitana, Dist- Bhavnagar.	Chief Engineer, Project Implementation Unit, Gandhinagar (C/o Executive Engineer, Project Implementation Unit, Bhavnagar) E-mail: deepiubhavnagar@gmail.com	2910245	Dr. A. M. Parghi
557	Analysis of Plate load Test results and Calculations of MIF Values for Geogrid Reinforced Pavement Layers	TAGS Projects Private Limited Rajesthan Email: engineering@tagsprojects.com Phone No.9810811118	400000	Dr. Satyjit Patel
558	Structural Proof checking of the design of CD works proposed for work named "Construction of WBM Road near FRL area of Sindhani Irrigation Scheme at Satapar Village, Ta- Kalyanpur, Devbhoomi Dwarka.	Executive Engineer, Salinity Control Division, Jam-Khambliya E-mail: scdnjam@gmail.com	250000	Dr. A. K. Desai
559	Structural Proof checking of Design of Bridge of Construction of Additional Four Lane Major Bridge on River Sabarmati and it's approaches at km 5/625 on NH - 8C (New NH - 147) in the State of Gujarat	ANANTA PROCON PVT. LTD, Mahesana Phone No. 02762 – 253728 E-mail: applmsh@gmail.com	250000	Dr. A. K. Desai
560	Vetting of project for Construction of UGSR Tank for RCC member in Silvassa	Assistant Engineer, PWD- I, Sub Division no. – IV (R & B) Dadra and Nagar Haveli, Silvassa Payment made by P. Das Infrastructure Pvt Ltd, Ahmedabad E-mail: info@pdasinfra.com Phone no.: 9925163598	50000	Dr. A. K. Desai
561	Proof checking of design and drawing :: Professional Advice and Guidance on the Structural Modelling, Analysis, Design, Drawing, and following works under CE Jabalpur (1) Provn of Certain OTM Accn for static WKSP EME under GE (AWC) MHOW. (2) Provn of Certain OTM accn and External services at Air Force Station Chabua (Office and Admin Accn for Firing Unit- 2, Car Parking shed, Scoter Parking, 3D Car Complex, RCC underground Trenches)	Geo Designs & Research (P) Ltd, Vadoara E-mail: info@geogroup.in (M) 9375202525 / 0265 - 2290222	35000	Dr. G. R. Vesmawala Dr. Y. D. Patil
562	Proof checking of structural design and drawings for the project of new construction of Government Ayurvedic College and attached Hospital at Surendranagar, Dist- Surendranagar	Chief Engineer, Project Implementation Unit, Gandhinagar (Executive Engineer, Project Implementation Unit, Surendranagar) E-mail: exenpiusngr@gmai.com	1219893	Dr. A. K. Desai Dr. Rakesh Kumar
563	Structural Audit of ESIC / ESIC Building in Gujarat Region (Ahmedabad, Vadodara, Surat, Rajkot, Bhavnagar, Wankaner) Total 18 buildings.	Assistant Engineer, Employee State Insurance Corporation, Ahmedabad Phone No.: 079 – 27528400/450 E-mail: rd-gujarat@esic.nic.in	2020000	Dr. C. D. Modhera Dr. B. Kondraivendhan
564	Stability Analysis of Earthen & Masonry Dam Section of Shetrunji Dam under Dam Rehabilitation and Improvement Project (DRIP)	Executive Engineer, Bhavnagar Irrigation Division, Bhavnagar E-mail: ee.bidvbn@yahoo.in Phone No. 0278 - 2515737	6200000	Dr. J. N. Patel Dr. A. K. Desai Dr. J. B. Patel
565	Proof checking of structural design and drawings for the project of "New Construction of Cardiology Institute and Multispecialty Hospital at Ansuya Leprosy campus of S.S. G. Hospital, Vadodara	Chief Engineer, Project Implementation Unit, Gandhinagar E-mail: piusec10@yahoo.com Phone No. : 079 – 23231434 / 2231393	1826331	Dr. G. R. Vesmawala Dr. Y. D. Patil

566	Visual Inspection and Rebound Hammer Test, interpretation of core testing result of the high rise residential building project in ONGC, Cambay, Gujarat	M/s D H Patel, Surat E-mail: dhpateinfirasurat@gmail.com	150000	Dr. C. D. Modhera Dr. B. Kondraivendhan
567	Consultancy services regarding Structural Condition Assessment of Valsad HOD Building, Valsad	Asst. Director, Postal Service (Bldg &Tech) O/O/ Postmaster General, South Gujarat Region, Vadodara-2 E-mail: bldgsecovdr@gmail.com	150000	Dr. Y. D. Patil Dr. G. R. Vesmawala
568	Inspection and condition assessment of Old Administrative Building in plant area at NTPC – Kawas and commencement of Inspection Work.	NTPC Limited, Hazira, Surat E-mail: ntpckawas@ntpc.co.in Phone No. 0261 - 2860445	30000	Dr. A. M. Parghi Dr. C. H. Solanki
569	Third Party Quality Audit for rechecking of structural design for bridge no.44,56,60 & 61 on Mehsana-Taranga Hill BG line of Ahmedabad Division on Western Railway	Western Railway, Ahmedabad Email: dyceconivadi@gmail.com	200000	Dr. Rakesh Kumar Shri A. J. Shah Dr. Shailendra Kumar
570	Third Party Vetting of Geo-Tech report of construction IAAD Gandhinagar, Gujarat	M/s. Shreeji Technical Consultancy Services, Ahmedabad Email.shreejitechnical@yahoo.com Phone no.8469060545	25000	Dr. C.H. Solanki
571	Approval of structural design for the works under CE Delhi, GE (AF), Mohanbari, GE Deolali, CE Bhopal. (1) KV No. 4, Staff Qtrs and Boundary Wall at Khandhar Line Delhi Cantt-10 (2) Provn of Deficient married accn for Officers and Airmen ACCN for Officer and Airmen at AFS Dinjan (PH-1) (3) Construction of TRG Shed Near Gyani Marg, School of AtTy, Devlali (4) Provn of OTM accn for armrd Engr Regt at Jhansi Cantt (Ph one of two Phs) (5) Provn of OTM Accn for ARMD Engr REGT at Jhansi Cantt (Ph One of two PHS)	Geo Designs & Research (P) Ltd, Vadodara Phone No. 0265- 2290222 E-mail: info@gegroun.in	225000	Dr. G.R. Vesmawala Dr. Y. D. Patil
572	Proof checking of drawings for Solar Structure 5 x 2 Table of Okha Site	Efficient Energetech Pvt Ltd, E-mail: maulesh@efficientenergyindia.com (M) 9099924989	30000	Dr. Y. D. Patil Dr. G. R. Vesmawala
573	Proof checking of Design of Solar Module Mounting Structure Design for UP Jal Nigam – Tube Well Automation Proejct.	M/s PANACEAARC, Vadodara E-mail: info@panaceearc.com (M) 8980377999	25000	Dr. Y. D. Patil Dr. G. R. Vesmawala
574	Proof checking/ vetting of structural drawings for the construction of office building including annex building and development of bulk services for Indian Audit & Accounts Department (IA & AD) at Sector – 10 A, Gandhiangar, Gujarat	Executive Engineer, Central Public Works Department, Gandhinagar E-mail: eegdcgn.cpwd@gov.in Phone No.: 079 – 23223486	540000	Dr. Y. D. Patil Dr. G. R. Vesmawala
575	Proof checking / vetting of structural drawings for the construction of 150 bedded hospital for ESIC at Kalol, Gandhinagar, Gujarat	Executive Engineer, Central Public Works Department, Gandhinagar E-mail: eegdcgn.cpwd@gov.in Phone No.: 079 – 23223486	500000	Dr. Y. D. Patil Dr. G. R. Vesmawala
576	Preparation of Mix Design of Line & Soil for Soil Stabilization for the work of Construction of four lanning of Dhandhuka Barwala Vallbhipur Road (S.H. - 36) Km 118/700 to 139/700( length of road-18.6 Km) under R&B Division Botad	Dy. Executive Engineer, R&B sub Division , Ranpur Email: deernbranpur@gmail.com Phone no.9173484958	50000	Dr. Satyjit Patel



577	Checking of structure stability of residential building at Narmada Project Colony, Bharuch.	Executive Engineer, N. P. Dr. & Canal Division No.1, (Sardar Sarovar Narmada Nigam Ltd, Bharuch. Phone No. 02642 – 228587 E-mail: eednc1brh@gmail.com	100000	Prof. A. J. Shah Dr. A. K. Desai
578	Consultancy service regarding Condition assessment of Passport Office Building including residential complex (staff Quarters) at Regional Passport office, Surat	Dy. Executive Engineer, Medical College (R & B) Sub Division, Opp: L. B. Cinema, Near Majura Fire Station, Bhatar Road, Surat E-mail: medicalsubdivision@gmail.com Phone No. 0261 - 2234110	1250000	Dr. B. Kondraivendhan Dr. C. H. Solanki
579	Proof checking of structural design and drawings for the work of Construction of New Hospital Building at 425 bedded Hospital at Mansa, District, Gandhinagar	Chief Engineer, Project Implementation Unit, Gandhinagar E-mail: piusec10@yahoo.com Phone No. : 079 – 23231434 / 2231393	2499554	Dr. G. R. Vesmawala Dr. Y. D. Patil
580	Structural Stability Checking of 3 number of school of L. P. Savani Group of School, Surat	L. P. Savani Group of School, Surat director.lpsa@lpsavani.org (M) 7622002021	255000	Dr. A. K. Desai Dr. Kashyap A. Patel
581	Opinion for the Bridge for the trouble shooting of Pre-cast prestress girders cracks at Ground level (Project: Construction of ROB in lieu of LC No. 53T, at Railway crossing between Dehgam Station to Himmatnagar Junction Railway Station at Talod, Gujarat.	GPC Infrastructure Ltd, Palanpur, Banaskantha E-mail: giplpalanpur@gmail.com Phone no. 02742 - 259807	80000	Dr. Kashyap A. Patel Dr. Jitesh T. Chavda
582	Providing Proof Checking Services for the work. Design, construction. Testing & commissioning of 24x7 water supply system including of Civil Mechanical, Electrical, instrumentation & PLC-SCADA for Abrama, Umra, Gothan, Segva Syadal, Vasvari, Bharthana, Kathor and Velenja Village of Newly added area under North & East Zone at Right Bank of the River Tapi, Surat Municipal Corporation (SMC) and its successive operation and maintenance for 5 years	Hydraulic Engineer, Hydraulic department, surat municipal Corporation, surat Email: exen.hydraulic@suratmunicipal.org	2804797.51	Dr. P. G. Agnihotri Dr. J. N. Patel Dr. A. K. Desai Dr. D.A. Patel
583	Structural Proof checking of structure, asarwa and Maninagar, Ahmedabad	Define Design, Ahmedabad (M) 9998882902 E-mail: definedesign85@gmail.com	30000	Dr. A. K. Desai
584	Structural condition assessment & stability certificate of Bhatela Apartment at Jain Street Near Sai Temple, Nani Daman.	Bhatela Apartment, Jain Street, Nani Daman. Phone No.: 9327668190 / 9228831000	90000	Dr. A. K. Desai
585	Proof checking of design and drawing of Toilet Block & Kiosk Structures for construction of protection wall with Jampore Ghat for Extension of Jampore Sea front up to Varliwad School at Jampore, Moti Daman	M/s RKC Infrabuilt Pvt Ltd, Thaltej, Ahmedabad E-mail: info@rkc.co.in Phone No. 079 - 47544000	50000	Dr. A. K. Desai
586	Providing remedial measures for strengthening of existing main kadipani head work filter plant of Hafeshwar RWSS, Ta- Kawant, Dist- Chhotaudepur.	Gujarat Water Supply & Sewerage Board, Chhota Udepur – 361165 E-mail: eechhotaudepur11@gmail.com Phone No.: 02669- 232343	168000	Dr. A. K. Desai Dr. J. B. Patel

587	Structural vetting of "RCC Retaining Structure Design for Basement Excavation", Trumurty Kachnar, Jaipur, Rajsthan.	VH Shri Enterprise, Surat Phone NO, 0261 – 2666515 E-mail: vshrienterprise@gmail.com	50000	Dr. A. K. Desai
588	Providing proof checking consultancy services of design and drawing for construction of O. P. D. Building and Ward Building at New Civil Hospital Surat.	Superintending Engineer, Project Implementation Unit, (Zone-7), Surat (M) 0261 - 2235423 E-mail: exenpiusrt@gmail.com	7129801	Dr. G. R. Vesmawala Dr. Y. D. Patil
589	Carrying out Third Party Quality Assurance for ongoing works under CPWD, BFD-II, Mundra Road, (PWD, Bhuj)	Executive Engineer, Central Public Works Department, Border Fencing Division – II, Mundra Road, Bhuj – Kutchh.	120000	Prof. A. J. Shah
590	Proof checking of the structural design / Vetting of the structural modeling, analysis, Design, Drawing for Demolition Reconstruction of Unsafe/Dilapidated OMQS/SMQS at AF STN Chandigarh. (Block A6 and Z Sector 47A, Block A and G Sector 47B).	The Design Factory, Jalandhar Phone No.: 9876602949 E-mail:s.nairshailu@gmail.com	40000	Dr. G. R. Vesmawala Dr. Y. D. Patil
591	Proof checking of structural design & drawing of residential apartment for Pratham Buildcon Pvt Ltd on Plot No. GHC-3/1, Tronica City, Loni, Ghaziabad, UP	ABL Structure Consultants Private Limited, Delhi E-mail: ablsc09@gmail.com Phone no. 011-45650222	50000	Dr. A. K. Desai
592	Proof checking of design and drawing of Retaining wall of the structures (1) VIP with service road at Km 382 .00 (Achhad), 439.700 (nandgaon), 441.040 (Vikramgad) (a) 388+800 (Parshi Dhaba) (B) 401+700 Dpachari (C) 438+800 Fanaspada (d) 475 + 350 Bhavkhal (e) 475+900 Vanganpada (f) 479 + 700 Shivechapada (g) 485 + 800 Kolhi (h) 495 + 150 Sasupada (j) 497 + 350 Arvino Hotel (k) 499 + 350 Daras Dhaba on Surat – Dahisar Section of MH-48 in the State of MH on EPC Mode	M/s R. C. Patel, Unjha E-mail: rcpatel_1979@yahoo.com Phone No.: 9687670843 / 02767 /- 259244	100000	Dr. A. K. Desai
593	To carry out the necessary structural tests and structural stability report of the existing IITE Building at Gandhiangar.	Registrar, Indian Institute of Teacher Education, Gandhiangar E-mail: estatebranch@iite.ac.in Phone no. 9726093662 (Jaymin Patel, Asst. Civil Engineer, IITE)	200000	Prof. A. J. Shah
594	Structural Proof checking of 12 Nos. FOBs (Vatva, Asarva, Himmatnagar, Kalol, Mahesana, Unjha, Sidhpur, Palanpur, Patan, Bhachau, Viramgam, Chandlodiya A & B) of Railway foot over Bridges.	Dineshchandra R. Agrawal Infracon Pvt Ltd, Ahmedabad Phone No. 079 – 300005789 E-mail: drainfra89@gmail.com	420000	Dr. A. K. Desai Dr. Kashyap A. Patel
595	Development of Carbon-Negative Fly Ash Brick and Fly Ash Aggregate.	NTPC Limited, Noida E-mail: pranaysharma01@ntpc.co.in Phone No. 01124360100	4600000	Dr. Satyjit Patel
596	Consultancy service for proof checking of structural design and drawing including suggestions/ remedial measures if any, for the work of 103 Lacs Liter Capacity RCC under Ground Service Reservoir with Booser House in South East Zone (Limbatat) of SMC	Hydraulic Engineer, Hydraulic Department, Surat Municipal Corporation, Surat E-mail: exen.hydraulic@suratmunicipal.org.	100150	Dr. Y. D. Patil Dr. G. R. Vesmawala
597	Proof checking of structural design and drawings for the work of Hospital Building of CHC Manavadar at Manavadar, Dist- Junagadh.	Superintending Engineer, Project Implementation Unit, Gandhinagar (M) 079- 23231434 / 23231393 E-mail: sepiucoord@gmail.com	272165	Dr. G. R. Vesmawala Dr. Y. D. Patil

598	Supervision, Inspection and analysis of Initial pile load test for construction of conventional barrage for water purpose across River Tapi, Near Village – Rundh-Bhatha with adjoining Fly over bridge at Left Bank of River Tapi.	Executive Engineer, Water Resource and Recreation Cell, Surat Municipal Corporation, Muglisara, Surat Phone No. +91 – 261 – 2423750 E-mail: wrcc@suratmunicipal.org	80000	Dr. Y. D. Patil Dr. G. R .Vesmawala
599	Study Report to Suggest the Suitable Technology for Birla Copper Recycling Unit, Gujarat	Hindalco industries Limited, Bharuch Email: hindalco@adityabirla.com Phone No: 02641-256004-6	1200000	Dr. K.D.Yadav Dr. R. A. Christian Dr. N. D. Jariwala Dr.Bharat Dholakiya (DOC) Dr. Jigisha K. Parikh
600	Technical opinion for durability of the Anchor Bolt Used in PEB Shed in Bhestan Depot DC-02 in Surat Metro Project under Gujarat Metro Rail Corporation.	Rail Vikas Nigam Limited, Vadodara Payment made by SHRIPAD CONCHEM PVT LTD INCLUDING ITS DIVISION SHRIPAD CONSTRUCTION (M) 8827766166	25000	Dr. A. K. Desai
601	Regarding structural proof checking of design and drawing of thrust bed for box pushing at Dhandhuka	Larsen & Toubro Limited, Dhandhuka Phone No. +91- 7966525200	65000	Dr. A. K. Desai
602	Design vetting of 37 mtr and 32 mtr stadium mast	M/s Transrail Lighting Limited, Silvassa (M) +919021995889 E-mail: yagnesh.acharya@transraillighting.c om	90000	Dr. A. K. Desai
603	Design vetting qof 55 mtr Stadium Mast	M/s Transrail Lighting Limited, Silvassa (M) +919021995889 E-mail: yagnesh.acharya@transraillighting.c om	60000	Dr. A. K. Desai
604	Providing Third Party Inspection (TPI) services for the work of providing and laying storm drainage network (Box Drain and Pipe Drain) from Khadi Nr. Sachin GIDC Talangpore Village (F. P. No. 264) to main Khadi, Nr. Talagnpore Kansad Village Road via beside Kaushal Park-3 society 24.00 mtr. wide T. P. Road in TP-33 (talangpore-Umber) in South Zone-B (Kanakpur) of Surat Municipal Corporation (Phase -1).	Executive Engineer, South Zone-B (Kanakpur) Surat Municipal Corporation, Beside Swaminarayan Temple, Rajmarg Kanakpur – Kansad- Sachin, Surat – 394230	846170	Dr. P. G. Agnihotri Dr. J. N. Patel Dr. V. L. Manekar
605	Vetting/Proof checking consultancy services of the construction of boundary wall, ESIC hospital, & dispensary at Gujarat Region.	Hindustan Steelworks Construction Ltd, Delhi E-mail: hscnorthzone1@gmail.com	40000	Dr. A. M. Parghi

606	To Perform necessary survey/tests to provide suitable bituminous road pavement design for the work of developing iconic road on 60.00 mt. wide T.P. road from shyamdharm chowk (Loin Circle) to 90 mt. wide outer ring road (on boundary of T.P.S. 21 ( Sarthana-Simada) and T.P.S. 51 (Kosmada-Khadsad Pilodara-Simada) in New East (Sarthana) Zone-Bhinager K-7 Randheja-Bhlave-Mansa road from Ch. 7+500 to ch. 15+500 and widening and strengthening of Balv	New East (Sarthana) Zone -B, Surat Municipal Corporation, Surat Email: exen.ezb@suratmunicipal.gov.in Phone No. 0261-2547750	200000	Dr. Ashish Dhamaniya Dr. A. J. Solanki
607	Providing Consultancy Services for the survey and design of Road intersections within the Vadodara Municipal Corporation area.	Vadodara Municipal Corporation, Vadodara Email: exen.- Phone No.:02433116-2433118	5000000	Dr. Ashish Dhamaniya Dr. G. J. Joshi Dr. S. S. Arkatkar
608	Structural Proof checking of one basement + six storied commercial building namely society business of NAPSA at Lausaka, Zambia, Africa with one site visit at Lusaka, Zambia (as per scope of work)	Aakar Abhinav Consultants Pvt Ltd Navi Mumbai Phone No. 91 – 22-27580192 E-mail: info@aakarabhinav.com	400000	Dr. A. K. Desai
609	Site Visit & Report Berthing Facility Project at Lakkinala Bhuj	425 IFD, Department of Military Affairs, Bhuj Military station Email: -- Phone No:--	60000	Dr. Rakesh Kumar Dr. Jignesh B. Patel
610	TPI of 315 KVA, 500 KVA Transformers and 11 KV RMU	Shri Satya Sai Education Trust Surat	30,000	Dr. A K Panchal Dr. Prasanta Kundu
611	Performance Assessment of HHO Carbon Cleaning Machine for Vehicles	UNIKO India, Surat	45,000	Dr. P V Bhale Dr. R D Shah Dr. Rakesh Mourya Dr. S A Channiwala
612	TPI for SETC of online analysis & Desktop/Portable Laboratory Instruments for different Water Works Laboratory of SMC	Ashish J Naik Surat Municipal Corporation	51,021	Dr. A.D.Darji Dr. J.N.Sarvaiya
613	Professional Advice & Guidance, viz thrid Party Vetting and Approval of the Detailed Project Reported of Air Conditioning for Provision of OT & ICU at MH GE (N) Ahmedanager having capacity of 140 TR	M/s GEO Test House (A DIV. OF GEO Design and Research (P) LTD.)	60,000	Dr. Manish K. Rathod Dr. A.D. Parekh Dr. P.V. Bhale Dr. Prabhansu
614	Professional Advice & Guidance, viz thrid Party Vetting and Approval of the Detailed Project Reported of Air Conditioning for Provision of Coast Guard regional headquarter (NW), Administrative & Logistic complex, coastal Security Network Hub, Regional Operational Center (ROC), ICGS Gandhinagar and other OTM infrastructure at Sector-18, Gandhinagar having capacity of 270 TRcapacity of 140 TR	M/s GEO Test House (A DIV. OF GEO Design and Research (P) LTD.)	90,000	Dr. Prabhansu Dr. A.D. Parekh Dr. P.V. Bhale Dr. Manish K. Rathod
615	Consultancy Services for the measurement of "LUX" level on 60 Mt and 30 Mt road as well as 24 Mt and 16 Mt wide at Various road under phase II in Dream city limited Khajod	M/s Diamond Research and Mercantile city limited, Vesu Suart 395007	30,000	Dr. H.R.Jariwala Dr. Sabha Raj Arya
616	Analysis of rock samples	Parshwadarshan Jewels B/7 Chiragnagar No.2 Bhayandar (W) thane-401101	40,000	Dr. Vipul Kheraj Dr. Naved Malek Dr. B.Z. Dholakiya

617	Professional advice and guidance for design, development and successful implementation of three products: (i) commercial dishwasher for mega kitchen (ii) advanced winnowing machine for post harvesting process in the agriculture sector, and (iii) solar drayer for high quality drying of fruit and vegetables	PVA Syatems Email: anil@pvasystems.in Mobile: 9879218538		Dr. Nikunj Kumar G. Patel
618	Thired Party Inspection services for the work of 150 fully Electric 12 meter standered floor Height AC bust for BRTS of SMC	M/s Surat muncpal Corporation	7,78,181	Dr. P.V.Bhale Dr. A.K.Panchal Dr. Rohan Pande Dr. Sanjay Tolani
619	Professional Advice & Guideance Viz, Thired Party Vetting and Approval of the detailed project report of " consultancy of Air conditioning work of deal complex under GE(I) R&D Dehradun having capacity of roughly 180 tr	M/s GeO Test House (A DIV. OF GEO Design and Research (P) LTD.) Vadodara	70,000	Dr. A.D. Parekh Dr. P.V. Bhale Dr. Manish K. Rathod Dr. Prabhansu
620	Professional Advice & Guidance Viz Third Party Vetting and Approval of the Detail;ed Project Report of Consultancy of Air Condition at Gwalior under GE (i) R&D Delhi having Capacity of Roughly 70 TR	M/s GEO Test House (A Div. of Geo Design and Research (P) LTD, Vadodara	40,000	Dr. Prabhansu Dr. A.D.Parekh Dr. P V Bhale Dr. Manish k. Rathod
621	Thired party cheking and Vetting of Work Vendor CE Pune Zone	Hierachy Structures 9764060090	60,000	Dr. Prashanta Kandu Prof. A.K.shukla Dr. S.A.Channiwala Dr. P.V.bhale Mr. Decendra Bhatiya (expert Consultant)
622	Root Cause analysis for failure of Doostan Engine of CBM -Bokaro	oil & Naturls Gas corporation Limitge	50,000	Dr. Biranchi Sahoo Dr. Jyoti Meghani Dr. P V Bhale Dr. S A Chunnivla
623	Review and vetting of Drawings and design calculation of Electrification. Lighting Protection ssystem and water supply	integral solutions G-3107, 2 nd floor, jawaharlal nehru, international statdium kaloor Kochi	50,000	Dr. Hiren G.Patel Dr. Vimal K. Patel
624	Review Assessment and approval of Design of EOT Cranes Prepared by OEM.	M/s UBC Engineering PVt Ltd Belapur, navi mumbai	1,60,000	Dr. A.A.Shaikh Dr. A.K.panchal Dr. P.Kundu Dr. Sumitb Khare Dr. P.V Bhale Mr. Devendra Bhthija (External expert)
625	Mathematical modeling of Scheme D (mathematical model and closed loop control of MMA and DC-DC Converter)	VIRBHU INDIA PVT.LTD	13,50,000	Dr. Pranav B. Darji Dr. Mahmadasraf A. Mulla Dr. Kunisetti V. Paveen Dr. Jammala Venkataramaiah

626	Professional Advice and Guidance for the work under CE ARMY PUNE.	M/s. Integral Solutions, Kochi	75000	Dr. P.V.Bhale Dr. Jigisha K. Parikh (DoChE) Dr. Dilip A.Patel (DOCE) Mr. Devendra Bathija (Expert)
627	SMP-2 M FES DUCT CFD ANALYSIS	Arcelormittal Nippon Steel India Limited Hazira	7,50,000	Dr. Hemant B. Mehta Dr. Vipul M Patel
628	TPI for the work of SETC of VT pump sets & Related Mechanical Electrical Equipment etc. Under the Augmentation work of Mota Varachha Intakewell of Surat Municipal Corporation (2nd Attempt)	Surat Municipal Corporation	2,04,100	Dr. Aeidapu Mahesh Dr. Manish Rathod Dr. Suresh Lakhimsetty